

Update \_2\_0\_173Z4

**Clinical Reminders** 

**VA-COVID-19 IMMUNIZATION REMINDER UPDATE** 

**Install Guide** 

September 2024

Product Development
Office of Information Technology
Department of Veterans Affairs

## **Table of Contents**

INTRODUCTION	
PRE INSTALL	6
INSTALL DETAILS	6
INSTALL EXAMPLE	6
Post-Installation	

# Introduction

# **DESCRIPTION:**

Cohort is all patients regardless of age.

Reminder currently recognizes 3 formulations (Pfizer-BioNTech, Moderna, or Novavax) for resolution.

People aged 12 years and older who received any COVID-19 vaccine(s) before August 22, 2024 should receive 1 updated Pfizer-BioNTech, People Moderna, or Novavax COVID-19 vaccine.

People aged 12 years and older who have not received any COVID-19 vaccine should receive either:

- 1 updated Pfizer-BioNTech or Moderna COVID-19 vaccine OR
- 2 doses of updated Novavax COVID-19 vaccine, at least 3 weeks apart

A provider can make the determination that additional doses are needed for severely immunocompromised patients, but the reminder will not come due. The facility can use the coversheet, the reminder dialog template attached to the note title or the reminder even though it is not due to document additional doses based on provider recommendation after series 1 or series 2 in the case of Novavax being administered.

The VIS sheet links have been not been updated as of yet because they haven't been published by CDC. Once we have those, we will reach out to all CAC's and have them modify their TIU TEMPLATE FIELD to have the correct URL.

All new Covid-19 formulations have been added to reminder term VA-SARS-C0V-2 VACCINES. This is important for displaying on the CPRS banner any formulation a patient has received (until the banner is retired). Some sites may have already added all new formulations to this reminder term. In the install instructions you are

recommended to OVERWRITE all terms. Even if you have already placed the new formulations in this term, you should OVERWRITE this term if prompted.

## **Current formulations:**

CVX Code	Immunization formulation
309	COVID-19 (PFIZER), MRNA, LNP-S, PF, TRIS-SUCROSE, 30 MCG/0.3
	ML (AGES 12+ YEARS)
312	COVID-19 (MODERNA), MRNA, LNP-S, PF, 50 MCG/0.5 ML (AGES
	12+ YEARS)
313	COVID-19 (NOVAVAX), SUBUNIT, RS-NANOPARTICLE,
	ADJUVANTED, PF, 5 MCG/0.5 ML(AGES 12+ YEARS)

UPDATE\_2\_0\_173Z4 contains 1 Reminder Exchange entry:

UPDATE\_2\_0\_173Z4 VA-COVID IMMUNIZATION UPDATE

## REMINDER GENERAL FINDINGS

REMINDER GENERAL FINDINGS

1 VIEW PROGRESS NOTE TEXT

### TIU TEMPLATE FIELD

- 2 BLANK TEXT FIELD FOR DIALOGS
- 3 IM SCRIBE
- 4 VA-COVID-19 SEPTEMBER 2023 USES
- 5 IM SARS COV-2 OUTSIDE WARNING2
- 6 IM SARS COV-2 OUTSIDE INSTR 2
- 7 IM SARS COV-2 OUTSIDE INSTR 1
- 8 IM SARS COV-2 OUTSIDE WARNING
- 9 IM PHARMACY PHONE NUMBERS
- 10 IM SARS COV-2 SECOND DOSE INFO B1
- 11 IM SARS COV-2 ADMIN INFORMATION POST TEXT
- 12 IM SARS COV-2 ADMIN B1 INFO PRE TEXT
- 13 IM SARS COV-2 VIS/EUA INFO URL B1
- 14 IM SARS COV-2 ADMIN INFO PRE TEXT
- 15 COVID-19 CURRENT MODERNA VIS 2023
- 16 IM SARS COV-2 PROVIDER PRESCRIBING INFO SPIKEVAX URL
- 17 IM SARS COV-2 ADMIN POST TEXT
- 18 COVID-19 CURRENT PFIZER VIS 2023
- 19 IM SARS COV-2 PROVIDER PRESCRIBING INFO COMIRNATY URL
- 20 VA-VANOD BLANK
- 21 COVID 19 VHA RESOURCES
- 22 COVID 19 CDC RESOURCES

#### **IMMUNIZATION**

```
COVID-19 (PFIZER), MRNA, LNP-S, PF, TRIS-SUCROSE,
30 MCG/0.3 ML (AGES 12+ YEARS)
COVID-19 (MODERNA), MRNA, LNP-S, PF, 50 MCG/0.5
ML (AGES 12+ YEARS)
COVID-19 (NOVAVAX), SUBUNIT, RS-NANOPARTICLE,
ADJUVANTED, PF, 5 MCG/0.5 ML (AGES 12+ YEARS)
COVID-19 (QAZCOVID-IN) IV NON-US VACCINE
COVID-19 NON-US VACCINE, PRODUCT UNKNOWN
COVID-19 (EPIVACCORONA) PS NON-US VACCINEX
COVID-19 (JIANGSU PROVINCE CENTERS FOR DISEASE
CONTROL AND PREVENTION) PS NON-US VACCINE
COVID-19 (ANHUI ZHIFEI LONGCOM BIOPHARMACEUTICAL
+ INSTITUTE OF MICROBIOLOGY) PS NON-US VACCINE
COVID-19 VVNR NON-US VACCINE (CANSINO BIOLOGICAL
INC./BEIJING INSTITUTE OF BIOTECHNOLOGY)
COVID-19 (COVIVAC) LAV NON-US VACCINE
COVID-19 (SPUTNIK LIGHT) VVNR NON-US VACCINE
COVID-19 (SPUTNIK V) VVNR NON-US VACCINE
COVID-19 (COVAXIN) IV NON-US VACCINE
COVID-19 (SINOVAC), INACTIVATED VIRUS, NON-US
COVID-19 (BIBP, SINOPHARM) IV NON-US VACCINE
COVID-19 (ASTRAZENECA), VECTOR-NR, RS-CHADOX1,
PF, 0.5 ML
COVID-19 (JANSSEN), VECTOR-NR, RS-AD26, PF, 0.5 ML
COVID-19 (PFIZER), MRNA, LNP-S, PF, 30 MCG/0.3 ML
DOSE, TRIS-SUCROSE (AGES 12+ YEARS)
COVID-19 (PFIZER), MRNA, LNP-S, PF, 30 MCG/0.3 ML
COVID-19 (MODERNA), MRNA, LNP-S, PF, 100
MCG/0.5ML DOSE OR 50 MCG/0.25ML DOSE
COVID-19 (NOVAVAX), SUBUNIT, RS-NANOPARTICLE+MATRI
X-M1 ADJUVANT, PF, 0.5 ML
COVID-19 (PFIZER), MRNA, LNP-S, BIVALENT, PF, 30
MCG/0.3 ML DOSE
COVID-19 (MODERNA), MRNA, LNP-S, BIVALENT, PF, 50
MCG/0.5 ML OR 25MCG/0.25 ML DOSE
COVID-19 (MODERNA), MRNA, LNP-S, PF, 50 MCG/0.5
ML DOSE
SARS-COV-2 (COVID-19) VACCINE, UNSPECIFIED
COVID-19 (PFIZER), MRNA, LNP-S, PF, 3 MCG/0.2 ML
DOSE, TRIS-SUCROSE (6 MO-4 YEARS)
COVID-19 (PFIZER), MRNA, LNP-S, PF, 10 MCG/0.2 ML
DOSE, TRIS-SUCROSE (AGES 5-11 YEARS)
COVID-19 (PFIZER), MRNA, LNP-S, PF, TRIS-SUCROSE,
3 MCG/0.3 ML (AGES 6 MO-4 YEARS)
COVID-19 (PFIZER), MRNA, LNP-S, BIVALENT, PF, 3
MCG/0.2 ML DOSE
COVID-19 (MODERNA), MRNA, LNP-S, PF, PEDIATRIC
(AGES 6-11 YRS) 50 MCG/0.5 ML DOSE
COVID-19 (MODERNA), MRNA, LNP-S, PF, PEDIATRIC
(AGES 6 MO - 5 YRS) 25 MCG/0.25 ML DOSE
COVID-19 (MODERNA), MRNA, LNP-S, PF, 25 MCG/0.25
ML (6 MO - 11 YEARS)
```

COVID-19 (MODERNA), MRNA, LNP-S, BIVALENT, PF, 10 MCG/0.2 ML

COVID-19 (PFIZER), MRNA, LNP-S, PF, TRIS-SUCROSE,

10 MCG/0.3 ML (AGES 5-11 YEARS)

COVID-19 (PFIZER), MRNA, LNP-S, BIVALENT, PF, 10 MCG/0.2 ML DOSE

#### **HEALTH FACTORS**

- 23 VA-REMINDER UPDATES [C]
- 24 VA-REMINDER UPDATE\_2\_0\_173Z\_4
- 25 IMMUNIZATION [C]
- 26 VA-COVID-19 VACCINATION REFER TO CLINIC
- 27 VA-COVID-19 VACCINATION NOT INDICATED
- 28 VA-COVID-19 VACCINATION DEFER TEMPORARY
- 29 VA-SARS-COV-2 IMMUN EDUC VVC/TELE VST
- 30 COVID-19 VERBAL REPORT COVID VACCINE

#### REMINDER SPONSOR

- 31 VA NATIONAL CENTER FOR HEALTH PROMOTION AND DISEASE PREVENTION (NCP)
- 32 NATIONAL CENTER FOR HEALTH PROMOTION AND DISEASE PREVENTION (NCP)
- 33 POPULATION HEALTH

#### REMINDER COMPUTED FINDINGS

VA-IS INPATIENT

VA-IMMUNIZATION AND LOCATION LOT INFO

VA-FILEMAN DATE

#### REMINDER TAXONOMY

34 VA-IMMUNIZATION ICD10 CODE

#### REMINDER TERM

- 35 VA-REMINDER UPDATE 2 0 173Z4
- 36 VA-CURRENT INPATIENT
- 37 VA-SARS-COV-2 VACCINE WHO APPROVED ALL (INCL US)
- 38 VA-IM NO DOSES AVAIL NOV 313
- 39 VA-SARS-COV-2 ALL PREVIOUS
- 40 VA-IM NO DOSES AVAIL MOD 312
- 41 VA-IM NO DOSES AVAIL PFIZER 309
- 42 VA-SARS-COV-2 ALL PREVIOUS END DATE 8-22-2024
- 43 VA-SARS-COV-2 ALL PREVIOUS NOVAVAX END DATE
- 44 VA-SARS-COV-2 CURRENT CDC VACCINES FILEMAN REFUSAL
- 45 VA-COVID-19 VACCINATION REFER TO CLINIC
- 46 VA-COVID-19 VACCINE DEFER TEMPORARY
- 47 VA-SARS-COV-2 CURRENT CDC VACCINES
- 48 VA-COVID-19 NOT INDICATED

### REMINDER DEFINITION

- 49 VA-BL SARS COV-2 IMMUNIZATION CONTRAINDICATION TO NOVAVAX
- 50 VA-BL SARS COV-2 IMMUNIZATION CONTRAINDICATION TO MODERNA/PFIZER
- 51 VA-SARS COV-2 IMMUNIZATION COUNT OVER EIGHT

```
52 VA-SARS COV-2 IMMUNIZATION COUNT EIGHT
 53 VA-SARS COV-2 IMMUNIZATION COUNT SEVEN
 54 VA-SARS COV-2 IMMUNIZATION COUNT SIX
 55 VA-SARS COV-2 IMMUNIZATION COUNT FIVE
 56 VA-SARS COV-2 IMMUNIZATION COUNT FOUR
 57 VA-SARS COV-2 IMMUNIZATION COUNT THREE
 58 VA-SARS COV-2 IMMUNIZATION COUNT TWO
 59 VA-SARS COV-2 IMMUNIZATION COUNT ONE
 60 VA-SARS COV-2 IMMUNIZATION COUNT ZERO
 61 VA-SARS COV-2 IMMUNIZATION
HEALTH SUMMARY COMPONENT
     PCE IMMUNIZATIONS SELECT CHRON
HEALTH SUMMARY TYPE
 62 SARS-COV-2 IMMUNIZATION
HEALTH SUMMARY OBJECTS
 63 SARS-COV-2 IMMUNIZATION (TIU)
TIU DOCUMENT DEFINITION
 64 SARS-COV-2 IMMUNIZATION
REMINDER DIALOG
 65 VA-SARS-COV-2 IMMUNIZATION TEMPLATE
```

## Pre Install

Check reminder dialog group VAL-SARS-COV-2 VACCINE ORDERING GP to see if you have a quick order as a finding item. If so, make a note of the name of the quick order so you can add it back into the dialog as part of the post install.

# **Install Details**

This update is being distributed as a web host file.

The file will be installed using Reminder Exchange, programmer access is not required. This update can be loaded with users on the system. Installation will take less than 5 minutes

# **Install Example**

To Load the Web Host File. Navigate to Reminder exchange in Vista

At the **Select Action:** prompt, enter **LWH** for Load Web Host File


Copy and pasted the below text.

https://REDACTED/UPDATE\_2\_0\_173Z4.PRD

```
?? More Actions
          + Next Screen - Prev Screen
                                            List Reminder Definitions
CMM Create MailMan Message
                                       LR
DFE Delete Exchange File Entry
                                       LWH Load Web Host File
IFE Install Exchange File Entry
                                       RI
                                            Reminder Definition Inquiry
     Installation History
IH
                                       RP
                                            Repack
Select Action: Next Screen// LWH
                                  Load Web Host File
Input the URL for the .prd file:
```

You should see a message that the exchange file was successfully loaded

In reminder exchange, search list for UPDATE 2 0 173Z4



At the <u>Select Action</u> prompt, enter <u>IFE</u> for Install Exchange File Entry Enter the number that corresponds with your entry **UPDATE\_2\_0\_173Z4 VA-COVID IMMUNIZATION UPDATE.** (in this example it is entry 251 it will vary by site, the date on the file should be 09/12/2024).

The following instructions apply to all sites

```
Description:
The following Clinical Reminder items were selected for packing:
REMINDER TERM
VA-REMINDER UPDATE_2_0_173Z4

REMINDER DEFINITION
VA-SARS COV-2 IMMUNIZATION

Keywords:
Components:

+ Enter ?? for more actions
IA Install all Components
Select Action: Next Screen// IA
```

At the <u>Select Action</u> prompt, type <u>IA</u> for <u>Install all Components</u> and hit enter.

Any items that are NEW in any of the below categories, you should <u>INSTALL</u>

OVERWRITE any TIU TEMPLATE FIELDS that you are prompted to overwrite

SKIP any HEALTH FACTORS if you are prompted to overwrite

SKIP any REMINDER SPONSORS if you are prompted to overwrite

OVERWRITE any REMINDER TAXONOMIES that you are prompted to overwrite any REMINDER TERMS that you are prompted to overwrite

OVERWRITE any REMINDER DEFINITIONS that you are prompted to overwrite.

OVERWRITE any HEALTH SUMMARY TYPE entries if you are prompted to overwrite SKIP any HEALTH SUMMARY OBJECTS entries if you are prompted to overwrite

You will then be prompted to install the dialog component. You will choose IA to install all even though some items will already have an X to indicate they exist. .

Packe	d reminder dialog: VA-SARS-COV-2 IMMUNIZATION TEMPLATE		
Iten	Seq. Dialog Findings	Type	Exists
1	VA-SARS-COV-2 IMMUNIZATION TEMPLATE	dialog	Х
2	3 VA-TEXT SARS-COV-2 IMMUNIZATION HEADER TEMPLATE Finding: *NONE*	element	X
3	5 BLANK SPACE (1)-TEMPLATE & NOTE Finding: *NONE*	element	X
4	10 VA-GP COVID-19 VACCINE TYPE PRIMARY Finding: *NONE*	group	X
5	10.10 VAL-COVID-19 IM INFO TEXT GP Finding: *NONE*	group	X
6	10.20 VAL-COVID-19 IM INFO TEXT GP 1 Finding: *NONE*	group	X
7	10.20.10 VAL-COVID-19 IM INFO TEXT EL 1	element	Χ
+	+ Next Screen - Prev Screen ?? More Actions		
DD		stall Selecte	d
DF	Dialog Findings DU Dialog Usage QU Qu	it	
DS	Dialog Summary IA Install All		
Selec	t Action: Next Screen// IA		

At the <u>Select Action</u> prompt, type <u>IA</u> to install the dialog –<u>VA-SARS-COV-2</u> <u>IMMUNIZATION TEMPLATE</u>

Pack	ed reminder dialog: VA-SARS-COV-2 IMMUNIZATION TEMPLATE		
Ite	n Seq. Dialog Findings	Type	Exists
1	VA-SARS-COV-2 IMMUNIZATION TEMPLATE	dialog	Х
2	3 VA-TEXT SARS-COV-2 IMMUNIZATION HEADER TEMPLATE Finding: *NONE*	element	X
3	5 BLANK SPACE (1)-TEMPLATE & NOTE Finding: *NONE*	element	Х
4	10 VA-GP COVID-19 VACCINE TYPE PRIMARY	group	Х
5	Finding: *NONE* 10.10 VAL-COVID-19 IM INFO TEXT GP Finding: *NONE*	group	Χ
6	10.20 VAL-COVID-19 IM INFO TEXT GP 1	group	X
7	Finding: *NONE* 10.20.10 VAL-COVID-19 IM INFO TEXT EL 1	element	Х
+	+ Next Screen - Prev Screen ?? More Actions	-+-11 0-1+-	-l
DD DF	Dialog Details DT Dialog Text IS In Dialog Findings DU Dialog Usage QU Qu	stall Selecte	a
DS	Dialog Summary IA Install All	10	
	ct Action: Next Screen// Q		

You will then be returned to this screen. At the **Select Action** prompt, type **Q**.

```
Description:
The following Clinical Reminder items were selected for packing:
REMINDER TERM
VA-REMINDER UPDATE_2_0_173Z4

REMINDER DEFINITION
VA-SARS COV-2 IMMUNIZATION

Keywords:
Components:
+ + Next Screen - Prev Screen ?? More Actions
IA Install all Components
Select Action: Next Screen// Q
```

You will then be returned to this screen. At the **Select Action** prompt, type **Q.** Install complete.

# **Post-Installation**

- 1. Make sure that the reminder definition VA-SARS COV-2 IMMUNIZATION print name COVID-19 Immunization is assigned to the CPRS cover sheet at the appropriate level. This should already be done.
- 2. Review the dialog group VAL-SARS-COV-2 VACCINE ORDERING GP, if your site uses the reminder dialog to place an order, you can add the quick order or order set for the appropriate new monovalent COVID-19 formulation(s) as a finding to this group or to the subcomponents/elements contained in that group. If your site does not user ordering, add DISABLE AND DO NOT SEND MESSAGE at the Disable prompt.
- If your site needs to disable the Moderna, Pfizer or Novavax option for administration today due to not having one or the other, select one of these dialog groups and edit, add DISABLE AND DO NOT SEND MESSAGE at the Disable prompt.
  - a. VAL-COVID-19 PFIZER MONOVALENT ADMIN TODAY
  - b. VAL-COVID-19 MODERNA MONOVALENT ADMIN TODAY
  - c. VAL-SARS-COV-2 VACCINE ADMIN B1 GP (this is the Novavax group)
- 4. Ensure you are using version 6.1 of the dialog VA-SARS-COV-2 IMMUNIZATION TEMPLATE.