



Update _2_0_488

Clinical Reminders

VA-STERILE FLUID SUPPLY MANAGEMENT

Install Guide

November 2024

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION 1
INSTALL EXAMPLE 2
POST INSTALLATION 5

Introduction

This template was directed to be produced by an arm of the multidisciplinary team created by senior Department of Veterans Affairs Leaders. This team included the National Director of Surgery, the Chief Officer of Specialty Care Services, the Senior Nurse Advisor to the AUSH of Integrated Veteran Care, the office of Integrated Veterans' Care Director of Access Operations, Health Informatics professionals, and a VISN Chief Medical Officer and Chief Nursing Officer.

- Due to a recent natural disaster, a major U.S. supplier of intravenous (IV) solutions, sterile water, and peritoneal dialysis fluids has indefinitely reduced production at its largest manufacturing facility in North Carolina. In response to this unexpected global decrease in the supply of medical-grade solutions, VHA has proactively developed strategies to maintain continuity of care and ensure patient safety.
- VHA has established a multidisciplinary team comprised of leaders from across the country to concentrate on its contingency plans. This document and the associated health factors are part of the operational plan developed by the team to monitor and manage clinical cases affected by this reduction in the supply of medical-grade solutions.
- Context of Use: A Licensed independent practitioner (LIP) or Registered nurse working in conjunction with an LIP will use this template to document the impact of the medical-grade sterile fluid shortage as it pertains to a patient's procedure.
- This template is intended for clinical use in applicable procedural areas impacted by the current shortage of medical-grade fluids and the national supply chain.
- This template should NOT be used once the sterile fluid supply is available.

UPDATE_2_0_488 contains 1 Reminder Exchange entry named **UPDATE_2_0_488 VA-STERILE FLUID SUPPLY MANAGEMENT NOTE**

The exchange file contains the following components:

TIU TEMPLATE FIELD

VA-DATE ONLY R

HEALTH FACTORS

VA-REMINDER UPDATES [C]

VA-UPDATE_2_0_488

REMINDER TERM

VA-REMINDER UPDATE_2_0_488

VA-STERILE FLUID SUPPLY MANAGEMENT [C]

VA-STERILE FLUID PROCEDURE SCHEDULED NO

VA-STERILE FLUID PROCEDURE SCHEDULED YES

VA-STERILE FLUID PROCEDURE NOTE COMPLETED BY NURSE
VA-STERILE FLUID PROCEDURE DEFER MONTHS
VA-STERILE FLUID PROCEDURE DEFERRED
VA-STERILE FLUID PROCEDURE PATIENT MOVED
VA-STERILE FLUID PROCEDURE NOT DESIRED
VA-STERILE FLUID PROCEDURE NAME

REMINDER DIALOG

VA-STERILE FLUID SUPPLY MANAGEMENT NOTE

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 5 minutes.

This update is being distributed as a web host file. The address for the host file is:

https://REDACTED/UPDATE_2_0_488.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Install Example

Go to Reminder exchange in Vista.

To Load the exchange file, use LWH. The URL is: https://REDACTED/UPDATE_2_0_488.PRD

```
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE  Create Exchange File Entry      LHF  Load Host File
CHF  Create Host File                 LMM  Load MailMan Message
CMM  Create MailMan Message           LR   List Reminder Definitions
DFE  Delete Exchange File Entry       LWH  Load Web Host File
IFE  Install Exchange File Entry      RI   Reminder Definition Inquiry
IH   Installation History              RP   Repack
Select Action: Next Screen// LWH  Load Web Host File
```

You should receive a message that the file was successfully loaded into your reminder exchange file.

Search and locate exchange file name **UPDATE_2_0_488 VA-STERILE FLUID SUPPLY MANAGEMENT NOTE**

```
+Item  Entry                               Source                               Date Packed
782    UPDATE_2_0_488 VA-STERILE
      FLUID SUPPLY MANAGEMENT NOTE
783    UPDATE_2_0_49 VA-SUICIDE
      BEHAVIOR AND OVERDOSE REPORT
784    UPDATE_2_0_5 MISC UPDATE 1
785    UPDATE_2_0_50 DEPRESSION
      MONITORING
786    UPDATE_2_0_51 VA-DOD HOSPITAL
      NOTIFICATION NOTE
787    UPDATE_2_0_52 VA-RELATIONSHIP
      PROFESSIONAL CARE 01
+      + Next Screen  - Prev Screen  ?? More Actions  >>>
CFE    Create Exchange File Entry        LHF  Load Host File
CHF    Create Host File                  LMM  Load MailMan Message
CMM    Create MailMan Message           LR   List Reminder Definitions
DFE    Delete Exchange File Entry       LWH  Load Web Host File
IFE    Install Exchange File Entry      RI   Reminder Definition Inquiry
IH     Installation History              RP   Repack
Select Action: Next Screen// IFE    Install Exchange File Entry
Enter a list or range of numbers (1-1005): 782
```

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
Enter the number that corresponds with your entry titled **UPDATE_2_0_488 VA-STERILE FLUID SUPPLY MANAGEMENT NOTE** (in this example it is entry 782, it will vary by site) that is dated 10/30/2024.)

```
Package Version: 2.0P65

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-STERILE FLUID SUPPLY MANAGEMENT NOTE

REMINDER TERM
  VA-REMINDER UPDATE_2_0_488

Keywords:

Components:

+      Enter ?? for more actions  >>>
IA    Install all Components      IS    Install Selected Component
Select Action: Next Screen// IA
```

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

For all new entries in any category, you will choose **I to Install**
If you are prompted to overwrite any items, choose **S to Skip**.

You will then be prompted to install the dialog component.

```
Packed reminder dialog: VA-STERILE FLUID SUPPLY MANAGEMENT NOTE [NATIONAL DIALOG
Item  Seq. Dialog Findings                                     Type  Exists
  1    VA-STERILE FLUID SUPPLY MANAGEMENT NOTE                dialog
  2    10 VA-GP STERILE FLUID SUPPLY MANAGEMENT NOTE          group
      Finding: *NONE*
  3    10.5 VA-STERILE FLUID PROCEDURE                        element
      Finding: VA-STERILE FLUID PROCEDURE NAME (HEALTH FACTOR)    X
  4    PXRМ COMMENT                                           prompt  X
  5    10.8 VA-BLANK LINE DIALOG & NOTE                       element  X
      Finding: *NONE*
  6    10.10 VA-GP STERILE FLUID PROCEDURE SCHEDULED          group
      Finding: *NONE*
  7    10.10.10 VA-GP STERILE FLUID PROCEDURE SCHEDULED YES  group
      Finding: VA-STERILE FLUID PROCEDURE SCHEDULED YES (HEALTH  X
      FACTOR)
  8    10.10.10.10 VA-STERILE FLUID PROCEDURE SCHEDULED      element
+      + Next Screen  - Prev Screen  ?? More Actions
DD Dialog Details      DT Dialog Text      IS Install Selected
DF Dialog Findings    DU Dialog Usage    QU Quit
DS Dialog Summary     IA Install All
Select Action: Next Screen// IA
```

Select IA to install all. This will install the reminder dialog **VA-STERILE FLUID SUPPLY MANAGEMENT**

Install reminder dialog and all components with no further changes: Y//Y

```
Packed reminder dialog: VA-STERILE FLUID SUPPLY MANAGEMENT NOTE [NATIONAL DIALOG
VA-STERILE FLUID SUPPLY MANAGEMENT NOTE (reminder dialog) installed from exchange
Item  Seq. Dialog Findings                                     Type  Exists
  1    VA-STERILE FLUID SUPPLY MANAGEMENT NOTE                dialog  X
  2    10 VA-GP STERILE FLUID SUPPLY MANAGEMENT NOTE          group  X
      Finding: *NONE*
  3    10.5 VA-STERILE FLUID PROCEDURE                        element  X
      Finding: VA-STERILE FLUID PROCEDURE NAME (HEALTH FACTOR)    X
  4    PXRМ COMMENT                                           prompt  X
  5    10.8 VA-BLANK LINE DIALOG & NOTE                       element  X
      Finding: *NONE*
  6    10.10 VA-GP STERILE FLUID PROCEDURE SCHEDULED          group  X
      Finding: *NONE*
  7    10.10.10 VA-GP STERILE FLUID PROCEDURE SCHEDULED YES  group  X
      Finding: VA-STERILE FLUID PROCEDURE SCHEDULED YES (HEALTH  X
      FACTOR)
  8    10.10.10.10 VA-STERILE FLUID PROCEDURE SCHEDULED      element  X
+      + Next Screen  - Prev Screen  ?? More Actions
DD Dialog Details      DT Dialog Text      IS Install Selected
DF Dialog Findings    DU Dialog Usage    QU Quit
DS Dialog Summary     IA Install All
Select Action: Next Screen// Q
```

After install, select Q for quit.

```

Package Version: 2.0P65

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-STERILE FLUID SUPPLY MANAGEMENT NOTE

REMINDER TERM
  VA-REMINDER UPDATE_2_0_488

Keywords:

Components:

+      + Next Screen  - Prev Screen  ?? More Actions  >>>
IA  Install all Components          IS  Install Selected Component
Select Action: Next Screen// Q

```

Select Q for quit to exit the install

Post Installation

1. Setup of Note Title.

The suggested note title to create to associate with this template is:

STERILE FLUID SUPPLY MANAGEMENT

VHA Enterprise Standard Title: **SURGERY NOTE**

You can add this to the document class where Surgery clinic notes are stored.

***Note:** Comprehensive information on Creating new Document Classes and Titles can be found beginning on page 54 of the TIU/ASU Implementation Guide at the following link:*

[http://www.va.gov/vdl/documents/Clinical/CPRS-Text Integration Utility \(TIU\)/tiuim.pdf](http://www.va.gov/vdl/documents/Clinical/CPRS-Text%20Integration%20Utility%20(TIU)/tiuim.pdf)

2. Make the Dialog template available to be attached to a Personal or Shared template or to be able to attach the dialog to a progress note title. (You can use the LINK feature in this menu for steps 2 and 3 if you choose to)

Select Reminder Managers Menu <TEST ACCOUNT> Option:

CP CPRS Reminder Configuration

- CA Add/Edit Reminder Categories
- CL CPRS Lookup Categories
- CS CPRS Cover Sheet Reminder List
- MH Mental Health Dialogs Active

PN Progress Note Headers
RA Reminder GUI Resolution Active
TIU TIU Template Reminder Dialog Parameter
DEVL Evaluate Coversheet List on Dialog Finish
DL Default Outside Location
PT Position Reminder Text at Cursor
LINK Link Reminder Dialog to Template
TEST CPRS Coversheet Time Test
NP New Reminder Parameters
GEC GEC Status Check Active
WH WH Print Now Active

Select CPRS Reminder Configuration <TEST ACCOUNT> Option:

TIU TIU Template Reminder Dialog Parameter

Reminder Dialogs allowed as Templates may be set for the following:

- 1 User USR [choose from NEW PERSON]
- 3 Service SRV [choose from SERVICE/SECTION]
- 4 Division DIV [SALT LAKE CITY]
- 5 System SYS [NATREM.FO-SLC.MED.VA.GOV]

Enter selection: **5** Choose *the appropriate number for your site. Your site may do this by System or other levels. The example below uses SYSTEM level.*

Setting Reminder Dialogs allowed as Templates for System:

NATREM.FO-SLC.MED.VA.GOV

Select Display Sequence:

388 VA-COVID-19 TELEPHONE FOLLOW-UP
389 VA-SRA-CONSULT RESPONSE (D)

*When you type a question mark above, you will see the list of #'s (with dialogs) that are already taken. Choose a number **NOT** on this list. For this example, 391 is not present so I will use 391.*

Select Display Sequence: **391**


Are you adding 391 as a new Display Sequence? Yes// **YES**

Display Sequence: 391// <Enter> 391

Clinical Reminder Dialog: **VA-STERILE FLUID SUPPLY MANAGEMENT NOTE**
reminder dialog NATIONAL ...OK? Yes// <Enter> (Yes)

3. **Connect the template to your note title.**

- In CPRS, open the Template Editor, expand Document Titles, select the appropriate folder (if applicable), then click New Template (top right-hand corner).



Type in the following information:

Name: **STERILE FLUID SUPPLY MANAGEMENT**

Template Type: **Reminder Dialog**

Reminder Dialog: **VA- STERILE FLUID SUPPLY MANAGEMENT NOTE**

Associated Title: **STERILE FLUID SUPPLY MANAGEMENT**

- then click Apply.

You may also add this to your shared template folder if the clinical staff at your facility would like that option in addition to a note title.