



SURGERY

USER MANUAL

Version 3.0
July 1993
(Revised July 2024)

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists "All," replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

Date	Revised Pages	Patch Number	Description
7/24	123-127, 132, 133, 153-175, 260-262	SR*3*205	<ul style="list-style-type: none"> • Updated all example screenshots in the Operation, Operation (Short Screen), & Nurse Intraoperative Report sections to accurately reflect the user experience, including: <ul style="list-style-type: none"> ○ The removal of POSSIBLE ITEM RETENTION from the entry screens of all 3 options & from the list of required fields to electronically sign the Nurse Intraoperative Report ○ The addition, removal, and rearrangement of fields in the Nurse Intraoperative Report input templates (for Transplant, Donor, and all other cases) ○ The addition of 'NA' (for "NOT APPLICABLE") to the set of codes for the DONOR VESSEL DISPOSITION field ○ The addition of "Processing for last edits..." when exiting from Nurse Intraoperative Report edit • Updated & rearranged wording in the Nurse Intraoperative Report section for easier readability and better understanding of how the option works <p>For more details, see the SR*3.0*205 Release Notes.</p>
5/23	411, ALL	SR*3*209, SR*3*205	<ul style="list-style-type: none"> • Changed 4. INFECTED to 4. DIRTY/INFECTED in Wound Classification Report example • Removed blank pages originally left for printed version • Updated all example screenshots to accurately reflect the user experience • Corrected page numbers, table of contents, and index
11/21	118, 122, 123, 140, 143, 144, 146, 151, 455, 456, 471, 472, 483, 486, 507, 509, 510, 512, 519 Title, i	SR*3*200	<ul style="list-style-type: none"> • Added <u>ROBOTIC ASSISTANCE (Y/N)</u> to the example in the section, SROMEN-OP • Added <u>ROBOTIC ASSISTANCE (Y/N)</u> to the example in the section, SROMEN-OUT • Added <u>ROBOTIC ASSISTANCE (Y/N)</u> to the

			<p>required fields prior to signing list in the section, SRONRPT</p> <ul style="list-style-type: none"> • Added <u>ROBOTIC ASSISTANCE (Y/N)</u> to the example in the section, SRONRPT • Added <u>Robotic Assistance (Y/N)</u> under Major Operations Performed of the report example in the section, SRONRPT • Added <u>ROBOTIC ASSISTANCE (Y/N)</u> to the second required fields prior to signing list in the section, SRONRPT • Added <u>Robotic Assistance (Y/N)</u> under Major Operations Performed of the second report example in the section, SRONRPT • Added <u>Robotic Assistance (Y/N)</u> to the example in the section, SROA OPERATION DATA • Added <u>Robotic Assistance (Y/N)</u> to the example in the section, SROA CARDIAC OPERATIVE RISK • Added <u>Robotic Assistance (Y/N)</u> the example in the section, SROA PRINT ASSESSMENT • Added <u>Robotic Assistance (Y/N)</u> to the second example in the section, SROA PRINT ASSESSMENT • Added <u>Robotic Assistance (Y/N)</u> to the example in the section, SR NO ASSESSMENT REASON; previous option 5, Minor or Major, was removed and option 4, CPT Codes (view only), has been added to match the application screen • Added <u>Cases utilizing Robotic Assistance</u> to the example in the section, SROA MONTHLY WORKLOAD REPORT • Added <u>CASES WITH ROBOTIC ASSISTANCE</u> to the second example in the section, SROA MONTHLY WORKLOAD REPORT • Added <u>CASES WITH ROBOTIC ASSISTANCE</u> to the third example in the section, SROA MONTHLY WORKLOAD REPORT • Added <u>Robotic Assistance (Y/N)</u> to the example in the section, SROA ONE-LINER UPDATE • Updated Title page, Revision History, and Footers; the Table of Contents could not be updated internally without replacement
--	--	--	--

11/15	i-viii, 9, 30, 32-33, 37, 38, 40-41, 42, 43, 44, 46, 47-48, 50-52, 65, 67-68, 72-73, 76-77, 79-80, 95, 98-99, 101-102a, 105, 108-110 111-113, 117, 118, 123, 124, 124a, 124b, 140-147, 150-152b, 212e, 219a, 219b, 432-433, 449-451, 458, 459, 465, 467-469, 470a-472, 473, 479-479a, 481-482a, 484, 486-486c, 489, 491, 493, 495-499, 501, 502a, 502c, 502e, 502g, 507, 510, 512, 527-556	SR*3*184	Updated definitions, added new data fields, made changes to data entry screens, reports, surgery risk management assessment transmissions. For more details, see the Annual Surgery Updates – VASQIP 2015, Release Notes.
09/14	i, ia, iii-vii, 6-9, 11, 13, 14, 28, 31-33, 37, 38, 40-44, 46-48, 50-52, 59, 64, 66-68, 72-73, 76, 77, 79-83, 99-105, 107-111, 114, 116, 117, 119-120a, 122-124a, 131, 140, 140a, 142-147, 149, 151-152a, 165, 180, 180a, 189-191, 218-219a, 285, 346, 349, 358, 360, 394a, 394b, 426-428, 449, 449a, 455-458, 467, 468, 473-474b, 482-484, 507, 510, 512, 519, 549, 549a, 551-556	SR*3*182	Updated definitions, added new data fields, made changes to data entry screens, reports, surgery risk management assessment transmissions. For more details, see the Annual Surgery Updates – VASQIP 2014, Release Notes. REDACTED

Date	Revised Pages	Patch Number	Description
07/14	i-iiib, 212a, 212d-212g, 238, 273, 405, 437, 480, 525, 526	SR*3*177	<p>Updated examples to reflect ICD-10 Diagnosis Codes. Changed File Download Option 2 from "ICD9" to "ICD."</p> <p>Made ICD-9 references generic to ICD.</p> <p>Added ICD-10-CM Diagnosis Code Search.</p> <p>Updated Warning Message to Surgeon.</p> <p>Updated MailMan Messages for ICD-9 and ICD-10 codes.</p> <p>REDACTED</p>
03/12	i-iiid, v, vii, 6-11, 81-83, 120, 120a-120b, 140, 144-145, 145a-145b, 146, 151-152, 152a, 178, 207-209, 212c, 212f, 213, 215, 217-219, 219a-219b, 220, 222, 224, 226, 228, 230, 232, 234, 236, 239, 241, 243, 245, 247, 276, 327c, 394c, 395-396, 397a, 397c-397d, 411, 432, 449-450, 461, 464, 467-468, 474b, 482, 484, 486, 486a, 523, 525, 527, 549, 553-554	SR*3*176	<p>Updated definitions, added new data fields, made changes to existing fields, data entry screens, reports, surgery risk assessment transmissions and transplant components of the VistA Surgery application. For more details, see the <i>Annual Surgery Updates – VASQIP 2011, Increment 2, Release Notes</i>.</p> <p>Chapter Seven: "CoreFLS/Surgery Interface" has been removed.</p> <p>REDACTED</p>

09/11	i-ii, iii-iv, vi, 64, 66, 70, 98-101, 101a-101b, 109-112, 114-118, 122-124, 124a-124b, 142-152, 152a-152b, 176, 178, 180, 183-184, 184a-184f, 244, 246, 248, 325-326, 326a-326b, 327, 327a-327d, 368, 394a-394b, 394c-394d, 395-397, 397a-397d, 432-433, 441, 449-450, 458-459, 461, 464a, 471-474, 474a-474b, 475, 477, 480a, 482, 486-486a, 509,519, 521, 522a, 522c, 527, 534-535, 550, 552-556	SR*3*175	Updated definitions and made minor modifications to the non-cardiac, cardiac and transplant components of the VistA Surgery application. For more details, see the <i>Annual Surgery Updates – VASQIP 2011, Increment 1, Release Notes</i> . REDACTED
-------	--	----------	---

12/10	i-ii, 372, 376, 449-450, 458, 467-468, 468b, 471-474, 474a-474b, 479, 479a, 482, 486, 486a, 522c-522d	SR*3*174	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Annual Surgery Updates – VASQIP 2010 Release Notes</i> . REDACTED
11/08	vii-viii, 527-556	SR*3*167	New chapter added for transplant assessments. Changed Glossary to Chapter 10, and renumbered the Index. REDACTED
04/08	iii-iv, vi, 160, 165, 168, 171-172, 296-298, 443, 447, 449-450, 459, 471-473, 479-479a, 482, 486-486a, 489, 491, 493-495, 497, 499, 501-502a, 502c, 502d-502h, 513-517, 522c-522d, 529, 534	SR*3*166	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Surgery NSQIP-CICSP Enhancements 2008 Release Notes</i> . REDACTED
11/07	479-479a, 486a	SR*3*164	Updated the <i>Resource Data Enter/Edit</i> and the <i>Print a Surgery Risk Assessment</i> options to reflect the new cardiac field for CT Surgery Consult Date. REDACTED
09/07	125, 371, 375, 382	SR*3*163	Updated the Service Classification section regarding environmental indicators, unrelated to this patch. Updated the Quarterly Report to reflect updates to the numbers and names of specific specialties in the NATIONAL SURGICAL SPECIALTY file. REDACTED
06/07	35, 210, 212b	SR*3*159	Updated screens to reflect change of the environmental indicator "Environmental Contaminant" to "SWAC" (e.g., SouthWest Asia). REDACTED
06/07	176-180, 180a, 184c-d, 327c-d, 372, 375-376, 446, 449-450, 452-453, 455-456, 458, 461, 468, 470, 472, 479-479a, 482-484, 486a, 489, 491, 493, 495, 497, 499, 501, 502a-d, 504-506, 509-512, 519	SR*3*160	Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software. For more details, see the <i>Surgery NSQIP-CICSP Enhancements 2007 Release Notes</i> . Updated data entry screens to match software; changes are unrelated to this patch. REDACTED

Date	Revised Pages	Patch Number	Description
11/06	10-12, 14, 21-22, 139-141, 145-150, 152, 219, 438	SR*3*157	<p>Updated data entry options to display new fields for collecting sterility information for the Prosthesis Installed field; updated the Nurse Intraoperative Report section with these required new fields. For more details, see the <i>Surgery-Tracking Prosthesis Items Release Notes</i>.</p> <p>Updated data entry screens to match software; changes are unrelated to this patch.</p> <p>REDACTED</p>
08/06	6-9, 14, 109-112, 122-124, 141-149, 151-152, 176, 178-180, 180a-b, 181-184, 184a-d, 185-186, 218-219, 326-327, 327a-d, 328-329, 373, 377, 449-450, 452-456, 459, 461-462, 467-468, 468b, 469-470, 470a, 473-474, 474a-474b, 475, 477, 481-486, 486a-b, 489-502, 502a-b, 503-504, 509-512	SR*3*153	<p>Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software.</p> <p>Updated data entry options to incorporate renamed/new Hair Removal documentation fields.</p> <p>Updated the Nurse Intraoperative Report and Quarterly Report to include these fields.</p> <p>For more details, see the <i>Surgery NSQIP/CICSP Enhancements 2006 Release Notes</i>.</p> <p>REDACTED</p>
06/06	28-32, 40-50, 64-80, 101-102	SR*3*144	<p>Updated options to reflect new required fields (Attending Surgeon and Principal Preoperative Diagnosis) for creating a surgery case.</p> <p>REDACTED</p>
06/06	vi, 34-35, 125, 210, 212b, 522a-b	SR*3*152	<p>Updated Service Classification screen example to display new PROJ 112/SHAD prompt.</p> <p>This patch will prevent the PRIN PRE-OP ICD DIAGNOSIS CODE field of the Surgery file from being sent to the Patient Care Encounter (PCE) package.</p> <p>Added the new Alert Coder Regarding Coding Issues option to the Surgery Risk Assessment Menu option.</p> <p>REDACTED</p>
04/06	445, 464a-b, 465, 480a-b	SR*3*146	<p>Added the new <i>Alert Coder Regarding Coding Issues</i> option to the Assessing Surgical Risk chapter.</p> <p>REDACTED</p>

Date	Revised Pages	Patch Number	Description
04/06	6-8, 29, 31-32, 37-38, 40, 43-44, 46-48, 50, 52, 65-67, 71-73, 75-77, 79, 100, 102, 109-112, 117-120, 122-123, 125-127, 189-191, 195b, 209-212, 212a-h, 219a, 224-231, 238-242, 273-277, 311-313, 315-317, 369, 379- 392, 410, 449-464, 467-468, 468a-b, 469-470, 470a, 471-474, 474a-b, 475-479, 479a-b, 480, 483-484, 489-502, 507, 519	SR*3*142	<p>Updated the data entry screens to reflect renaming of the Planned Principal CPT Code field and the Principal Pre-op ICD Diagnosis Code field. Updated the <i>Update/Verify Procedure/Diagnosis Coding</i> option to reflect new functionality. Updated Risk Assessment options to remove CPT codes from headers of cases displayed. Updated reports related to the coding option to reflect final CPT codes.</p> <p>For more specific information on changes, see the <i>Patient Financial Services System (PFSS) – Surgery Release Notes</i> for this patch.</p> <p>REDACTED</p>
10/05	9, 109-110, 144, 151, 218	SR*3*147	<p>Updated data entry screens to reflect renaming of the Preop Shave By field to Preop Hair Clipping By field.</p> <p>REDACTED</p>
08/05	10, 14, 99-100, 114, 119-120, 124, 153-154, 162-164, 164a-b, 190, 192, 209-212f, 238-242	SR*3*119	<p>Updated the Anesthesia Data Entry Menu section (and other data entry options) to reflect new functionality for entering multiple start and end times for anesthesia. Updated examples for Referring Physician updates (e.g., capability to automatically look up physician by name). Updated the PCE Filing Status Report section.</p> <p>REDACTED</p>
08/04	iv-vi, 187-189, 195, 195a-195b, 196, 207-208, 219a-b, 527-528	SR*3*132	<p>Updated the Table of Contents and Index to reflect added options. Added the new <i>Non-OR Procedure Information</i> option and the <i>Tissue Examination Report</i> option (unrelated to this patch) to the Non-OR Procedures section.</p>
08/04	31, 43, 46, 66, 71-72, 75-76, 311	SR*3*127	<p>Updated screen captures to display new text for ICD-9 and CPT codes.</p>

Date	Revised Pages	Patch Number	Description
08/04	vi, 441, 443, 445-456, 458-459, 461 463, 465, 467-468, 468a-b, 469-470, 470a-b, 471, 473-474, 474a-b, 474-479, 479a-b, 480-486, 486a-b, 519, 531-534	SR*3*125	Updated the Table of Contents and Index. Clarified the location of the national centers for NSQIP and CICSIP. Updated the data entry options for the non-cardiac and cardiac risk management sections; these options have been changed to match the software and new options have been added. For an overview of the data entry changes, see the <i>Surgery NSQIP/CICSIP Enhancements 2004 Release Notes</i> . Added the <i>Laboratory Test Result (Enter/Edit)</i> option and the <i>Outcome Information (Enter/Edit)</i> option to the <i>Cardiac Risk Assessment Information (Enter/Edit)</i> menu section. Changed the name of the <i>Cardiac Procedures Requiring CPB (Enter/Edit)</i> option to <i>Cardiac Procedures Operative Data (Enter/Edit)</i> option. Removed the <i>Update Operations as Unrelated/Related to Death</i> option from the <i>Surgery Risk Assessment Menu</i> .
08/04	6-10, 14, 103, 105-107, 109-112, 114-120, 122-124, 141-152, 218-219, 284-287, 324, 370-377	SR*3*129	Updated examples to include the new levels for the Attending Code (or Resident Supervision). Also updated examples to include the new fields for ensuring Correct Surgery. For specific options affected by each of these updates, please see the <i>Resident Supervision/Ensuring Correct Surgery Phase II Release Notes</i> .
04/04	All	SR*3*100	All pages were updated to reflect the most recent Clinical Ancillary Local Documentation Standards and the changes resulting from the Surgery Electronic Signature for Operative Reports project, SR*3*100. For more information about the specific changes, see the patch description or the <i>Surgery Electronic Signature for Operative Reports Release Notes</i> .

Table of Contents

Introduction	3
Overview	3
Documentation Conventions	4
Getting Help and Exiting	4
Using Screen Server	5
Chapter One: Booking Operations	17
Introduction	17
Maintain Surgery Waiting List	19
Request Operations Menu	27
List Operation Requests	62
Schedule Operations	64
List Scheduled Operations	100
Chapter Two: Tracking Clinical Procedures	102
Introduction	102
Operation Menu	104
Anesthesia Menu	185
Perioperative Occurrences Menu	201
Non-O.R. Procedures	218
Comments Option	238
Chapter Three: CPT/ICD Coding Menu	239
Introduction	239
CPT/ICD Update/Verify Menu	240
Cumulative Report of CPT Codes	264
Report of CPT Coding Accuracy	268
List Completed Cases Missing CPT Codes	274
List of Operations	276
List of Operations (by Surgical Specialty)	278
Report of Daily Operating Room Activity	280
PCE Filing Status Report	282
Report of Non-O.R. Procedures	287
Chapter Four: Generating Surgical Reports	293
Introduction	293
Surgery Reports	294
Laboratory Interim Report	360
Chapter Five: Chief of Surgery Reports	362
Introduction	362
Chief of Surgery Menu	363
Chapter Six: Managing the Software Package	435
Introduction	435
Surgery Package Management Menu	436
Chapter Seven: Assessing Surgical Risk	468
Introduction	468
Non-Cardiac Risk Assessment Information (Enter/Edit)	470
Cardiac Risk Assessment Information (Enter/Edit)	492

Print a Surgery Risk Assessment	513
Update Assessment Completed/Transmitted in Error	521
List of Surgery Risk Assessments	522
Print 30 Day Follow-up Letters	542
Exclusion Criteria (Enter/Edit)	546
Monthly Surgical Case Workload Report	547
M&M Verification Report	551
Update 1-Liner Case	556
Queue Assessment Transmissions	557
Alert Coder Regarding Coding Issues	558
Risk Model Lab Test	559
Chapter Eight: Code Set Versioning	560
Chapter Nine: Glossary	562
Index	564

Introduction

This section provides an overview of the Surgery package, and also provides documentation conventions used in this *Surgery V. 3.0 User Manual*. This section also discusses the use of the Screen Server in the Surgery package.





Overview

The Surgery package is designed to be used by Surgeons, Surgical Residents, Anesthetists, Operating Room Nurses and other surgical staff. The Surgery package is part of the patient information system that stores data on the Department of Veterans Affairs (VA) patients who have, or are about to undergo, surgical procedures. This package integrates booking, clinical, and patient data to provide a variety of administrative and clinical reports.

The *Surgery V. 3.0 User Manual* is designed to acquaint the user with the various Surgery options and to offer specific guidance on the use of the Surgery package. Documentation concerning the Surgery package, including any subsequent change pages affecting this documentation, can be found at the Veterans Health Information Systems and Technology Architecture (VistA) Documentation Library (VDL) on the Internet at <http://www.va.gov/vdl/>.

Documentation Conventions

This *Surgery V. 3.0 User Manual* includes documentation conventions, also known as notations, which are used consistently throughout this manual. Each convention is outlined below.

Convention	Example
Menu option text is italicized.	The <i>Print Surgery Waiting List</i> option generates the long form surgery Waiting List for the surgical service(s) selected.
Screen prompts are denoted with quotation marks around them.	The "Puncture Site:" prompt will display next.
Responses in bold face indicate user input.	Needle Size: 25G
Text centered between bent parentheses represents a keyboard key that needs to be pressed for the system to capture a user response or move the cursor to another field. <Enter> indicates that the Enter key (or Return key on some keyboards) must be pressed. <Tab> indicates that the Tab key must be pressed.	Type Y for Yes or N for No and press <Enter>. Press <Tab> to move the cursor to the next field.
 Indicates especially important or helpful information.	 If the user attempts to reschedule a case after the schedule close time for the date of operation, only the time, and not the date, can be changed.
 Indicates that options are locked with a particular security key. The user must hold the particular security key to be able to perform the menu option.	 Without the SROAMIS key the <i>Anesthesia AMIS</i> option cannot be accessed.

Getting Help and Exiting

?, ??, ??? One, two or three question marks can be entered at any of the prompts for on-line help. One question mark elicits a brief statement of what information is appropriate for the prompt. Two question marks provide more help, plus the hidden actions, and three question marks will provide more detailed help, including a list of possible answers, if appropriate.

Typing an up arrow ^ (caret or a circumflex) and pressing <Enter> can be used to exit the current option.

Using Screen Server

This section provides information about using the Screen Server utility with the Surgery software.

Introduction

Screen Server is a screen-based data entry utility. It allows the user to display and select data elements for entering, editing, and deleting information. The format is designed to display a number of data fields at one time on a menu. With Screen Server, a number of data elements are displayed at one time on a menu and the user is able to choose on which element to work.

This section contains a description of the Screen Server format and gives examples of how to respond to the unique Screen Server prompts. The screen facsimiles used in the examples are taken from the Surgery software; however, these screens may not display on the terminal monitor exactly as they display in this manual, because the Surgery package is subject to enhancements and local modifications. In this document, the different ways to respond to the Screen Server prompt, to perform a task, and to utilize shortcuts are explained. The shortcuts are listed below:

- Enter data
- Edit data
- Move between pages
- Enter/edit a range of data elements
- Multiples
- Multiple screen shortcuts
- Word processing

The user should be familiar with VistA conventions. In the examples, the user's response is presented in bold face text.

Navigating

The user can press the Return key to move through a prompt and go to the next page or item. To return directly to the *Surgery Menu* options, the user can enter an up-arrow (^), unless he or she is in a multiple field. To exit a multiple field, enter two up-arrows (^ ^).

Basics of Screen Server

Each Screen Server arrangement consists of three basic parts: a header, data elements, and an action prompt. These items are defined in the following table.

Term	Definition
Header	The screen heading contains information specific to the record with which you are working. This can include the patient name or case number. The information in the heading is programmed and cannot be easily changed.
Data Elements	Each Screen Server display contains from 1 to 15 data elements (or fields). If information has been entered for any of the data elements defined, it will display to the right of the element. Some data elements are multiple fields, meaning they can contain more than one piece of information. These multiple fields are distinguished by the word "Multiple" next to the data element. If the multiple fields contain information, the word "Data" will be next to the data element.
Prompt	The action prompt is at the bottom of each screen. From the prompt "Enter Screen Server Functions:" you can enter, edit, or delete information from the data elements. The possible responses to this prompt are explained in more detail on the following pages. Enter a question mark (?), for help text with possible prompt responses.

The following is an example of a Screen Server display with help text.

Example: Screen Server with On-line Help Text

The screenshot shows a text-based interface with the following components labeled:

- Header:** Points to "PAGE 1 OF 4" at the top right.
- Data Elements:** Points to the main body of text, which includes fields like "DATE OF OPERATION: AUG 01, 2006", "HOSPITAL ADMISSION STATUS: SAME DAY", "PRIMARY SURGEON: SURSURGEON, ONE", "PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE", "PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):", "OTHER PREOP DIAGNOSIS: (MULTIPLE)", "PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS", "PLANNED PRIN PROCEDURE CODE:", "OTHER PROCEDURES: (MULTIPLE)", "HAIR REMOVAL BY:", "HAIR REMOVAL METHOD:", "HAIR REMOVAL COMMENTS: (WORD PROCESSING)", "TIME PAT IN OR:", "TIME OPERATION BEGAN:", and "TIME OPERATION ENDS:".
- Prompt:** Points to "Enter Screen Server Function: ?" at the bottom.
- On-line Help:** Points to the help text below the prompt, which explains how to navigate between pages and quit the screen.

```

PAGE 1 OF 4
1  DATE OF OPERATION:      AUG 01, 2006
2  HOSPITAL ADMISSION STATUS: SAME DAY
3  PRIMARY SURGEON:        SURSURGEON, ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function: ?
To change entries, enter your choices (numbers) separated by a ';', or
use a ':' for ranges. i.e. 2;3 or 1:3. Enter 'A' to enter/edit all.

If there is more than one page to this screen, entering a '+' or '-'
followed by the number of pages or entering 'P' followed by the page
number will take you to the desired page.

Enter '^' to quit, or '^ ^' to return to the menu option.
  
```


Entering Data

To enter or edit data, the user can type the item number corresponding with the data element for which he/she is entering information and press the **<Enter>** key. In the following example, we typed the number 10 at the prompt and pressed the **<Enter>** key. A new prompt appeared allowing us to enter the data. The software immediately processed this information and produced an updated menu screen and another action prompt.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 4

1  DATE OF OPERATION:      AUG 01, 2006
2  HOSPITAL ADMISSION STATUS: SAME DAY
3  PRIMARY SURGEON:        SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function: 13
Time Patient In the O.R.: 13:00  AUG 1, 2006 AT 13:00
```

Data Elements



The

software processes the information and produces an update.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 4

1  DATE OF OPERATION:      AUG 01, 2006
2  HOSPITAL ADMISSION STATUS: SAME DAY
3  PRIMARY SURGEON:        SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:        AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:
```

Data Elements




Editing Data

Changing an existing entry is similar to entering. Once again, the user can type in the number for the data element he/she wants to change and press **<Enter>**. In the following example, the number 3 was entered to change the surgeon name. A new prompt appeared containing the existing value for the data element in a default format. We entered the new value, "SURSURGEON,TWO." The software immediately processed this information and produced an updated screen.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 4

1  DATE OF OPERATION:      AUG 01, 2006
2  HOSPITAL ADMISSION STATUS: SAME DAY
3  PRIMARY SURGEON:        SURSURGEON,ONE
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:        AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function: 3
PRIMARY SURGEON: SURSURGEON,ONE // SURSURGEON, TWO
```




The software processes the information and produces an update.

```
** SHORT SCREEN **      CASE #16  SURPATIENT,ONE      PAGE 1 OF 4

1  DATE OF OPERATION:      AUG 01, 2006
2  HOSPITAL ADMISSION STATUS: SAME DAY
3  PRIMARY SURGEON:        SURSURGEON,TWO
4  PRINCIPAL PRE-OP DIAGNOSIS: BENIGN LESIONS ON NOSE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  PRINCIPAL PROCEDURE: REMOVE FACIAL LESIONS
8  PLANNED PRIN PROCEDURE CODE:
9  OTHER PROCEDURES: (MULTIPLE)
10 HAIR REMOVAL BY:
11 HAIR REMOVAL METHOD:
12 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
13 TIME PAT IN OR:        AUG 1, 2006 AT 13:00
14 TIME OPERATION BEGAN:
15 TIME OPERATION ENDS:

Enter Screen Server Function:
```



Turning Pages

No more than 15 data elements will fit on a single Screen Server formatted page, but there can be as many pages as needed. Because many screens contain more than one page of data elements, the screen server provides the ability to move between the pages. Pages are numbered in the heading. To go back one page, enter minus one (-1) at the action prompt. To go forward, enter plus one (+1) or press **<Enter>**. The user can move more than one page by combining the minus or plus sign with the number of

pages needed to go backward or forward.

Entering or Editing a Range of Data Elements

Colons and semicolons are used as delineators for ranges of item numbers. This allows the user to respond to two or more data elements on the same page of a screen at one time. Typing a colon and/or semicolon between the item numbers at the prompt tells the software what elements to display for editing.

Colons are used when the user wants to respond to all numbers within a sequence (for example, 2:5 means items 2, 3, 4, and 5). Semicolons are used to separate the item numbers for non-sequential items (e.g., 2; 5; 9; 11 means items 2, 5, 9 and 11). To respond to all the data elements on the page, enter "A" for all.

Example 1: Colon

```

** STARTUP **      CASE #24  SURPATIENT,TWO      PAGE 2 OF 3
1  PREOP CONSCIOUS:
2  PREOP SKIN INTEG:
3  TRANS TO OR BY:
4  HAIR REMOVAL BY:
5  HAIR REMOVAL METHOD:
6  HAIR REMOVAL COMMENTS: (WORD PROCESSING)
7  FOLEY CATHETER INSERTED BY:
8  SKIN PREPPED BY (1):
9  SKIN PREPPED BY (2):
10 SKIN PREP AGENTS:
11 SECOND SKIN PREP AGENT:
12 SURGERY POSITION: (MULTIPLE) (DATA)
13 LATERALITY OF PROCEDURE: LEFT
14 RESTR & POSITION AIDS: (MULTIPLE)
15 ELECTROGROUND POSITION:

Enter Screen Server Function: 1:4          R
Preoperative Consciousness: ALERT-ORIENTED  AO
Preoperative Skin Integrity: INTACT        I
Transported to O.R. By: STRETCHER
Preop Surgical Site Hair Removal by: SURNURSE,ONE  OS
```

Example 2: Semicolon

```

** STARTUP **      CASE #24  SURPATIENT,TWO      PAGE 1 OF 3
1  HEIGHT:          58 INCHES
2  WEIGHT:          264 LBS.
3  DATE OF OPERATION: APR 19, 2006 AT 800
4  PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE
5  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
6  OTHER PREOP DIAGNOSIS: (MULTIPLE)
7  OP ROOM PROCEDURE PERFORMED: OR4
8  SURGERY SPECIALTY: ORTHOPEDICS
9  PLANNED POSTOP CARE: WARD
10 CASE SCHEDULE TYPE: ELECTIVE
11 REQ ANESTHESIA TECHNIQUE: GENERAL
12 PATIENT EDUCATION/ASSESSMENT: YES
13 DELAY CAUSE: (MULTIPLE)
14 ASA CLASS:
15 PREOP MOOD:

Enter Screen Server Function: 7;9;
Operating Room Procedure Performed: OR4// OR2
Planned Postop Care: WARD//OUTPATIENT/DISCHARGE
```

Working with Multiples

The notation MULTIPLE indicates a data element that can have more than one answer. Some multiple fields have several layers of screens from which to respond. Navigating through the layers may seem tedious at first, but the user will soon develop speed. Remember, the user can press **<Enter>** at the prompt to go back to the main menu screen, or enter an up-arrow (^) to go back to the previous screen.

In the following examples, there are other screens after the initial (also called top-level) screen. With the multiple screens, a new menu list is built with each entry.

Example: Multiples

```
** OPERATION **      CASE #14  SURPATIENT,THREE      PAGE 1 OF 3
1  TIME PAT IN HOLD AREA: AUG 15, 2001 AT 740
2  TIME PAT IN OR:      AUG 15, 2001 AT 800
3  ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
4  TIME OPERATION BEGAN: AUG 15, 2001 AT 900
5  SPECIMENS:           (WORD PROCESSING)
6  CULTURES:            (WORD PROCESSING)
7  THERMAL UNIT:        (MULTIPLE)
8  ELECTROCAUTERY UNIT:
9  ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED:   (MULTIPLE) (DATA)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION:            (MULTIPLE)
15 MEDICATIONS:          (MULTIPLE)

Enter Screen Server Function: 12

** OPERATION **      CASE #14  SURPATIENT,THREE      PAGE 1
PROSTHESIS INSTALLED

1  NEW ENTRY

Enter Screen Server Function: 1
Select PROSTHESIS INSTALLED PROSTHESIS ITEM: MANDIBULAR PLATES
PROSTHESIS INSTALLED ITEM: MANDIBULAR PLATES// <Enter>
```

Notice the three user responses entered above. The first response, 12, told the software that we want to enter data in the PROSTHESIS INSTALLED field. Then, at the next screen, we entered "1" because we wanted to make a new prosthesis entry for this case. The third response, MANDIBULAR PLATES, told the software the kind of prosthesis being installed. The software echoed back the full prosthesis name "MANDIBULAR PLATES" and we accepted it by pressing **<Enter>**.

Because the PROSTHESIS INSTALLED field can contain multiple answers, a new screen immediately appeared as follows:

```
** OPERATION **      CASE #14  SURPATIENT,THREE      PAGE 1
      PROSTHESIS INSTALLED (MANDIBULAR PLATES)

1  PROSTHESIS ITEM:          MANDIBULAR PLATES
2  IMPLANT STERILITY CHECKED:
3  STERILITY EXPIRATION DATE:
4  RN VERIFIER:
5  VENDOR:
6  MODEL:
7  LOT NUMBER:
8  SERIAL NUMBER:
9  STERILE RESP:
10 SIZE:
11 QUANTITY:
12 PROVIDER READ BACK PERFORMED:

Enter Screen Server Function:  2:11
Implant Sterility Checked (Y/N):  Y  YES
Sterility Expiration Date:  01.30.07  (JAN 30, 2007)
RN Verifier:  SURNURSE,ONE          OS
Manufacturer/Vendor:  SYNTHES
Model:  MAXILLOFACIAL
Lot Number:  #20-15
Serial Number:  612A874
Who is Accountable for Sterilization:  SPD
Size:  10 HOLE
Quantity:  20
```

The first response, 2:10, corresponds to data elements 2 through 10. We entered data for these elements one-by-one and the software processed the information and produced this update:

```
** OPERATION **      CASE #14  SURPATIENT,THREE      PAGE 1 OF 1
      PROSTHESIS INSTALLED (MANDIBULAR PLATES)

1  PROSTHESIS ITEM:          MANDIBULAR PLATES
2  IMPLANT STERILITY CHECKED:  YES
3  STERILITY EXPIRATION DATE:  JAN 30, 2007
4  RN VERIFIER:              SURNURSE,ONE
5  VENDOR:                   SYNTHES
6  MODEL:                    MAXILLOFACIAL
7  LOT NUMBER:               20-15
8  SERIAL NUMBER:            612A874
9  STERILE RESP:             SPD
10 SIZE:                     10 HOLE
11 QUANTITY:                 20
12 PROVIDER READ BACK PERFORMED:

Enter Screen Server Function:  <Enter>
```

Pressing <Enter> will now bring back the top-level screen and allow us to make another entry. As many as 15 prostheses can be added to this list. If we were to add more prostheses, the N and R shortcuts discussed on the next two pages would come in handy, but it is a good idea to practice the steps just covered before attempting the shortcuts.

Multiple Screen Shortcuts

The help text for a multiple field mentions the N and R functions. The user can enter a question mark (?) to view the help text at the prompt, as displayed in the following example.

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  PROsthESIS ITEM:   MANDIBULAR PLATES
2  NEW ENTRY

Enter Screen Server Function:  ?
Enter 2N to enter only the top level of this multiple, or the number
of your choice followed by an 'R' to make a duplicate entry.

Press <RET> to continue
```

N Function

The N function allows the user to enter **new** entries without going beyond the top level screen, whereas the R function allows the user to **repeat** a previous top level response. In the following example we will build entries by entering the data element number and the letter N:

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  MANDIBULAR PLATES
2  NEW ENTRY

Enter Screen Server Function:  2N
Select PROsthESIS INSTALLED PROsthESIS ITEM:  GLENOID COMPONENT
      PROsthESIS INSTALLED ITEM: GLENOID COMPONENT// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  HUMERAL COMPONENT
      PROsthESIS INSTALLED ITEM: HUMERAL COMPONENT// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  INTRAMEDULLARY PLUG
      PROsthESIS INSTALLED ITEM: INTRAMEDULLARY PLUG// <Enter>
Select PROsthESIS INSTALLED PROsthESIS ITEM:  <Enter>
```

The software processes the information and produces an update.

```
** OPERATION **      CASE #14  SURPATIENT,THREE          PAGE 1 OF 1
      PROsthESIS INSTALLED

1  PROsthESIS ITEM:   MANDIBULAR PLATES
2  PROsthESIS ITEM:   GLENOID COMPONENT
3  PROsthESIS ITEM:   HUMERAL COMPONENT
4  PROsthESIS ITEM:   INTRAMEDULLARY PLUG
5  NEW ENTRY

Enter Screen Server Function:  <Enter>
```

R Function

The R function saves the user from typing in the top-level information again. In this example, we have the same anesthesia technique but different anesthesia agents. By entering the element number we want to repeat, and the letter R, we avoid having to enter the top-level data again. This feature can also be useful in cases where the same

medication is repeated at different times. After the user enters the item and the letter R, the software responds with a default prompt. The user can press **<Enter>** to accept the default.


```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE

1 ANESTHESIA TECHNIQUE: GENERAL
2 ANESTHESIA TECHNIQUE: LOCAL
3 NEW ENTRY
Enter Screen Server Function: 1R
ANESTHESIA TECHNIQUE: GENERAL// <Enter>
```

The software processes the information and produces an update.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)

1 ANESTHESIA TECHNIQUE: GENERAL
2 PRINCIPAL TECH:
3 ANESTHESIA AGENTS: (MULTIPLE)

Enter Screen Server Function: 3
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)
ANESTHESIA AGENTS

1 NEW ENTRY

Enter Screen Server Function: 1
Select ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE
ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE // <Enter>
```

The software processes the information and produces an update.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)
ANESTHESIA AGENTS

1 ANESTHESIA AGENTS: PROCAINE HYDROCHLORIDE
2 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE (0)

1 ANESTHESIA TECHNIQUE: GENERAL
2 PRINCIPAL TECH:
3 ANESTHESIA AGENTS: (MULTIPLE) (DATA)

Enter Screen Server Function: <Enter>
```

The updating continues through to the top layer.

```
** SHORT SCREEN ** CASE #10 SURPATIENT,FOUR PAGE 1 OF 1
ANESTHESIA TECHNIQUE

1 ANESTHESIA TECHNIQUE: INTRAVENOUS
2 ANESTHESIA TECHNIQUE: LOCAL
3 ANESTHESIA TECHNIQUE: INTRAVENOUS
4 NEW ENTRY

Enter Screen Server Function:
```

Word Processing

The phrase "Word Processing" in the menu means that the user can enter as much data as needed to complete the entry.

Following is an example of how we entered text on a Screen Server word processing field. Notice that we pressed **<Enter>** after each line of text as there is no automatic word-wrap:

```
      ** SHORT SCREEN **      CASE #25  SURPATIENT,FOUR      PAGE 3 OF 3

1  COUNT VERIFIER:
2  SURGERY SPECIALTY:      GENERAL (OR WHEN NOT DEFINED BELOW)
3  WOUND CLASSIFICATION:
4  ATTENDING SURGEON:      MO,CHAUNCEY G
5  ATTENDING/RES SUP CODE:
6  SPECIMENS:      (WORD PROCESSING)
7  CULTURES:      (WORD PROCESSING)
8  NURSING CARE COMMENTS:  (WORD PROCESSING)
9  ASA CLASS:
10 PRINC ANESTHETIST:
11 ANESTHESIA TECHNIQUE:  (MULTIPLE)
12 ANES CARE TIME BLOCK:  (MULTIPLE)
13 DELAY CAUSE:      (MULTIPLE)

Enter Screen Server Function: 8

NURSING CARE COMMENTS:
  1>Patient arrived ambulatory from Ambulatory Surgery Unit. <Enter>
  2>Dis charged via wheelchair. Lidocaine applied topically.      <Enter>
  3> <Enter>
EDIT Option: <Enter>
```

The software processes the information and produces an update.

```
      ** SHORT SCREEN **      CASE #25  SURPATIENT,FOUR      PAGE 3 OF 3

1  COUNT VERIFIER:
2  SURGERY SPECIALTY:      GENERAL (OR WHEN NOT DEFINED BELOW)
3  WOUND CLASSIFICATION:
4  ATTENDING SURGEON:      MO,CHAUNCEY G
5  ATTENDING/RES SUP CODE:
6  SPECIMENS:      (WORD PROCESSING)
7  CULTURES:      (WORD PROCESSING)
8  NURSING CARE COMMENTS:  (WORD PROCESSING) (DATA)
9  ASA CLASS:
10 PRINC ANESTHETIST:
11 ANESTHESIA TECHNIQUE:  (MULTIPLE)
12 ANES CARE TIME BLOCK:  (MULTIPLE)
13 DELAY CAUSE:      (MULTIPLE)

Enter Screen Server Function:
```

Chapter One: Booking Operations

Introduction

The options described in this chapter facilitate the scheduling of surgical procedures. Automated scheduling provides better operating room use and greater ease in distributing the operating room schedule. These options help accomplish the following tasks.

- Track patients on a waiting list
- Track operation requests
- Chart operating room availability
- Designate operating rooms for a surgical service
- Schedule operations by assigning operating rooms and time slots
- Generate operating room schedules on any designated printer in the medical center
- Reschedule or cancel any operative procedures

Whether or not the user is booking a case from the Waiting List, *Request Operations* menu, or *Schedule Operations* menu, he/she will be asked to provide preoperative information about the case. Some of the preoperative information is mandatory and must be entered immediately to proceed with the option, while other information can be entered later. It is advisable to enter as much information as possible and update or correct it later. If a prompt cannot be answered, the user can press the **<Enter>** key to move to the next item.

Key Vocabulary

The following terms are used in this chapter.

Term	Definition
Concurrent Case	The patient undergoes two operations, by two different specialties, at the same time in the same operating room.
Cutoff Time	An institution might have a daily cutoff time for entering requests. After the cutoff time, the user is prohibited from booking a request for an operation to take place through midnight of the following day. The user may still book requests two or more days in advance.
Outstanding Requests	Requests that have been entered but not scheduled. When the patient name is entered, the software will list the outstanding requests for this patient.
Screen Server	After the data concerning the operation has been entered, the terminal display device will clear and then present a two-page Screen Server summary. The Screen Server summary organizes the information entered and gives the user another opportunity to enter or edit data.

Exiting an Option or the System

The user can type the up-arrow (^) at any prompt to stop the line of questioning and return to the previous level in the routine. To completely exit from the system, the user should continue entering up-arrows.

Option Overview

The main options included in this menu are listed below. Each of these options, except the *List Operation Requests* option and *List Scheduled Operations* option, contain submenus. To the left of the option name is the shortcut synonym that the user can enter to select the option.

Shortcut	Option Name
W	<i>Maintain Surgery Waiting List</i>
R	<i>Request Operations</i>
LR	<i>List Operation Requests</i>
S	<i>Schedule Operations</i>
LS	<i>List Scheduled Operations</i>

Maintain Surgery Waiting List

[SROWAIT]

The options within the *Maintain Surgery Waiting List* menu allow surgeons to develop waiting lists for selected surgery specialties. The patient can remain on the Waiting List until sufficient information is available to book the operation for a specific date (see *Make a Request from the Waiting List* option).



This option is locked with the SROWAIT key.

The *Maintain Surgery Waiting List* menu contains the following options. To the left is the shortcut synonym the user can enter to select the option.

Shortcut	Option Name
W	<i>Print Surgery Waiting List</i>
E	<i>Enter a Patient on the Waiting List</i>
U	<i>Edit a Patient on the Waiting List</i>
D	<i>Delete a Patient from the Waiting List</i>

Print Surgery Waiting List

[SRSWL2]

Resident surgeons use the *Print Surgery Waiting List* option to print the waiting list for one or more surgical specialties. The Waiting List includes the names of patients waiting to have an operation and the type of operation. Cases entered on the Waiting List are not assigned an operating room or a date of operation.

The report can be sorted in several different ways. First, the user can sort the report by one or more surgical specialties. Then, the user can choose to sort the report either alphabetically by patient name, by the tentative date of the operation, or by the date the case was entered on the waiting list. A brief form can be requested, as in Example 1, or a long form report, as in Example 2. The long form report includes the procedure name, comments, referring physician, tentative admission date, patient address, and phone numbers.

This report has an 80-column format and can be viewed on a software terminal or copied to a printer. When the screen is full the user will be prompted to press the Return key to continue viewing the list.

Example 1: Print the Surgery Waiting List, Brief Form, Sort By T

```
Select Maintain Surgery Waiting List Option: W Print Surgery Waiting List

                Surgery Waiting List Reports

Print Report By:

    A   Alphabetical Order by Patient
    T   Tentative Date of Operation
    D   Date Entered on the Waiting List

Enter Selection (A,T, or D): T
Do you want to print the waiting list for all specialties ? YES// N

Select Surgical Specialty: 50          GENERAL (OR WHEN NOT DEFINED BELOW)  GENER
AL (OR WHEN NOT DEFINED BELOW)      50

Do you want to print the brief form ? YES// <Enter>

Print the Waiting List on which Device: [Select Print Device]
```

printout follows

Surgery Waiting List for GENERAL (OR WHEN NOT DEFINED BELOW)
Printed JUN 28, 2001 at 14:10

Date Entered	Patient	Operative Procedure
JAN 19, 2001	SURPATIENT,FIVE	Bunionectomy
Tentative Admission: JAN 23, 2001		
Tentative Date of Operation: JAN 23, 2001		

JAN 21, 2001	SURPATIENT,SIX	REPAIR INGUINAL HERNIA
Tentative Admission: JAN 28, 2001		
Tentative Date of Operation: JAN 29, 2001		

NOV 29, 1999	SURPATIENT,SEVEN	ARTHROSCOPY, RIGHT SHOULDER
Tentative Admission: DEC 29, 1999		
Tentative Date of Operation: None Specified		

Example 2: Print the long form, Sort by D

```
Select Maintain Surgery Waiting List Option: W Print Surgery Waiting List
Surgery Waiting List Reports

Print Report By:
    A   Alphabetical Order by Patient
    T   Tentative Date of Operation
    D   Date Entered on the Waiting List

Enter Selection (A,T, or D): D
Do you want to print the waiting list for all specialties ? YES// N

Select Surgical Specialty: 50          GENERAL(OR WHEN NOT DEFINED BELOW)  GENER
AL(OR WHEN NOT DEFINED BELOW)          50

Do you want to print the brief form ? YES// N

Print the Waiting List on which Device: [Select Print Device]
```

printout follows

Surgery Waiting List for GENERAL (OR WHEN NOT DEFINED BELOW)
Printed JAN 20, 2001 at 14:11

=====

Patient: SURPATIENT,SEVEN (000-84-0987)
Date Entered: DEC 28, 2001 09:08
Procedure: ARTHROSCOPY, RIGHT SHOULDER

Tentative Admission Date: JAN 29, 2001

Home Phone: (555) 555-5877 Work Phone: NOT ENTERED
Address:

Referring Physician/Institution:
DR. SURSURGEON Phone: 555-555-0987
122 1ST AVE.
TUSCALOOSA, ALABAMA 35205

Patient: SURPATIENT,FIVE (000-58-7963)
Date Entered: JAN 19, 2001 15:17
Procedure: Bunionectomy

Tentative Admission Date: JAN 23, 2001
Tentative Date of Operation: JAN 23, 2001

Home Phone: NOT ENTERED Work Phone: NOT ENTERED
Address:

Referring Physician/Institution:
Four Sursurgeon Phone:
Sylacauga OPC

Patient: SURPATIENT,SIX (000-09-8797)
Date Entered: JAN 21, 2001 13:48
Procedure: REPAIR INGUINAL HERNIA

Tentative Admission Date: JAN 28, 2001
Tentative Date of Operation: JAN 29, 2001

Comments:
Bland Diet

Home Phone: 555-555-1233 Work Phone: NOT ENTERED
Address: 117TH SO 40TH ST
BIRMINGHAM, ALABAMA 35217

Referring Physician/Institution:
SURSURGEON Phone: 555-555-8900
Jefferson OPC

Enter a Patient on the Waiting List

[SROW-ENTER]

Resident surgeons use the *Enter a Patient on the Waiting List* option to enter a patient on the waiting list for a selected surgical specialty.

First, identify the surgical specialty to which the patient will be assigned. To add a new case to the waiting list, the user must enter the patient name and the procedure name. Comments, referring physician name and address, tentative admission date, and tentative operation date can also be added. This information will appear on the *Waiting List Report*. Patient names stay on the Waiting List until the data is used to make a request or until it is deleted.

Example: Enter a Patient on the Waiting List

```
Select Maintain Surgery Waiting List Option: E Enter a Patient on the Waiting List
Select Surgical Specialty: 62 PERIPHERAL VASCULAR PERIPHERAL VASCULAR 62
...OK? YES// <Enter> (YES)
PERIPHERAL VASCULAR

Select Patient: SURPATIENT,EIGHT 06-04-35 000370555

Select Operative Procedure: HAVEST SAPHENOUS VEIN

Select PATIENT: SURPATIENT,EIGHT// <Enter>

General Comments/Special Instructions:
1>Patient is an insulin dependent diabetic.
2><Enter>
EDIT Option: <Enter>

Tentative Admission Date: 08/25/01 (AUG 25, 2001)
Tentative Date of Operation: 08/26/01 (AUG 26, 2001)

Select REFERRING PHYSICIAN: DR. ONE SURSURGEON
Is this a VA Physician from this facility? (Y/N): N
Street Address: VAMC HOUSTON
City: HOUSTON
State: TEXAS
Zip Code: 77005

SURPATIENT,EIGHT has been entered on the waiting list for PERIPHERAL VASCULAR

Press RETURN to continue
```

Edit a Patient on the Waiting List

[SROW-EDIT]

The *Edit a Patient on the Waiting List* option is used to edit information collected for a patient who is already on the waiting list. The user enters the patient's name first. The user should be certain that the correct patient has been entered and that the right entry (there can be more than one) has been selected. Information can then be updated by simply typing in the new data at each prompt. If there is no change for a response, press the **<Enter>** key and the cursor will go to the next prompt.

This option allows changes to the procedure name, the referring physician information, comments, tentative admission date, and/or the tentative operation date. A patient's name cannot be edited. A patient's name will stay on the Waiting List until the data is used to make a request or until it is deleted.

Example: Edit Waiting List

```
Select Maintain Surgery Waiting List Option: U Edit a Patient on the Waiting List
Edit which Patient ? SURPATIENT,EIGHT          06-04-35      000370555
Procedures entered on the Waiting List for SURPATIENT,EIGHT

1. PERIPHERAL VASCULAR          Date Entered on List:      AUG 11,2001
   HAVEST SAPHENOUS VEIN        Tentative Operation Date:  AUG 26,2001

Principal Operative Procedure: HAVEST SAPHENOUS VEIN
      Replace HA <Enter> With HAR <Enter> Replace <Enter>
      HARVEST SAPHENOUS VEIN
General Comments/Special Instructions:
      1>Patient is an insulin dependent diabetic.
EDIT Option: <Enter>
Tentative Admission Date: AUG 25,2001// 8/26 (AUG 26, 2001)
Tentative Date of Operation: AUG 26,2001// 8/27 (AUG 27, 2001)

Select REFERRING PHYSICIAN: DR. ONE SURSURGEON// <Enter>
Referring Physician/Medical Center: DR. ONE SURSURGEON
      Replace <Enter>
Street Address: VAMC HOUSON// <Enter>
City: HOUSTON// <Enter>
State: TEXAS// <Enter>
Zip Code: 77005// <Enter>
Telephone Number: 555 555-5555// <Enter>

Press RETURN to continue
```

Delete a Patient from the Waiting List

[SROW-DELETE]

The *Delete a Patient from the Waiting List* option is used to delete a patient's procedure from the Surgery Waiting List. Enter the patient's name and select the procedure from the list of procedures and his or her entry will be deleted. The software will provide a message that the procedure has been deleted.

Example: Delete Patient From Waiting List

```
Select Maintain Surgery Waiting List Option: D Delete a Patient from the Waiting List
Delete which Patient ? SURPATIENT,EIGHT      06-04-35      000370555
Procedures entered on the Waiting List for SURPATIENT,EIGHT

1. PERIPHERAL VASCULAR          Date Entered on List:      AUG 11,2001
   HARVEST SAPHENOUS VEIN      Tentative Operation Date:  AUG 26,2001

Are you sure that you want to delete this entry ? YES// <Enter>
SURPATIENT,EIGHT has been removed from the Waiting List.
Press RETURN to continue
```

Request Operations Menu

[SROREQ]

The *Request Operations* menu contains several functions that the surgeons and resident surgeons use to book an operation. Options within the *Request Operations* menu are used to book an operation for a certain day. The surgeon can request, via the software, the operation(s) for a patient on a specific day and then enter additional information concerning the upcoming operation.



This option is locked with the SROREQ key.

To request an operation, the user must have a patient name, an operative procedure to perform, and a date to book it. Also required are the Surgeon, Surgical Specialty, and the Indications for Operations. If the user does not know the anticipated date of surgery, the user can enter the patient on the Waiting List. If there is enough information to book the operation for a specific time and operating room, the user can use the *Schedule Unrequested Operations* option on the *Schedule Operation* menu to schedule the operation.

The information gathered is collated by the software and used to produce reports. The person in charge of scheduling (scheduling manager) arranges the operation requests according to the hospital's Surgical Service protocols and schedules the operation by assigning the case an operating room and a time slot.

The options included in the *Request Operations* menu option are listed below. To the left of the option name is the shortcut character(s) the user can enter to select the option.

Shortcut	Option Name
A	<i>Display Availability</i>
R	<i>Make Operation Requests</i>
D	<i>Delete or Update Operation Requests</i>
W	<i>Make a Request from the Waiting List</i>
CC	<i>Make a Request for Concurrent Cases</i>
V	<i>Review Request Information</i>
OR	<i>Operation Requests for a Day</i>
WR	<i>Requests by Ward</i>

Display Availability

[SRODISP]

The *Display Availability* option is used to check on the availability of an operating room before booking an operation. This option allows the user to view the availability of operating rooms on a blackout graph. This screen is "read-only" with no editing capabilities.

Scheduled operations display on the graph as an equal sign (=) followed by the letter X. The equal sign before the X indicates the beginning of a scheduled operation. Surgical specialty blockouts are indicated by an abbreviation for the service (for more information on service blockouts, a function of the Scheduling menu, see the *Create Service Blockouts* option).

After entering this option, the user has a choice of viewing the room availability on the blackout graph in two ways. The user can either view all rooms for a particular date (as in Example 1) or view a particular operating room for a range of dates (Example 2). Notice, in the first example, that the user can also list requests, if any have been made.

Condensed Characters

If the display terminal can print condensed characters, a 24-hour graph will display on the screen. If not, the user will be prompted to select one of three graphs representing different chunks of that day.

Example 1: All O.R.S For One Day

```
Select Request Operations Option:  A Display Availability
Do you want to view all Operating Rooms on one day ? YES // <Enter>
Do you want to list requests also ? NO// <Enter>
Display Operating Room Availability for which Date ?  T (DEC 10, 2003)
Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// <Enter>
ROOM  6AM  7    8    9    10   11   12   13   14   15   16   17   18   19   20
OR1   |=XXX|XXXX|XXXX|gen.|gen.|gen.|  |  |  |  |  |  |  |  |  |  |
OR2   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
OR3   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
OR4   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
OR5   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
OR6   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Press RETURN to continue
```

Example 2: One O.R. for a Date Range

```
Select Request Operations Option: A Display Availability
Do you want to view all Operating Rooms on one day ? YES // N

Begin Display on which Date ? T (APR 14, 2003)

Select OPERATING ROOM NAME: OR1
```

```
Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)

Select Number: 2// <Enter>

Operating Room: OR1          (6:00 AM - 8:00 PM)

DATE      6      7      8      9      10     11     12     13     14     15     16     17     18     19     20
04-14-03 |_____|_____|_____|_____|_____|eye.|eye.|_____|_____|_____|_____|_____|_____|_____|_____|
04-15-03 |_____|eye.|eye.|eye.|eye.|eye.|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-16-03 |_____|gen.|gen.|gen.|gen.|gen.|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-17-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-18-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-19-03 |_____|_____|_____|_____|_____|_____|eye.|eye.|eye.|eye.|_____|_____|_____|_____|_____|_____|
04-20-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-21-03 |_____|_____|_____|_____|_____|_____|eye.|eye.|_____|_____|_____|_____|_____|_____|_____|_____|
04-22-03 |_____|eye.|eye.|eye.|eye.|eye.|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-23-03 |=XXX|XXXX|XXXX|gen.|gen.|gen.|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-24-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-25-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-26-03 |_____|_____|_____|_____|_____|_____|eye.|eye.|eye.|eye.|_____|_____|_____|_____|_____|_____|
04-27-03 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
04-28-03 |_____|_____|_____|_____|_____|_____|eye.|eye.|_____|_____|_____|_____|_____|_____|_____|_____|

Press RETURN to continue
```

Make Operation Requests

[SROOPREQ]

The *Make Operation Requests* option allows the resident surgeon or scheduling manager to request an operation for a patient on a specific day. To request an operation the user must know the patient name, the operative procedure to be performed, and the date on which to book the procedure.

This option also asks for detailed information concerning the upcoming operation. First, the user will be prompted to enter required information, including the Date of Operation, Surgeon, Surgical Specialty, Principal Procedure, and indications for the operation. Facilities can set up additional required fields using the *Surgery Site Parameters (Enter/Edit)* option within the *Surgery Package Management* menu. Then, the user will be prompted to enter procedure information, such as the estimated case length, blood product information, and other information about the operation.

The user should enter as much information as possible when making the request. Later, more information can be added or corrections can be made by using the *Delete or Update Operation Requests* option.

About Outstanding Requests

When the patient name is entered, the software will list any requests that have been made but not scheduled. These requests are called outstanding requests. If the user discovers that the request being entered has already been made, he or she should respond **YES** to the prompt "Do you want to update the outstanding request? " Answering **YES** allows the user to view the information and make changes (see the following example).

If the user is entering a new, separate request for the same patient, he or she should respond **NO** to this prompt.

Example: Making an Operation Request

```
Select Request Operations Option: R Make Operation Requests
Select Patient:      SURPATIENT,NINE      12-09-51      000345555      NSC VETERAN

The following requests are outstanding for SURPATIENT,NINE:

1.  09-15-99
    Release of Hammer Toes
2.  11-20-99
    CHOLECYSTECTOMY

Do you want to update the outstanding request ? YES// <Enter>

Select Operation Request: 1
```

Prompts that require a response before the user can continue with the option include the

following.

"Make a Request for which
Date ?" "Primary Surgeon:"

"Attending
Surgeon:"

"Surgical
Specialty:"

"Principal Operative
Procedure:" "Principal
Preoperative Diagnosis:"

Entering Preoperative Information

At this prompt:	The user should do this:
Principal Preoperative Diagnosis	Type in the reason this procedure is being performed. The user must enter information into this field prompt before the option can be completed. The information entered in this field will automatically populate the Indications for Operations field, which can be edited through the Screen Server.
Planned Principal Procedure Code (CPT)	Type in the Current Procedural Terminology (CPT) identifying code for each procedure. If the code number is not known, the user can enter the type of operation (i.e., appendectomy) or a body organ and select from a list of codes.
Estimated Case Length (HOURS:MINUTES)	Either accept the default answer by pressing the <Enter> key, or enter a number for the length of time needed for this procedure. If a CPT Code is entered, the software will display the average length of time for the procedure based on the Surgical Specialty and CPT Code.
Brief Clinical History	This information will display on the Tissue Examination Report. It should contain any information relevant to the specimens being sent to the laboratory. This is a word-processing field.
At this prompt:	The user should do this:
Select REQ BLOOD KIND	<p>Enter the type of blood product that will be needed for the operation.</p> <p>The package coordinator can select a default response to this prompt when installing the package. If the default product is not what is wanted for a case, it can be deleted by entering the at-sign (@) at this prompt. The user can then select the preferred blood product (enter two question marks for a list of blood products).</p> <p>If no blood products are needed, do not enter NO or NONE. Instead, press the <Enter> key to bypass this prompt.</p> <p>To order more than one product for the same case, use the screen server summary that concludes the option and select item 9, REQ BLOOD KIND. This is a multiple field; as many blood products as needed may be entered.</p>
Requested Preoperative X-Rays	Enter the types of preoperative x-ray films and reports required for delivery to the operating room before the operation. This field may be left blank if the user does not intend to order any x-ray products.
Preoperative Infection	Enter the letter code " C " for clean or " D " for contaminated or " S " for 'SPECIAL CONSIDERATIONS' or type in the first few letters of either word. This information allows the scheduling manager to determine how much time is needed between operations for sanitizing a room.

Example: Make Operation Requests

```
Select Request Operations Option: R Make Operation Requests
Select Patient: SURPATIENT,TWENTY          03-27-40      000454886

The following request is outstanding for SURPATIENT,TWENTY:

1.      03-09-2002
        CARPAL TUNNEL RELEASE

Do you want to update the outstanding request ? YES// N

Do you want to make a new request for SURPATIENT,TWENTY ? NO// Y

Make a Request for which Date ? 12/1 (DEC 01, 2004)
=====
OPERATION REQUEST: REQUIRED INFORMATION
=====
SURPATIENT,TWENTY (000-45-4886)                                DEC 1, 2004
=====
Primary Surgeon: SURSURGEON,ONE
Attending Surgeon: SURSURGEON,ONE
Surgical Specialty: GENERAL (OR WHEN NOT DEFINED BELOW)      50
Principal Operative Procedure: CHOLECYSTECTOMY
Principal Preoperative Diagnosis: CHOLELITHIASIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>

Laterality Of Procedure: NA
Planned Admission Status: SAME DAY
=====
OPERATION REQUEST: PROCEDURE INFORMATION
=====
SURPATIENT,TWENTY (000-45-4886)                                DEC 1, 2004
=====
Principal Procedure:      CHOLECYSTECTOMY
Planned Principal Procedure Code (CPT): 47480                INCISION OF GALLBLADDER
        CHOLECYSTOTOMY OR CHOLECYSTOSTOMY WITH EXPLORATION, DRAINAGE, OR REMOVAL
        OF CALCULUS (SEPARATE PROCEDURE)      ACTIVE

Modifier: 66          SURGICAL TEAM
Modifier: <Enter>
Select OTHER PROCEDURE: <Enter>
Estimated Case Length (HOURS:MINUTES): 2:45
Brief Clinical History:
  1>SUBSCAPULAR PAIN FOR 3 DAYS. NAUSEA AND VOMITING. ACHOLIC
  2>STOOLS. CHOLANGIOGRAM SHOWS COMMON DUCT OBSTRUCTION.
  3><Enter>
EDIT Option: <Enter>
```

Enter a "A" at this prompt to bypass entering additional information related to this request.

```

OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,TWENTY (000-45-4886)                                DEC 1, 2004
=====

Request Blood Availability ? YES// <Enter>

OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,TWENTY (000-45-4886)                                DEC 1, 2004
=====

Principal Preoperative Diagnosis: CHOLELITHIASIS// <Enter>
Prin Pre-OP ICD Diagnosis Code (ICD9): 574.01 574.01 CHOLELITH/AC GB INF-OBST (w C/C)
...OK? Yes// <Enter> (YES)
Palliation:
Pre-admission Testing Complete (Y/N):
Case Schedule Type: U URGENT
First Assistant: SURSURGEON,TWO
Second Assistant: <Enter>
Attending Surgeon:
Planned Postop Care: WARD W
Case Schedule Order: 1
Select SURGERY POSITION: SUPINE// <Enter>
Surgery Position: SUPINE// <Enter>
Requested Anesthesia Technique: GENERAL <Enter> GENERAL
Request Frozen Section Tests (Y/N): N NO
Requested Preoperative X-Rays: ABDOMIN
Intraoperative X-Rays (Y/N/C): N
Request Medical Media (Y/N): N
Preoperative Infection: CLEAN
Select REFERRING PHYSICIAN: <Enter>
General Comments: <Enter>
No existing text
Edit? NO// <Enter>
SPD Comments: <Enter>
No existing text
Edit? NO// <Enter>

```

After entering the request information, the Screen Server redisplay all fields, providing an opportunity to the user to update the information.

```

** REQUESTS **      CASE #227 SURPATIENT,TWENTY                PAGE 1 OF 3

1  PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
2  OTHER PROCEDURES: (MULTIPLE)
3  PLANNED PRIN PROCEDURE CODE: 47480-66
4  LATERALITY OF PROCEDURE: (NA/ LEFT, RIGHT, BILATERAL)
5  PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
6  PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 574.01
7  OTHER PREOP DIAGNOSIS: (MULTIPLE)
8  PALLIATION:
9  PLANNED ADMISSION STATUS: ADMITTED
10 PRE-ADMISSION TESTING:
11 CASE SCHEDULE TYPE: URGENT
12 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)
13 PRIMARY SURGEON: SURSURGEON,ONE
14 FIRST ASST: SURSURGEON,TWO
15 SECOND ASST:

Enter Screen Server Function: <Enter>

```

1 ATTENDING SURGEON: SURSURGEON,ONE
2 PLANNED POSTOP CARE:
3 CASE SCHEDULE ORDER: 1
4 SURGERY POSITION: (MULTIPLE) (DATA)
5 REQ ANESTHESIA TECHNIQUE: GENERAL
6 REQ FROZ SECT: NO
7 REQ PREOP X-RAY: ABDOMIN
8 INTRAOPERATIVE X-RAYS: NO
9 REQUEST BLOOD AVAILABILITY: YES
10 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
11 REQ BLOOD KIND: (MULTIPLE) (DATA)
12 SPECIAL EQUIPMENT: (MULTIPLE)
13 PLANNED IMPLANT: (MULTIPLE)
14 SPECIAL SUPPLIES: (MULTIPLE)
15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

1 PHARMACY ITEMS: (MULTIPLE)
2 REQ PHOTO:
3 PREOPERATIVE INFECTION:
4 REFERRING PHYSICIAN: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
7 BRIEF CLIN HISTORY: (WORD PROCESSING)
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

A request has been made for SURPATIENT,TWENTY on 12-01-01.

Press RETURN to continue

Service Classifications

The Surgery software allows the user to associate a patient's Service Classification status when entering or editing a surgical case or Non-OR procedure. Service Classifications can be designated for a surgical case *only* if the veteran is first registered with these designations.

The Service Classifications that the user selects for the case also apply to the principal diagnosis.



These classifications default to each Other Postop Diagnosis as they are added to the case.

Updating an Operation Request with Service Classification Information

After the user selects the patient and enters the required data, a screen displays with questions about the Service Classifications.



If the patient is not enrolled, or his/her status is not populated in enrollment, the software displays the text "*SC/NSC status not found, **N** will be defaulted into all SC/EI categories.*" The software defaults **N** into all Service Connected/Environmental Indicator fields related to the case.

If the user changes the SC/EI classifications at the case level, the software prompts the user with the message "*Update all 'OTHER POSTOP DIAGNOSIS' Eligibility and Service Connected Conditions with these values?*"

The following example depicts Service Classification status change when the user updates a case.

The user can also edit diagnosis classification status individually using the *Surgeon's Verification of Diagnosis & Procedures* option or the *Update/Verify Procedure/Diagnosis Codes* option.

Example: Make an Operation Request with Service Classification Information

```
SURPATIENT,TEN (000-12-3456)          ALLIED VETERAN

* * * Eligibility Information and Service Connected Conditions * * *

Primary Eligibility: SERVICE CONNECTED 50% to 100%
Combat Vet: NO    A/O Exp.: YES    M/S Trauma: NO
ION Rad.: YES    SWAC: YES        H/N Cancer: NO
PROJ 112/SHAD: YES

      SC Percent: 100%
Rated Disabilities: NONE STATED
-----

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): N NO
Treatment related to Agent Orange (Y/N): N NO
Treatment related to Ionizing Radiation Exposure (Y/N): N NO
Treatment related to SW Asia (Y/N): N NO
Treatment related to PROJ 112/SHAD (Y/N): YES

Update all 'OTHER POSTOP DIAGNOSIS' Eligibility and
Service Connected Conditions with these values? Enter YES or NO. <NO> Y

Press RETURN to continue
```

Delete or Update Operation Requests

[SRSUPRQ]

The *Delete or Update Operation Requests* option is used to delete a request, to update information, or to change the date of a requested operation. When a user enters this option and selects a patient's name and case, he or she can choose one of the three functions. The three functions are explained below and the next few pages contain examples of how to use them.

The prompts differ for concurrent cases (operations performed by two different specialties at the same time on the same patient), as illustrated in Examples 4, 5, and 6. Whenever a user makes a change or updates information for one of the concurrent cases, the software wants to know if the other case is affected.

The three functions available in this option are also available in the *Request Operations* option when the user selects an outstanding request.

With this function:	The user can:
Delete	Permanently remove an operation request from the software files (Examples 1 and 4). Example 4 shows the deletion of one operation in a set of concurrent cases.
Update Request Information	Change the length of the operation and edit other data fields that were entered earlier (Example 2). The software can automatically update each case in a set of two concurrent cases (Example 5).
Change the Request Date	Alter the operation date of the request (Examples 3 and 6). For a set of concurrent cases to remain concurrent, the user must change the request date for both operations (Example 6).

Example 1: Delete a Request

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,NINE 12-09-51 000345555 NSC VETERAN
The following cases are requested for SURPATIENT,NINE:

1. 08-15-01 CHOLECYSTECTOMY
2. 09-15-01 Release of Hammer Toes

Select Operation Request: 2

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 1

Are you sure that you want to delete this request ? YES// <Enter>

Deleting Operation ...

Press RETURN to continue
```

Example 2: Update Request Information

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,TWENTY 03-27-40 000454886
```

The following case is requested for SURPATIENT,TWENTY:

1. 12-01-01 CHOLECYSTECTOMY

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **2**

How long is this procedure ? (HOURS:MINUTES) 2:45 // **2:30**

** UPDATE REQUEST ** CASE #227 SURPATIENT,TWENTY PAGE 1 OF 3

- 1 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
- 2 OTHER PROCEDURES: (MULTIPLE)
- 3 PLANNED PRIN PROCEDURE CODE: 47480-66
- 4 LATERALITY OF PROCEDURE: (NA/ LEFT, RIGHT, BILATERAL)
- 5 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
- 6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 574.01
- 7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
- 8 PALLIATION:
- 8 PLANNED ADMISSION STATUS: ADMISSION
- 10 PRE-ADMISSION TESTING:
- 11 CASE SCHEDULE TYPE: URGENT
- 12 SURGERY SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)
- 13 PRIMARY SURGEON: SURSURGEON,ONE
- 14 FIRST ASST: SURSURGEON,TWO
- 15 SECOND ASST:

Enter Screen Server Function: **15**
Second Assistant: **SURSURGEON,THREE**

** UPDATE REQUEST ** CASE #227 SURPATIENT,TWENTY PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 47480-66
4 LATERALITY OF PROCEDURE: (NA/ LEFT, RIGHT, BILATERAL)
5 PRINCIPAL PRE-OP DIAGNOSIS: CHOLELITHIASIS
6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 574.01
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
8 PALLIATION:
9 PLANNED ADMISSION STATUS: ADMITTED
10 PRE-ADMISSION TESTING:
11 CASE SCHEDULE TYPE: URGENT
12 SURGERY SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)
13 PRIMARY SURGEON: SURSURGEON, ONE
14 FIRST ASST: SURSURGEON, TWO
15 SECOND ASST:

Enter Screen Server Function: <Enter>

** UPDATE REQUEST ** CASE #227 SURPATIENT,TWENTY PAGE 2 OF 3

1 ATTENDING SURGEON: SURSURGEON, ONE
2 PLANNED POSTOP CARE: WARD
3 CASE SCHEDULE ORDER: 1
4 SURGERY POSITION: (MULTIPLE) (DATA)
5 REQ ANESTHESIA TECHNIQUE: GENERAL
6 REQ FROZ SECT: NO
7 REQ PREOP X-RAY: ABDOMIN
8 INTRAOPERATIVE X-RAYS: NO
9 REQUEST BLOOD AVAILABILITY: YES
10 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
11 REQ BLOOD KIND: (MULTIPLE) (DATA)
12 SPECIAL EQUIPMENT: (MULTIPLE)
13 PLANNED IMPLANT: (MULTIPLE)
14 SPECIAL SUPPLIES: (MULTIPLE)
15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

** UPDATE REQUEST ** CASE #227 SURPATIENT,TWENTY PAGE 3 OF 3

1 PHARMACY ITEMS: (MULTIPLE)
2 REQ PHOTO:
3 PREOPERATIVE INFECTION:
4 REFERRING PHYSICIAN: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
7 BRIEF CLIN HISTORY: (WORD PROCESSING)
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

Example 3: Change the Request Date

Select Request Operations Option: **D** Delete or Update Operation Requests

Select Patient: **SURPATIENT,TWENTY** 03-27-40 000454886

The following case is requested for SURPATIENT,TWENTY:

1. 12-01-01 CHOLECYSTECTOMY

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **3**

Change to which Date ? **11/30** (NOV 30, 2001)

The request for SURPATIENT,TWENTY has been changed to NOV 30, 2001.

Press RETURN to continue

Deleting or Updating Requests for Concurrent Cases

Any changes made to one concurrent case can affect the other case. When one of the concurrent cases is deleted, a prompt will ask if the user wishes to delete the other case also. If the user responds with **NO**, the remaining operation will stay in the records as a single case. When the user changes the date of one operation of a concurrent case, the user must simultaneously change the date for the other operation, otherwise the operations will no longer be considered concurrent.

When updating a response to a prompt or group of related prompts, the software will ask if the user wants to store (meaning duplicate) the information in the other case. This saves time by storing the information into the other case so that it does not have to be entered again. If the user does not want the prompt response duplicated for the other case, enter **N** or **NO**.

Example 4: Delete a Request for Concurrent Cases

```
Select Request Operations Option: D Delete or Update Operation Requests
Select Patient: SURPATIENT,FOUR 01-16-35 000170555 NSC VETERAN

The following cases are requested for SURPATIENT,FOUR:

1. 03-15-05 APPENDECTOMY
2. 08-15-05 CAROTID ARTERY ENDARTERECTOMY
3. 08-15-05 AORTO CORONARY BYPASS

Select Operation Request: 2

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 1

Are you sure that you want to delete this request ? YES// <Enter>

A concurrent case has been requested for this operation. Do you want to
delete the request for it also ? YES// <Enter>

Deleting Operation ...

Deleting Concurrent Operation ...

Press <Enter> to continue <Enter>
```

responding **YES** here will delete both operation requests. **NO** leaves the single remaining case, no longer concurrent.

Example 5: Update Request Information for a Concurrent Case

```
Select Request Operations Option: Delete or Update Operation Requests
Select Patient: SURPATIENT,TWELVE 02-12-28 000418719
```

The following cases are requested for SURPATIENT,TWELVE:

1. 03-16-05 CAROTID ARTERY ENDARTERECTOMY
2. 03-16-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: 1

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 2

How long is this procedure ? (HOURS:MINUTES) 1:30 // <Enter>

** UPDATE REQUEST ** CASE #178 SURPATIENT,TWELVE PAGE 1 OF 3

- 1 PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
- 2 OTHER PROCEDURES: (MULTIPLE)
- 3 PLANNED PRIN PROCEDURE CODE: 35301-59
- 4 LATERALITY OF PROCEDURE: (NA, LEFT, RIGHT, BILATERAL)
- 5 PRINCIPAL PRE-OP DIAGNOSIS:
- 6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
- 7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
- 8 PALLIATION:
- 9 PLANNED ADMISSION STATUS:
- 10 PRE-ADMISSION TESTING:
- 11 CASE SCHEDULE TYPE: STANDBY
- 12 SURGERY SPECIALTY: PERIPHERAL VASCULAR
- 13 PRIMARY SURGEON: SURSURGEON,ONE
- 14 FIRST ASST:
- 15 SECOND ASST:

Enter Screen Server Function: 5;6;10

Principal Preoperative Diagnosis: CAROTID ARTERY STENOSIS

Prin Pre-OP ICD Diagnosis Code: 433.1 'C' CAROTID ARTERY OCCLUSION
COMPLICATION/COMORBIDITY
...OK? YES// <Enter> (YES)

Pre-admission Testing Complete (Y/N): YES YES

Do you want to store this information in the concurrent case ? YES// N

** UPDATE REQUEST ** CASE #178 SURPATIENT,TWELVE PAGE 1 OF 3

- 1 PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
- 2 OTHER PROCEDURES: (MULTIPLE)
- 3 PLANNED PRIN PROCEDURE CODE: 35301-59
- 4 LATERALITY OF PROCEDURE: (NA, LEFT, RIGHT, BILATERAL)
- 5 PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
- 6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 433.10
- 7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
- 8 PALLIATION:
- 9 PLANNED ADMISSION STATUS: ADMITTED
- 10 PRE-ADMISSION TESTING: YES
- 11 CASE SCHEDULE TYPE: STANDBY
- 12 SURGERY SPECIALTY: PERIPHERAL VASCULAR
- 13 PRIMARY SURGEON: SURSURGEON,ONE
- 14 FIRST ASST:
- 15 SECOND ASST:

Enter Screen Server Function: <Enter>

** UPDATE REQUEST ** CASE #229 SURPATIENT,TWELVE PAGE 3 OF 3

- 1 PHARMACY ITEMS: (MULTIPLE)
- 2 REQ PHOTO:
- 3 PREOPERATIVE INFECTION:
- 4 REFERRING PHYSICIAN: (MULTIPLE)
- 5 GENERAL COMMENTS: (WORD PROCESSING)
- 6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
- 7 BRIEF CLIN HISTORY: (WORD PROCESSING)
- 8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:

Example 6: Change the Request Date of Concurrent Cases

Select Request Operations Option: **D** Delete or Update Operation Requests
Select Patient: **SURPATIENT,FOUR** 01-16-35 000170555 NSC VETERAN

The following cases are requested for SURPATIENT,FOUR:

1. 04-04-05 ARTHROSCOPY, RIGHT KNEE
2. 04-04-05 REMOVE MOLE
3. 06-01-05 CAROTID ARTERY ENDARTERECTOMY
4. 06-01-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: 3

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: 3

Change to which Date ? 6/2 (JUN 02, 2005)

There is a concurrent case associated with this operation. Do you want to change the date of it also ? YES// ?

Enter <Enter> if these cases will remain concurrent, or 'NO' if they will no longer be associated together.

There is a concurrent case associated with this operation. Do you want to change the date of it also ? YES// <Enter>

The request for SURPATIENT,FOUR has been changed to JUN 2, 2005.

Press RETURN to continue

** UPDATE REQUEST ** CASE #178 SURPATIENT,TWELVE PAGE 2 OF 3

- 1 ATTENDING SURGEON: SURSURGEON,ONE
- 2 PLANNED POSTOP CARE: SICU
- 3 CASE SCHEDULE ORDER: 1
- 4 SURGERY POSITION: (MULTIPLE)
- 5 REQ ANESTHESIA TECHNIQUE: GENERAL
- 6 REQ FROZ SECT: NO
- 7 REQ PREOP X-RAY: DOPPLER STUDIES
- 8 INTRAOPERATIVE X-RAYS: NO
- 9 REQUEST BLOOD AVAILABILITY:
- 10 CROSSMATCH, SCREEN, AUTOLOGOUS:
- 11 REQ BLOOD KIND: (MULTIPLE)
- 12 SPECIAL EQUIPMENT: (MULTIPLE)
- 13 PLANNED IMPLANT: (MULTIPLE)
- 14 SPECIAL SUPPLIES: (MULTIPLE)
- 15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

Make a Request from the Waiting List

[SRSWREQ]

The *Make a Request from the Waiting List* option uses data from the Waiting List to make an operation request. It can save time by moving data from the Waiting List to the request (simultaneously removing it from the waiting list). As with any request, a date for the surgery is required.

After the user enters the patient name, the software will list any operations on the Waiting List for that patient. The user then selects the operative procedure wanted. The software will advise if the patient selected has any outstanding requests.

Each institution might have a daily cutoff time for entering requests. After the cutoff time for a particular day, the users are prohibited from booking a request for an operation to take place through midnight of that day.

When a request is made, the user is asked to provide preoperative information about the case. It is best to enter as much information as available.

Example: Making A Request From the Waiting List

```
Select Request Operations Option: W Make a Request from the Waiting List

Make a request from the waiting list for which patient ? SURPATIENT,FOURTEEN
08-16-51      000457212

Procedures Entered on the Waiting List for SURPATIENT,FOURTEEN:

1. GENERAL(OR WHEN NOT DEFINED BELOW)   Date Entered on List: NOV 17, 2005
   REPAIR DIAPHRAGMATIC HERNIA

Is this the correct procedure ? YES// <Enter>

Make a request for which Date ? 12/1 (DEC 01, 2005)
                                OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,FOURTEEN (000-45-7212)                                DEC 1, 2005
=====

Primary Surgeon: SURSURGEON,TWO
Attending Surgeon: SURSURGEON,TWO
Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)
Principal Operative Procedure: REPAIR DIAPHRAGMATIC HERNIA
Principal Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>

Laterality Of Procedure: NA
Planned Admission Status: 1 SAME DAY
Planned Principal Procedure Code: 39540      REPAIR OF DIAPHRAGM HERNIA
REPAIR, DIAPHRAGMATIC HERNIA (OTHER THAN NEONATAL), TRAUMATIC; ACUTE
Modifier:
Sending a Notification of Appointment Booking for case #229
```

OPERATION REQUEST: PROCEDURE INFORMATION

SURPATIENT,FOURTEEN (000-45-7212)

DEC 1, 2005

=====

Principal Procedure: REPAIR DIAPHRAGMATIC HERNIA
 Planned Principal Procedure Code (CPT): 39540 REPAIR OF DIAPHRAGM HERNIA
 REPAIR, DIAPHRAGMATIC HERNIA (OTHER THAN NEONATAL), TRAUMATIC; ACUTE // <Enter>
 Select OTHER PROCEDURE: <Enter>
 Estimated Case Length (HOURS:MINUTES): 2:00
 BRIEF CLIN HISTORY:
 1>Patient was reporting indigestion and a burning
 2>sensation in esophagus. Upper GI indicated hernia.
 3><Enter>
 EDIT Option: <Enter>

OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,FOURTEEN (000-45-7212)

DEC 1, 2005

=====

Request Blood Availability (Y/N): NO// <Enter>

OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,FOURTEEN (000-45-7212)

DEC 1, 2005

=====

Principal Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA// <Enter>
 Prin Pre-OP ICD Diagnosis Code (ICD9): 551.3

One match found

551.3 DIAPHRAGM HERNIA W GANGR (Major CC)

OK? Yes// <Enter> (YES) 551.3 DIAPHRAGM HERNIA W GANGR(Major CC) 551.3 ICD-9
 DIAPHRAGM HERNIA W GANGR

Palliation: <Enter>
 Pre-admission Testing Complete (Y/N): Y YES
 Case Schedule Type: S STANDBY
 First Assistant: SURSURGEON,ONE
 Second Assistant: <Enter>
 Attending Surgeon: ln,fn// <Enter>
 Planned Postop Care: WARD W
 Case Schedule Order: <Enter>
 Select SURGERY POSITION: SUPINE// <Enter>
 Surgery Position: SUPINE// <Enter>
 Requested Anesthesia Technique: G GENERAL
 Request Frozen Section Tests (Y/N): N NO
 Requested Preoperative X-Rays: ABDOMEN
 Intraoperative X-Rays (Y/N/C): N NO
 Request Medical Media (Y/N): N NO
 Preoperative Infection: C CLEAN
 Select REFERRING PHYSICIAN: <Enter>
 General Comments: <Enter>
 No existing text
 Edit? NO// <Enter>
 SPD Comments: <Enter>
 No existing text
 Edit? NO// <Enter>

1 PRINCIPAL PROCEDURE: REPAIR DIAPHRAGMATIC HERNIA
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 39540
4 LATERALITY OF PROCEDURE: (NA, RIGHT, LEFT, BILATERAL)
5 PRINCIPAL PRE-OP DIAGNOSIS: ACUTE DIAPHRAGMATIC HERNIA
6 PRIN PRE-OP ICD DIAGNOSIS CODE: 551.3
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
8 PALLIATION:
9 PLANNED ADMISSION STATUS: ADMITTED
10 PRE-ADMISSION TESTING: YES
11 CASE SCHEDULE TYPE: STANDBY
12 SURGERY SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)
13 PRIMARY SURGEON: SURSURGEON,TWO
14 FIRST ASST: SURSURGEON,ONE
15 SECOND ASST:

Enter Screen Server Function: <Enter>

1 ATTENDING SURGEON: SURSURGEON,TWO
2 PLANNED POSTOP CARE: WARD
3 CASE SCHEDULE ORDER:
4 SURGERY POSITION: (MULTIPLE) (DATA)
5 REQ ANESTHESIA TECHNIQUE: GENERAL
6 REQ FROZ SECT: NO
7 REQ PREOP X-RAY: ABDOMEN
8 INTRAOPERATIVE X-RAYS: NO
9 REQUEST BLOOD AVAILABILITY: NO
10 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH
11 REQ BLOOD KIND: (MULTIPLE) (DATA)
12 SPECIAL EQUIPMENT: (MULTIPLE)
13 PLANNED IMPLANT: (MULTIPLE)
14 SPECIAL SUPPLIES: (MULTIPLE)
15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

1 PHARMACY ITEMS: (MULTIPLE)
2 REQ PHOTO: NO
3 PREOPERATIVE INFECTION: CLEAN
4 REFERRING PHYSICIAN: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
7 BRIEF CLIN HISTORY: (WORD PROCESSING) (DATA)
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

A request has been made for SURPATIENT,FOURTEEN on 12/01/2005.

Sending a Notification of Appointment Modification for case #229

Press RETURN to continue:

Make a Request for Concurrent Cases

[SRSREQCC]

The *Make a Request for Concurrent Cases* option is used to book concurrent operations. Concurrent cases are two operations performed on the same patient by different surgical specialties simultaneously, or back-to-back in the same room. A request may be made for each case at one time with this option. As usual, whenever a request is entered, the user is asked to provide preoperative information about the case. It is best to enter as much information as possible and update it later if necessary.

Mandatory Prompts

After the patient name has been entered, the user will be prompted to enter some required information about the first case (the mandatory prompts include the date of operation, procedure, surgeon and attending surgeon, principal preoperative diagnosis, and time needed). If a mandatory prompt is not answered, the software will not book the operation and will return the user to the *Request Operations* menu. After answering the prompts for the first case, the user is prompted to answer the same questions about the second case. Then, the software will provide a message that the two requests have been entered and simultaneously prompt the user to select one of the cases for entering detailed information. If the user does not want to enter detailed preoperative information at this time, pressing the **<Enter>** key will send the user to the *Request Operations* menu. In Example 1, detailed information is entered for the first case only.

Storing the Request Information

After most prompts, the software will ask if the user wants to store (meaning duplicate) this information in the concurrent, or other, case. This saves time by storing the information into the other case so that information does not have to be entered again. If the user does not want the prompt response duplicated for the other case, he or she should enter **N** or **NO**.

Finally, the software will display the Screen Server summary and store any duplicated information into the other case. At this point, the software will provide another message that the two requests have been entered and again prompt the user to select either case for entering detailed information. This whole process may be repeated with the other case by selecting the number for it, or pressing the **<Enter>** key to get back to the *Request Operations* menu.

Updating the Preoperative Information Later

Use the *Delete or Update Operation Requests* option to change or update any of the information entered for either or both concurrent cases (Example 2).

Example 1: Make a Request for Concurrent Cases

Select Request Operations Option: **CC** Make a Request for Concurrent Cases

Request Concurrent Cases for which Patient ? **SURPATIENT,TWELVE** 02-12-28 000418719

Make a Request for Concurrent Cases on which Date ? **12/1** (DEC 01, 1999)

FIRST CONCURRENT CASE

OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005
=====

Primary Surgeon: **SURSURGEON,ONE**

Attending Surgeon: **SURSURGEON,TWO**

Surgical Specialty: **62** PERIPHERAL VASCULAR PERIPHERAL VASCULAR
62

Principal Operative Procedure: **CAROTID ARTERY ENDARTERECTOMY**

Principal Preoperative Diagnosis: **CAROTID ARTERY STENOSIS**

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

Laterality Of Procedure: NA

Planned Admission Status: SAME DAY

Planned Principal Procedure Code: 35526 REPAIR OF ANOMALOUS CORONARY ARTERY FROM PULMONARY
ARTERY ORIGIN; BY LIGATION

Modifier:

Sending a Notification of Appointment Booking for case #230

SECOND CONCURRENT CASE

OPERATION REQUEST: REQUIRED INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005
=====

Primary Surgeon: **SURSURGEON,TWO**

Attending Surgeon: **SURSURGEON,ONE**

Surgical Specialty: **58** THORACIC SURGERY (INC. CARDIAC SURG.) THORACIC
SURGERY (INC. CARDIAC SURG.) 58

Principal Operative Procedure: **AORTO CORONARY BYPASS GRAFT**

Principal Preoperative Diagnosis: **CORONARY ARTERY DISEASE**

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

Laterality Of Procedure: NA

Planned Admission Status: SAME DAY

Planned Principal Procedure Code: 35526 ARTERY BYPASS GRAFT
BYPASS GRAFT, WITH VIEN; AORTOSUBCLAVIAN, AORTOINNOMINATE, OR AORTOCAROTID

Modifier:

SECOND CONCURRENT CASE
OPERATION REQUEST: PROCEDURE INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005
=====

Principal Procedure: AORTO CORONARY BYPASS GRAFT
Planned Principal Procedure Code (CPT): 35526 ARTERY BYPASS GRAFT
Modifier: -66 SURGICAL TEAM
Select OTHER PROCEDURE: <Enter>
Estimated Case Length (HOURS:MINUTES): 3:30
BRIEF CLIN HISTORY:
1>CARDIAC CATH SHOWS 80% OCCLUSION OF THE LAD, 75% OCCLUSION OF
2>RIGHT CORONARY. ALSO, ANTERIOR INFERIOR HYPOKINESIS WITH
3>POOR LEFT VENTRICULAR FUNCTION, 27%.
4><Enter>
EDIT Option: <Enter>

SECOND CONCURRENT CASE
OPERATION REQUEST: BLOOD INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005
=====

Request Blood Availability ? N// YES
Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH// <Enter> TYPE & CROSSMATCH
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// @
SURE YOU WANT TO DELETE THE ENTIRE REQ BLOOD KIND? Y (YES)
Select REQ BLOOD KIND: 04061 CPDA-1 RED BLOOD CELLS, DIVIDED UNIT 04061
Units Required: 4

SECOND CONCURRENT CASE
OPERATION REQUEST: OTHER INFORMATION

SURPATIENT,TWELVE (000-41-8719) DEC 1, 2005
=====

Principal Preoperative Diagnosis: CORONARY ARTERY DISEASE
Replace <ENTER>
Prin Pre-OP ICD Diagnosis Code (ICD9): 996.03

One match found

996.03 MALFUNC CORON BYPASS GRF(CC)
...OK? YES// <Enter> (YES) 996.03 MALFUNC CORON BYPASS GRF(CC) 996.03 ICD-9 MAL
FUNC CORON BYPASS GRF
Palliation: NO
Pre-admission Testing Complete (Y/N): Y YES

Do you want to store this information in the concurrent case ? YES// <Enter>

Case Schedule Type: S STANDBY

Do you want to store this information in the concurrent case ? YES// <Enter>

First Assistant: SURSURGEON,SIX
Second Assistant: <Enter>
Attending Surgeon: SURSURGEON,ONE// <Enter>
Planned Postop Care: ICU I
Case Schedule Order: 2

Do you want to store this information in the concurrent case ? YES// N

Select SURGERY POSITION: SUPINE// <Enter>
Surgery Position: SUPINE// <Enter>
Requested Anesthesia Technique: GENERAL

Do you want to store this information in the concurrent case ? YES// <Enter>

Request Frozen Section Tests (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Requested Preoperative X-Rays: **DOPPLER STUDIES**

Do you want to store this information in the concurrent case ? YES// **N**

Intraoperative X-Rays (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Request Medical Media (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Preoperative Infection: **C** CLEAN

Select REFERRING PHYSICIAN: <Enter>

General Comments: <Enter>

No existing text

Edit? NO// <Enter>

SPD Comments: <Enter>

No existing text

Edit? NO// <Enter>

The information to be duplicated in the concurrent case will now be entered....

Sending a Notification of Appointment Modification for case #231

Press RETURN to continue <Enter>

** REQUESTS ** CASE #231 SURPATIENT,TWELVE PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: AORTO CORONARY BYPASS GRAFT

2 OTHER PROCEDURES: (MULTIPLE)

3 PLANNED PRIN PROCEDURE CODE: 35526-66

4 LATERALITY OF PROCEDURE:

5 PRINCIPAL PRE-OP DIAGNOSIS: CORONARY ARTERY DISEASE

6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 996.03

7 OTHER PREOP DIAGNOSIS: (MULTIPLE)

8 PALLIATION: NO

9 PLANNED ADMISSION STATUS: ADMITTED

10 PRE-ADMISSION TESTING:

11 CASE SCHEDULE TYPE: STANDBY

12 SURGERY SPECIALTY: THORACIC SURGERY (INC. CARDIAC SURG.)

13 PRIMARY SURGEON: SURSURGEON,TWO

14 FIRST ASST: SURSURGEON,SIX

15 SECOND ASST:

Enter Screen Server Function: <Enter>

** REQUESTS ** CASE #231 SURPATIENT,TWELVE PAGE 2 OF 3

1 ATTENDING SURGEON: SURSURGEON,TWO

2 PLANNED POSTOP CARE: ICU

3 CASE SCHEDULE ORDER: 2

4 SURGERY POSITION: (MULTIPLE) (DATA)

5 REQ ANESTHESIA TECHNIQUE: GENERAL

6 REQ FROZ SECT: NO

7 REQ PREOP X-RAY: DOPPLER STUDIES

8 INTRAOPERATIVE X-RAYS: NO

9 REQUEST BLOOD AVAILABILITY: YES

10 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH

11 REQ BLOOD KIND: (MULTIPLE) (DATA)

12 SPECIAL EQUIPMENT: (MULTIPLE)

13 PLANNED IMPLANT: (MULTIPLE)

14 SPECIAL SUPPLIES: (MULTIPLE)

15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

1 PHARMACY ITEMS: (MULTIPLE)
2 REQ PHOTO: NO
3 PREOPERATIVE INFECTION: CLEAN
4 REFERRING PHYSICIAN: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
7 BRIEF CLIN HISTORY: (WORD PROCESSING)
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

The following requests have been entered.

1. Case # 230 DEC 1, 2005
Surgeon: SURSURGEON,ONE PERIPHERAL VASCULAR
Procedure: CAROTID ARTERY ENDARTERECTOMY
2. Case # 231 DEC 1, 2005
Surgeon: SURSURGEON,TWO THORACIC SURGERY (INC. CARDIAC SURG.)
Procedure: AORTO CORONARY BYPASS GRAFT

1. Enter Request Information for Case #230
2. Enter Request Information for Case #231

Select Number: (1-2):

Example 2: Update Request Information for a Concurrent Case

Select Request Operations Option: **D** Delete or Update Operation Requests

Select Patient: **SURPATIENT,TWELVE** 02-12-28 000418719

The following cases are requested for SURPATIENT,TWELVE:

1. 03-09-05 REMOVE FACIAL LESIONS
2. 12-01-05 CAROTID ARTERY ENDARTERECTOMY
3. 12-01-05 AORTO CORONARY BYPASS GRAFT

Select Operation Request: **2**

1. Delete
2. Update Request Information
3. Change the Request Date

Select Number: **2**

How long is this procedure ? (HOURS:MINUTES) // **1:30**

** UPDATE REQUEST ** CASE #230 SURPATIENT,TWELVE PAGE 1 OF 3

```
1 PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 35301-59
4 LATERALITY OF PROCEDURE:
5 PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
8 PALLIATION: NO
9 PLANNED ADMISSION STATUS: ADMITTED
10 PRE-ADMISSION TESTING:
11 CASE SCHEDULE TYPE: STANDBY
12 SURGERY SPECIALTY: PERIPHERAL VASCULAR
13 PRIMARY SURGEON: SURSURGEON,ONE
14 FIRST ASST:
15 SECOND ASST:
```

Enter Screen Server Function: **6**

Prin Pre-OP ICD Diagnosis Code (ICD9): **433.1**

One match found

433.1 CAROTID ARTERY OCCLUSION COMPLICATION/COMORBIDITY

...OK? YES// **<Enter>** (YES)

** UPDATE REQUEST ** CASE #230 SURPATIENT,TWELVE PAGE 1 OF 3

```
1 PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 35301-59
4 LATERALITY OF PROCEDURE:
5 PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS
6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD): 433.1
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
8 PALLIATION:
9 PLANNED ADMISSION STATUS: ADMITTED
10 PRE-ADMISSION TESTING:
11 CASE SCHEDULE TYPE: STANDBY
12 SURGERY SPECIALTY: PERIPHERAL VASCULAR
13 PRIMARY SURGEON: SURSURGEON,ONE
14 FIRST ASST:
15 SECOND ASST:
```

Enter Screen Server Function: **<Enter>**

1 ATTENDING SURG: SURSURGEON,TWO
2 PLANNED POSTOP CARE:
3 CASE SCHEDULE ORDER:
4 SURGERY POSITION: (MULTIPLE)
5 REQ ANESTHESIA TECHNIQUE: GENERAL
6 REQ FROZ SECT: NO
7 REQ PREOP X-RAY:
8 INTRAOPERATIVE X-RAYS: NO
9 REQUEST BLOOD AVAILABILITY:
10 CROSSMATCH, SCREEN, AUTOLOGOUS:
11 REQ BLOOD KIND: (MULTIPLE)
12 SPECIAL EQUIPMENT: (MULTIPLE)
13 PLANNED IMPLANT: (MULTIPLE)
14 SPECIAL SUPPLIES: (MULTIPLE)
15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

1 PHARMACY ITEMS: (MULTIPLE)
2 REQ PHOTO: NO
3 PREOPERATIVE INFECTION:
4 REFERRING PHYSICIAN: (MULTIPLE)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING) (DATA)
7 BRIEF CLIN HISTORY: (WORD PROCESSING)
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:

Review Request Information

[SROREQV]

Surgeons and nurses use the *Review Request Information* option to edit or review the preoperative information that was entered when the case was requested. This option can be accessed after the case has been scheduled.

Example: Review Request Information

```
Select Request Operations Option: V Review Request Information
Select Patient: SURPATIENT,ONE 02-23-53 000447629
SURPATIENT,ONE

1. 03-09-99 REVISE MEDIAN NERVE (REQUESTED)

Select Operation: 1

** REVIEW REQUEST ** CASE #35 SURPATIENT,ONE PAGE 1 OF 2

1 PRINCIPAL PROCEDURE: REVISE MEDIAN NERVE
2 OTHER PROCEDURES: (MULTIPLE)
3 PLANNED PRIN PROCEDURE CODE: 64721
4 LATERALITY OF PROCEDURE: NA
5 PRINCIPAL PRE-OP DIAGNOSIS: CARPAL TUNNEL SYNDROME
6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9): 354.0
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)
8 PLANNED ADMISSION STATUS: ADMITTED
9 CASE SCHEDULE TYPE: ELECTIVE
10 SURGERY SPECIALTY: ORTHOPEDECS
11 PRIMARY SURGEON: SURSURGEON,ONE
12 FIRST ASST: SURSURGEON,THREE
13 SECOND ASST: SURSURGEON,TWO
14 ATTENDING SURGEON: SURSURGEON,ONE
15 PLANNED POSTOP CARE: ICU

Enter Screen Server Function: <Enter>
** REVIEW REQUEST ** CASE #35 SURPATIENT,ONE PAGE 2 OF 2

1 CASE SCHEDULE ORDER:
2 SURGERY POSITION: (MULTIPLE) (DATA)
3 REQ ANESTHESIA TECHNIQUE: GENERAL
4 REQ FROZ SECT:
5 REQ PREOP X-RAY: CARPAL TUNNEL, R WRIST
6 INTRAOPERATIVE X-RAYS:
7 REQUEST BLOOD AVAILABILITY: NO
8 CROSSMATCH, SCREEN, AUTOLOGOUS:
9 REQ BLOOD KIND: (MULTIPLE)
10 REQ PHOTO:
11 PREOPERATIVE INFECTION: CLEAN
12 REFERRING PHYSICIAN: (MULTIPLE)
13 GENERAL COMMENTS: (WORD PROCESSING)
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING) (DATA)

Enter Screen Server Function:
```

Operation Requests for a Day

[SROP REQ]

The *Operation Requests for a Day* option allows the scheduling manager to display or print a list of operation requests. The information from all surgical requests is collected by the software and made available by date. There are no editing capabilities for this feature. The user has a choice of printing a cursory short form or a long form encompassing all the request fields.

This report prints in an 80-column format and can be viewed on the screen.

Example 1: Print Operation Requests for a Day, Short Form

```
Select Request Operations Option: OR Operation Requests for a Day
Print Requests for which date ? 3/15 (MAR 15, 1999)
Would you like the long or short form ? SHORT// <Enter>
Do you want the requests for all surgical specialties ? YES// N
Print Requests for which Surgical Specialty ? GENERAL
(OPTIONAL WHEN NOT DEFINED BELOW) GENERAL(OPTIONAL WHEN NOT DEFINED BELOW) 50
Print the Requests on which Device: HOME// [Select Print Device]
```

.....*printout follows*.....

OPERATION REQUESTS FOR GENERAL(OPTIONAL WHEN NOT DEFINED BELOW) 03/15/99

- ```

1. Case Number: 173 Operation Date: 03/15/99
 Patient: SURPATIENT,TWENTY Ward:
 ID#: 000-45-4886 Surgeon: SURSURGEON,ONE
 Procedure: CHOLECYSTECTOMY (URGENT ADD TODAY)
 Estimated Case Length: 2:30
 Requested Anesthesia: GENERAL

2. Case Number: 180 Operation Date: 03/15/99
 Patient: SURPATIENT,FOURTEEN Ward: 1 SOUTH
 ID#: 000-45-7212 Surgeon: SURSURGEON,TWO
 Procedure: REPAIR DIAPHRAGMATIC HERNIA (STANDBY)
 Estimated Case Length: 2:00
 Requested Anesthesia: GENERAL
```

Press RETURN to continue **<Enter>**

## Example 2: Long Form

Select Request Operations Option: **OR** Operation Requests for a Day

Print Requests for which date ? **3/15** (MAR 15, 1999)

Would you like the long or short form ? SHORT// **L**

Do you want the requests for all surgical specialties ? YES// **N**

Print Requests for which Surgical Specialty ? **GENERAL**  
(OR WHEN NOT DEFINED BELOW) GENERAL (OR WHEN NOT DEFINED BELOW) 50

Print the Requests on which Device: HOME// **[Select Print Device]**

-----*printout follows*-----

=====

OPERATION REQUESTS FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
ON MAR 15, 1999

-----

Patient: SURPATIENT,TWENTY ID #: 000-45-4886  
Age: 51 Ward: NOT ENTERED

Surgeon: SURSURGEON,ONE Attending: SURSURGEON,ONE  
Preoperative Diagnosis: CHOLELITHIASIS

Principal Procedure: CHOLECYSTECTOMY  
Other Procedures: INTRAOPERATIVE CHOLANGIOGRAM  
Estimated Case Length: 2:30

Req. Anesthesia Technique: GENERAL  
Blood Requested: CPDA-1 WHOLE BLOOD UNITS  
FRESH FROZEN PLASMA, CPDA-1 2 UNITS  
Restraints: SAFETY STRAP  
Requested by: SURNURSE,ONE on JAN 7, 1999 13:45

Press <Enter> to continue, or '^' to quit: **<Enter>**

=====

OPERATION REQUESTS FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
ON MAR 15, 1999

-----

Patient: SURPATIENT,FOURTEEN ID #: 000-45-7212  
Age: 48 Ward: 1 SOUTH

Surgeon: SURSURGEON,TWO Attending: SURSURGEON,TWO  
Preoperative Diagnosis: ACUTE DIAPHRAGMATIC HERNIA

Principal Procedure: REPAIR DIAPHRAGMATIC HERNIA  
Estimated Case Length: 2:00

Req. Anesthesia Technique: GENERAL  
Blood Requested: CPDA-1 WHOLE BLOOD 2 UNITS  
Restraints: SAFETY STRAP  
Requested by: SURNURSE,ONE on JAN 13, 1999 14:39

Press RETURN to continue **<Enter>**

## Requests by Ward

### [SROWRQ]

Users can utilize the *Requests by Ward* option to print request information for patients in all wards or a specific ward. The first prompt asks if the user wants to print the requests for all wards. If not, accept the **NO** default and the next prompt will ask "Print schedule for which ward?". If the user enters a question mark (**?**), the help screen will list the ward names from which to choose. Patients not assigned to a ward are listed under the category "Outpatient."

This report prints in an 80-column format and can be viewed on the screen.

### Example: Print Requests by Ward

```
Select Request Operations Option: WR Requests by Ward

Do you wish to print the requests for all wards ? NO// Y
Print Requests on which Device: [Select Print Device]

-----printout follows-----
Requests for Operations
=====
Ward: 1 SOUTH
=====
Patient: SURPATIENT,FOURTEEN (000-45-7212) Case Number: 180
Date of Operation: 03/15/99 Case Order:
Requested Anesthesia: GENERAL
Operation(s): REPAIR DIAPHRAGMATIC HERNIA

Comments:

Press RETURN to continue or '^' to quit. <Enter>

Requests for Operations
=====
Ward: 2 WEST
=====
Patient: SURPATIENT,TWELVE (000-41-8719) Case Number: 178
Date of Operation: 03/15/99 Case Order: 1
Requested Anesthesia: GENERAL
Operation(s): CAROTID ARTERY ENDARTERECTOMY

Comments:
 Concurrent Case Number: 179
 Procedure: AORTO CORONARY BYPASS GRAFT

Comments:

Patient: SURPATIENT,TWELVE (000-41-8719) Case Number: 179
Date of Operation: 03/15/99 Case Order: 1
Requested Anesthesia: GENERAL
Operation(s): AORTO CORONARY BYPASS GRAFT

Comments:
 Concurrent Case Number: 178
 Procedure: CAROTID ARTERY ENDARTERECTOMY

Comments:

```

-----  
Press RETURN to continue or '^' to quit. <Enter>

Requests for Operations

=====

Ward: OUTPATIENT

=====

Patient: SURPATIENT,FIFTEEN (000-98-1234) Case Number: 172  
Date of Operation: 03/25/99 Case Order:  
Requested Anesthesia:  
Operation(s): HEMMORHOIDECTOMY

Comments:

-----

Patient: SURPATIENT,TWENTY (000-45-4886) Case Number: 173  
Date of Operation: 03/15/99 Case Order:  
Requested Anesthesia: GENERAL  
Operation(s): CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM

Comments:

-----

Patient: SURPATIENT,SIXTEEN (000-11-1111) Case Number: 175  
Date of Operation: 03/14/99 Case Order:  
Requested Anesthesia: LOCAL  
Operation(s): REMOVE BUNION

Comments:

-----

# List Operation Requests

[SRSRBS]

Users can use the *List Operation Requests* option to produce a list of requested cases, including cases on the Waiting List. This report sorts by ward or surgical specialty.

This report prints in an 80-column format and can be viewed on the screen.

## Example 1: List Operation Requests, by Specialty

```
Select Surgery Menu Option: LR List Operation Requests
List requests by SPECIALTY or WARD ? SPECIALTY// <Enter>
Do you want requests for all surgical specialties ? YES// N
List Request for which Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW) GENERA
L(OR WHEN NOT DEFINED BELOW) 50
Print to Device: [Select Print Device]
```

-----*printout follows*-----

Operative Requests for GENERAL(OR WHEN NOT DEFINED BELOW)

| Date                        | Patient              | Ward Location |
|-----------------------------|----------------------|---------------|
| Case Number                 | ID #                 |               |
| Operative Procedure         |                      |               |
| APR 4, 1999                 | SURPATIENT,FOUR      | 1 SOUTH       |
| 180                         | 000-45-7212          |               |
| REMOVE MOLE                 |                      |               |
| JUN 1, 1999                 | SURPATIENT,SEVENTEEN | 1 SOUTH       |
| 178                         | 000-45-5119          |               |
| REPAIR DIAPHRAGMATIC HERNIA |                      |               |
| AUG 15, 1999                | SURPATIENT,NINE      | 1 NORTH       |
| 145                         | 000-34-5555          |               |
| CHOLECYSTECTOMY             |                      |               |

Press RETURN to continue



## Example 2: List Operation Requests, by Ward

Select Surgery Menu Option: **LR** List Operation Requests

List requests by SPECIALTY or WARD ? SPECIALTY// **WARD** Do

you want requests for all wards ? YES// **N**

Select Requests for which Ward ? **1 SOUTH**

Print the Report on which Device: HOME// **[Select Print Device]**

.....printout follows.....

### Operative Requests for 1 SOUTH

| Date                          | Patient               | Surgical Specialty  |
|-------------------------------|-----------------------|---------------------|
| Case Number                   | ID #                  |                     |
| Operative Procedure           |                       |                     |
| APR 4, 1999                   | SURPATIENT, FOUR      | ORTHOPEDICS         |
| 179                           | 000-45-7212           |                     |
| ARTHROSCOPY, RIGHT KNEE       |                       |                     |
| APR 4, 1999                   | SURPATIENT, THREE     | GENERAL             |
| 180                           | 000-21-2453           |                     |
| REMOVE MOLE                   |                       |                     |
| JUN 1, 1999                   | SURPATIENT, SEVENTEEN | GENERAL             |
| 178                           | 000-45-5119           |                     |
| REPAIR DIAPHRAGMATIC HERNIA   |                       |                     |
| JUN 1, 1999                   | SURPATIENT, TWELVE    | PERIPHERAL VASCULAR |
| 181                           | 000-41-8719           |                     |
| CAROTID ARTERY ENDARTERECTOMY |                       |                     |
| JUN 1, 1999                   | SURPATIENT, NINE      | THORACIC SURGERY    |
| 182                           | 000-34-5555           |                     |
| AORTO CORONARY BYPASS GRAFT   |                       |                     |

Press RETURN to continue

## Schedule Operations

### [SROSCHOP]

The options contained within the *Schedule Operations* menu are designed to be used by surgeons or the Scheduling Manager to book an operation when the date, time, and operating room are determined. The scheduling manager may schedule an already requested operation using the *Schedule Requested Operation* option. On the other hand, the scheduling manager may book an operation that has not been previously requested if the date, time and operating room are known. In this case, the *Request Operations* option can be skipped and the operation can be scheduled using the *Schedule Unrequested Operations* option.



This option is locked with the SROSCH key.

Whether a user is booking a case from the *Waiting List*, *Request Menu*, *Scheduling Menu*, or as a new surgery, he or she will be asked to provide preoperative information about the case. It is advisable to enter as much information as possible. Later, the information can be updated.

The information gathered by the *Request Operations* options is collated by the software and used to produce reports. The person in charge of scheduling (scheduling manager) arranges the requests according to the hospital's Surgical Service protocols and schedules the operation by assigning the case an operating room and a time slot. The information gathered by the *Schedule Operations* menu is collated by the software and is used to produce reports for the scheduling manager.



---

Local restrictions can be applied to the scheduling of procedures. For example, a facility can require CPT codes be entered before a surgical case is scheduled. The *Surgery Site Parameters (Enter/Edit)* option is used to select required fields.

---

The options included in the *Schedule Operation* menu are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option.

| Shortcut | Option Name                                      |
|----------|--------------------------------------------------|
| A        | <i>Display Availability</i>                      |
| SR       | <i>Schedule Requested Operations</i>             |
| SU       | <i>Schedule Unrequested Operations</i>           |
| CON      | <i>Schedule Unrequested Concurrent Cases</i>     |
| R        | <i>Reschedule or Update Scheduled Operations</i> |
| C        | <i>Cancel Scheduled Operation</i>                |
| UC       | <i>Update Cancellation Reason</i>                |
| AN       | <i>Schedule Anesthesia Personnel</i>             |

|    |                                |
|----|--------------------------------|
| B  | <i>Create Service Blockout</i> |
| DB | <i>Delete Service Blockout</i> |
| S  | <i>Schedule of Operations</i>  |

## Display Availability

### [SRODISP]

A user can view the availability of operating rooms on a blackout graph before booking an operation with the *Display Availability* option. A user might also use this option to check a booking or service blackout. This feature is the same as the *Display Availability* option available on the *Request Operations* menu option.

Scheduled operations show up on the graph as an equal sign (=) followed by the letter X. The equal sign before the X indicates the beginning of a scheduled operation. Surgical specialty blockouts are indicated by an abbreviation for the service. For more information on service blockouts, a function of the scheduling menu, see the *Create Service Blockout* option.

If the facility has a display terminal that can print condensed characters, a 24-hour graph will display on the screen. If not, the user will be prompted to select one of three graphs representing different chunks of that day.

#### Example: Display all O.R.s for One Day

```
Select Schedule Operations Option: A Display Availability
Do you want to view all Operating Rooms on one day ? YES // <Enter>
Do you want to list requests also ? NO// <Enter>
Display Operating Room Availability for which Date ? T (JUL 01, 1999)

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// <Enter>

ROOM 6AM 7 8 9 10 11 12 13 14 15 16 17 18 19 20
OR1 |____|uro.|uro.|uro.|uro.|uro.|uro.|uro.|uro.|____|____|____|____|____|
OR2 |____|card|card|card|card|card|card|card|card|card|card|____|____|____|____|
OR3 |____|thor|thor|thor|thor|thor|thor|thor|thor|thor|____|____|____|____|
OR4 |____|gen.|gen.|gen.|gen.|gen.|gen.|gen.|gen.|gen.|____|____|____|____|
OR5 |____|=XXX|XXXX|=XXX|XXXX|____|____|____|____|____|____|____|____|____|

Press RETURN to continue
```

## Schedule Requested Operation

### [SRSCHD1]

Users utilize the *Schedule Requested Operation* option to schedule a previously requested operation when enough information is available to assign an operating room and time slot. The user will also be prompted to provide anesthesia personnel information. The information entered here is reflected in the Schedule of Operations report. This option is designed for the scheduling manager to expeditiously schedule any or all requests on a specific date.

First, the user enters the patient to be scheduled. The software will automatically display all requests for that patient. The user then picks the request he or she wishes to schedule and assigns the operating room, beginning and end times, and anesthesia personnel for the case. The user can then choose another patient to schedule, or press the **<Enter>** key to leave the option.

The prompts that require a response before the user can continue with this option

include the following. "Schedule a Case for which Operating Room ?"

"Reserve from what time ? (24HR:NEAREST 15 MIN):"

"Reserve to what time ? (24HR:NEAREST 15 MIN):"

### Scheduling a Concurrent Case

A concurrent case occurs when a patient undergoes two operations by different surgical specialties simultaneously, or back-to-back in the same operating room. Example 2 demonstrates scheduling a requested concurrent case. When a user schedules a concurrent case, he or she must answer the prompt "There is a concurrent case associated with this operation. Do you want to schedule it for the same time? (Y/N) ". If the answer is **NO**, the two cases will no longer be considered concurrent. The user can enter anesthesia personnel information for each case.



---

The user should allow enough time for **both** surgeries when he or she answers the prompts, "Reserve from what time ? (24HR:NEAREST 15 MIN):" and "Reserve to what time ? (24HR:NEAREST 15 MIN):".

---

### Example 1: Schedule a Requested Operation

Select Schedule Operations Option: **SR** Schedule Requested Operations

Select Patient: **SURPATIENT,SIX** 04-04-30 000098797

The following case is requested for SURPATIENT,SIX:

1. 04-24-99 CHOLECYSTECTOMY

Case Information:

CHOLECYSTECTOMY

By SURSURGEON,TWO

Case # 210

On SURPATIENT,SIX  
For 1:00 Hours

Comments:

Is this the correct operation ? YES// **<Enter>**

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// **<Enter>**

| ROOM | 6AM | 7 | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17 | 18 | 19 | 20 |
|------|-----|---|------|------|------|------|------|------|------|------|------|----|----|----|----|
| OR1  |     |   |      |      |      |      |      |      | gen. | gen. | gen. |    |    |    |    |
| OR2  |     |   | card | card | card | card | card | card | card | card | card |    |    |    |    |
| OR3  |     |   |      |      |      |      |      |      |      |      |      |    |    |    |    |
| OR4  |     |   |      |      |      |      |      |      |      |      |      |    |    |    |    |
| OR5  |     |   |      |      |      |      |      |      |      |      |      |    |    |    |    |

Schedule a Case for which Operating Room ? **OR1**

Reserve from what time ? (24HR:NEAREST 15 MIN): **7:00**

Reserve to what time ? (24HR:NEAREST 15 MIN): **8:00**

Principal Anesthetist: **SURANESTHETIST,ONE**

Anesthesiologist Supervisor: **SURANESTHETIST,TWO**

Select Patient:

## Example 2: Schedule Operation for a Concurrent Case

```

Select Schedule Operations Option: SR Schedule Requested Operations
Select Patient: SURPATIENT,EIGHTEEN 09-14-54 000223334

The following cases are requested for SURPATIENT,EIGHTEEN:

1. 07-06-99 CAROTID ARTERY ENDARTERECTOMY
2. 07-06-99 AORTO CORONARY BYPASS GRAFT

Select Operation Request: 1

Case Information:
CAROTID ARTERY ENDARTERECTOMY
By SURSURGEON,ONE On SURPATIENT,EIGHTEEN
Case # 262
STANDBY
 * Concurrent Case # 263 AORTO CORONARY BYPASS GRAFT

Is this the correct operation ? YES// <Enter>
Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// <Enter>
ROOM 6AM 7 8 9 10 11 12 13 14 15 16 17 18 19 20
OR1 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
OR2 |_____|card|card|card|card|card|card|card|card|card|card|_____|_____|_____|_____|
OR3 |_____|orth|orth|orth|orth|orth|orth|_____|_____|_____|_____|_____|_____|_____|
OR4 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|
OR5 |_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|_____|

Schedule a Case for which Operating Room ? OR2

Reserve from what time ? (24HR:NEAREST 15 MIN): 7:15
Reserve to what time ? (24HR:NEAREST 15 MIN): 12:30

Principal Anesthetist: SURANESTHETIST,ONE
Anesthesiologist Supervisor: SURANESTHETIST,TWO

There is a concurrent case associated with this operation. Do you want to
schedule it for the same time ? (Y/N) Y

Select Patient:

```

## Schedule Unrequested Operations

### [SROSRES]

Users can use the *Schedule Unrequested Operations* option to schedule an operation that has not been requested. To schedule an operation, the user must determine the date, time, and operating room. The information entered in this option is reflected in the Schedule of Operations Report.

Whenever a new case is booked, the user is asked to provide preoperative information about the case. Enter as much information as possible. Later, the information can be updated or corrected.

Prompts that require a response before the user can continue with this option

are listed below. "Schedule Procedure for which Date ?"

"Select Patient:"

"Schedule a case for which operating Room ?"

"Reserve from what time ? (24HR:NEAREST 15

MIN):" "Reserve to what time ? (24HR:NEAREST 15

MIN):" "Desired Procedure Date:"

"Primary

Surgeon:"

"Attending

Surgeon:"

"Surgical

Specialty:"

"Principal Operative

Procedure:" "Principal

Preoperative Diagnosis:"



## Entering Preoperative Information

| At this prompt:                        | The user should do this:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Planned Principal Procedure Code (CPT) | Enter the Current Procedural Terminology (CPT) identifying code for each procedure. If the code number is not known, the user can enter the type of operation (i.e., appendectomy) or a body organ and select from a list of codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Principal Preoperative Diagnosis       | Type in the reason this procedure is being performed. The user must enter information into this field prompt before the option can be completed. The information entered in this field will automatically populate the Indications for Operations field, which can be edited through the Screen Server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Brief Clinical History                 | Enter any information relevant to the specimens being sent to the laboratory. This is an open-text word-processing field. This information will display on the Tissue Examination Report.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Select REQ BLOOD KIND                  | <p>Enter the type of blood product needed for the operation.</p> <p>If no blood products are needed, do not enter <b>NO</b> or <b>NONE</b>; instead, press the <b>&lt;Enter&gt;</b> key to bypass this prompt.</p> <p>The package coordinator at each facility can select a default response to this prompt when installing the package. If the default product is not what is wanted for a case, it can be deleted by entering the at-sign (@) at this prompt. Then, the user can select the preferred blood product. (Enter two question marks for a list of blood products.)</p> <p>To order more than one product for the same case, use the screen server summary that concludes the option. On page two of the summary, select item 7, REQ BLOOD KIND, to enter as many blood products as needed.</p> |
| Requested Preoperative X-Rays          | Enter the types of preoperative x-ray films and reports required for delivery to the operating room before the operation. If the user does not intend to order any x-ray products, this field should be left blank.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Preoperative Infection                 | Enter the letter code " <b>C</b> " for clean or " <b>D</b> " for contaminated or " <b>S</b> " for 'SPECIAL CONSIDERATIONS' or type in the first few letters of either word. This information allows the scheduling manager to determine how much time is needed between operations for sanitizing a room.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Example: Schedule an Unrequested Operation

Select Schedule Operations Option: **SU** Schedule Unrequested Operations

Schedule a Procedure for which Date ? **7 18 05** (JUL 18, 2005)  
 Select Patient: **SURPATIENT,THREE**                    12-19-53            000212453  
 Primary Surgeon: **SURSURGEON,ONE**

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// **<Enter>**

| ROOM | 6AM | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|------|-----|---|---|---|----|----|----|----|----|----|----|----|----|----|----|
| OR1  |     |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| OR2  |     |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| OR3  |     |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| OR4  |     |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| OR5  |     |   |   |   |    |    |    |    |    |    |    |    |    |    |    |

Schedule a case for which operating Room ? **OR1**

Reserve from what time ? (NEAREST 15 MIN): **8:00**

Reserve to what time ? (NEAREST 15 MIN): **13:00**

SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005  
 =====

Desired Procedure Date: **7 18 05** (JUL 18, 2005)  
 Primary Surgeon: **SURSURGEON,ONE**  
 Attending Surgeon: **SURSURGEON,TWO**  
 Surgical Specialty: **54**                    ORTHOPEDICS                    54  
 Principal Operative Procedure: **SHOULDER ARTHROPLASTY-PROSTHESIS**  
 Principal Preoperative Diagnosis: **DEGENERATIVE JOINT DISEASE, L SHOULDER**

The information entered into the Principal Preoperative Diagnosis field has been transferred into the Indications for Operation field. The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

Planned Principal Procedure Code (CPT): **23470 ARTHROPLASTY, GLENOHUMERAL JOINT; HEMIART**

Modifier: **<Enter>**

ASA Class: **1**

Requested Blood Components Available (Y/N): **Y**

SCHEDULE UNREQUESTED OPERATION: ANESTHESIA PERSONNEL

SURPATIENT,THREE (000-21-2453) JUL 18, 2005

Principal Anesthetist: **SURANESTHETIST,ONE**  
Anesthesiologist Supervisor: **SURANESTHETIST,TWO**  
SCHEDULE UNREQUESTED OPERATION: PROCEDURE INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005

Principal Procedure: SHOULDER ARTHROPLASTY-PROSTHESIS  
Planned Principal Procedure Code (CPT): **23470** ARTHROPLASTY, GLENOHUMERAL JOINT; HEMIART  
Select OTHER PROCEDURE: **<Enter>**  
Brief Clinical History:  
1>**CHRONIC DEBILITATING PAIN. X-RAY SHOWS SEVERE**  
2>**DEGENERATIVE OSTEOARTHRITIS.**  
3>**<Enter>**  
Edit? NO//: **<Enter>**

SCHEDULE UNREQUESTED OPERATION: BLOOD INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005

Request Blood Availability (Y/N): Y// **<Enter>** YES

Type and Crossmatch, Screen, or Autologous: TYPE & CROSSMATCH// **<Enter>** TYPE & CROSSMATCH

Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// **@**

SURE YOU WANT TO DELETE THE ENTIRE REQ BLOOD KIND? **Y** (YES)

Select REQ BLOOD KIND: **FA1** FRESH FROZEN PLASMA, CPDA-1 18201

Units Required: **4**

SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,THREE (000-21-2453) JUL 18, 2005

Principal preoperative Diagnosis: DEGENERATIVE JOINT DISEASE  
Prin Pre-OP ICD Diagnosis Code (ICD10): **M25.312** M25.312 ICD-10 Other instability, left shoulder

Hospital Admission Status: **2** ADMISSION

Pre-admission Testing Complete (Y/N): **Y** YES

Case Schedule Type: **S** STANDBY

First Assistant: **TS** SURSURGEON,THREE

Second Assistant: **SURSURGEON,FOUR**

Attending Surgeon: SURSURGEON,TWO// **<Enter>**

Planned Postop Care: **W** WARD

Case Schedule Order: **1**

Requested Anesthesia Technique: **G** GENERAL

Request Frozen Section Tests (Y/N): **N** NO

Requested Preoperative X-Rays: **LEFT SHOULDER**

Intraoperative X-Rays (Y/N/C): **Y** YES

Request Medical Media (Y/N): **N** NO

Preoperative Infection: **C** CLEAN

GENERAL COMMENTS:

1>**<Enter>** SPD Comments:

1>**<Enter>**

\*\* SCHEDULING \*\* CASE #264 SURPATIENT,THREE PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: SHOULDER ARTHROPLASTY-PROSTHESIS  
2 PLANNED PRIN PROCEDURE CODE: 23470  
3 OTHER PROCEDURES: (MULTIPLE)  
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER  
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): M25.312  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 HOSPITAL ADMISSION STATUS: ADMISSION  
8 PRE-ADMISSION TESTING: YES  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: ORTHOPEDICS  
11 PRIMARY SURGEON: SURSURGEON,ONE  
12 FIRST ASST: SURSURGEON,THREE  
13 SECOND ASST: SURSURGEON,FOUR  
14 ATTENDING SURGEON: SURSURGEON,TWO  
15 PLANNED POSTOP CARE: WARD

Enter Screen Server Function: <Enter>

\*\* SCHEDULING \*\* CASE #264 SURPATIENT,THREE PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1  
2 REQ ANESTHESIA TECHNIQUE: GENERAL  
3 REQ FROZ SECT: NO  
4 REQ PREOP X-RAY: LEFT SHOULDER  
5 INTRAOPERATIVE X-RAYS: YES  
6 REQUEST BLOOD AVAILABILITY: YES  
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
8 REQ BLOOD KIND: (MULTIPLE) (DATA)  
9 SPECIAL EQUIPMENT: (MULTIPLE)  
10 PLANNED IMPLANTS: (MULTIPLE)  
11 SPECIAL SUPPLIES: (MULTIPLE)  
12 SPECIAL INSTRUMENTS: (MULTIPLE)  
13 PHARMACY ITEMS: (MULTIPLE)  
14 REQ PHOTO: NO  
15 PREOPERATIVE INFECTION: CLEAN

Enter Screen Server Function: <Enter>

\*\* SCHEDULING \*\* CASE #264 SURPATIENT,THREE PAGE 3 OF 3

1 PRINC ANESTHETIST: SURANESTHETIST,ONE ANESTHESIOLOGIST  
2 SUPVR: SURSURGEON,TWO  
3 BRIEF CLIN HISTORY: (WORD PROCESSING)  
4 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

## Schedule Unrequested Concurrent Cases

### [SRSCHDC]

The *Schedule Unrequested Concurrent Cases* option is used to schedule concurrent cases that have not been requested. A concurrent case is when a patient undergoes two operations by different surgical specialties simultaneously, or back to back in the same room. The user can schedule both cases with this one option. As usual, whenever the user enters a request, he or she is asked to provide preoperative information about the case. It is best to enter as much information as possible and update it later if necessary.

### **Required Prompts**

After the patient name is entered, the user will be prompted to enter some required information about the first case. The mandatory prompts include the date, procedures, surgeon and attending surgeon, principal preoperative diagnosis, and time needed. If a mandatory prompt is not answered, the software will not book the operation and will return the cursor to the *Schedule Operations* menu. After answering the prompts for the first case, the user will be asked to answer the same prompts for the second case. The software will then provide a message stating that the two requests have been entered. The user can then select a case for entering detailed preoperative information. If the user does not want to enter details at this time, he or she should press the **<Enter>** key and the cursor will return to the *Schedule Operations* menu. In the example, detailed information for the first case has been entered.

### **Storing the Request Information**

After every prompt or group of related prompts, the software will ask if the user wants to store (meaning duplicate) the answers in the concurrent case. This saves time by storing the information into the other case so that it does not have to be typed again. The software will then display the screen server summary and store any duplicated information into the other case. Finally, the software will inform the user that the two requests have been entered and prompt to select either case for entering detailed information. The user can select a case or press the **<Enter>** key to get back to the *Schedule Operations* menu.

### **Updating the Preoperative Information Later**

Use the *Reschedule or Update a Scheduled Operation* option to change or update any of the information entered for either of the concurrent cases.

### Example: Schedule Unrequested Concurrent Cases

```
Select Schedule Operations Option: CON Schedule Unrequested Concurrent Cases

Schedule Concurrent Cases for which Patient ? SURPATIENT,EIGHT 06-04-35
000370555

Schedule Concurrent Procedures for which Date ? 07 25 2005 (JUL 25, 2005)
Primary Surgeon: SURSURGEON, ONE

Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// 4

Schedule a case for which operating Room ? OR2

Reserve from what time ? (NEAREST 15 MIN): 11:15 (11:15)
Reserve to what time ? (NEAREST 15 MIN): 16:00 (16:00)
FIRST CONCURRENT CASE
SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005
=====
Desired Procedure Date: 07 25 2005 (JUL 25, 2005)
Primary Surgeon: SURSURGEON,ONE// <Enter>
Attending Surgeon: SURSURGEON,ONE
Surgical Specialty: 62 PERIPHERAL VASCULAR PERIPHERAL VASCULAR 62

Principal Operative Procedure: CAROTID ARTERY ENDARTERECTOMY
Principal Preoperative Diagnosis: CAROTID ARTERY STENOSIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>

Planned Principal Procedure Code: 35301 RECHANNELING OF ARTERY THROMBOENDARTERECTOMY, INCLUDING
PATCH GRAFT, IF PERFORMED; CAROTID, VERTEBRAL, SUBCLAVIAN, BY NECK INCISION

Modifier: <Enter>

ASA Class: 1 1 1-NO DISTURB.

Requested Blood Components Available (Y/N): Y
```

SECOND CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,EIGHT (000-37-0555)

JUL 25, 2005

Desired Procedure Date: **07 25 2005** (JUL 25, 2005)  
Primary Surgeon: **SURSURGEON,TWO**  
Attending Surgeon: **SURSURGEON,ONE**  
Surgical Specialty: **58** THORACIC SURGERY (INC. CARDIAC SURG.) THORACIC  
SURGERY (INC. CARDIAC SURG.) 58  
Principal Operative Procedure: **AORTO CORONARY BYPASS GRAFT**  
Principal Preoperative Diagnosis: **UNSTABLE ANGINA**

The information entered into the Principal Preoperative Diagnosis field  
has been transferred into the Indications for Operation field.  
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue **<Enter>**

Planned Principal Procedure Code: **33504** CORONARY ARTERY GRAFT REPAIR OF ANOMALOUS CORONARY  
ARTERY FROM PULMONARY ARTERY ORIGIN; BY GRAFT, WITH CARDIOPULMONARY BYPASS

Modifier: **<Enter>**

ASA Class: **1 1** 1-NO DISTURB.

Requested Blood Components Available (Y/N): **Y**

The following cases have been entered.

1. Case # 265 JUL 25, 2005  
Surgeon: SURSURGEON,ONE PERIPHERAL VASCULAR  
Procedure: CAROTID ARTERY ENDARTERECTOMY
2. Case # 266 JUL 25, 2005  
Surgeon: SURSURGEON,TWO THORACIC SURGERY (INC. CARDIAC SURG.)  
Procedure: AORTO CORONARY BYPASS GRAFT

1. Enter Information for Case #265
2. Enter Information for Case #266

Select Number: (1-2): **1**

FIRST CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: ANESTHESIA PERSONNEL

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005  
=====

Principal Anesthetist: **SURANESTHETIST,ONE**  
Anesthesiologist Supervisor: **SURANESTHETIST,TWO**

FIRST CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: PROCEDURE INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005  
=====

Principal Procedure: CAROTID ARTERY ENDARTERECTOMY  
Planned Principal Procedure Code (CPT): RECHANNELING OF ARTERY  
THROMBOENDARTERECTOMY, WITH OR WITHOUT PATCH GRAFT; CAROTID, VERTEBRAL,  
SUBCLAVIAN, BY NECK INCISION

Select OTHER PROCEDURE: **<Enter>**

Brief Clinical History:

- 1>Patient with 3 episodes of amaurosis fugax in the last
- 2>3 months. 6 mo history of increasing angina with little
- 3>control from nitrates. Carotid arteriogram shows 95%
- 4>occlusion on right, 80% on left. Angiogram shows 80%
- 5>occlusion of left main artery.
- 6>**<Enter>**

EDIT? NO//: **<Enter>**

FIRST CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: BLOOD INFORMATION

SURPATIENT,EIGHT (000-37-0555) JUL 25, 2005  
=====

Request Blood Availability (Y/N): N// **YES**

Type and Crossmatch, Screen, or Autologous: TYPE & CROSSMATCH// **TYPE & CROSSMATCH**

Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// **<Enter>**

Required Blood Product: CPDA-1 WHOLE BLOOD// **<Enter>**

Units Required: **2**



FIRST CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,EIGHT (000-37-0555)

JUL 25, 1999

Principal Preoperative Diagnosis: CAROTID ARTERY STENOSIS <Enter>

Prin Pre-OP ICD Diagnosis Code (ICD10): **I65.23** Occlusion and Stenosis of  
Bilateral Carotid Arteries  
Hospital Admission Status: **2** ADMISSION  
Pre-admission Testing Complete (Y/N): **Y** YES

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Type: **S** STANDBY

Do you want to store this information in the concurrent case ? YES// <Enter>

First Assistant: **SURSURGEON,FOUR** Second  
Assistant: **TS** SURSURGEON,THREE  
Attending Surgeon: SURSURGEON,ONE//  
Planned Postop Care: **ICU**  
Case Schedule Order: **2**

Do you want to store this information in the concurrent case ? YES// **N**

Requested Anesthesia Technique: **G** GENERAL

Do you want to store this information in the concurrent case ? YES// <Enter>

Request Frozen Section Tests (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Requested Preoperative X-Rays: **DOPPLER STUDIES**

Do you want to store this information in the concurrent case ? YES// **N**

Intraoperative X-Rays (Y/N/C): **N** NO

Do you want to store this information in the concurrent case ? YES// **N**

Request Medical Media (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// **Y**

Preoperative infection: **C** CLEAN

GENERAL COMMENTS:  
Edit? No//><Enter>  
SPD Comments:  
Edit? No//><Enter>

The information to be duplicated in the concurrent case will now be entered....

Press RETURN to continue <Enter>

\*\* SCHEDULING \*\* CASE #265 SURPATIENT,EIGHT PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: CAROTID ARTERY ENDARTERECTOMY  
2 PLANNED PRIN PROCEDURE CODE: 35301  
3 OTHER PROCEDURES: (MULTIPLE)  
4 PRINCIPAL PRE-OP DIAGNOSIS: CAROTID ARTERY STENOSIS  
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): I65.23  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 HOSPITAL ADMISSION STATUS: ADMISSION  
8 PRE-ADMISSION TESTING: YES  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: PERIPHERAL VASCULAR  
11 PRIMARY SURGEON: SURSURGEON,ONE  
12 FIRST ASST: SURSURGEON,FOUR  
13 SECOND ASST: SURSURGEON,THREE  
14 ATTENDING SURG: SURSURGEON,ONE  
15 PLANNED POSTOP CARE: ICU

Enter Screen Server Function: <Enter>

\*\* SCHEDULING \*\* CASE #265 SURPATIENT,EIGHT PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 2  
2 REQ ANESTHESIA TECHNIQUE: GENERAL  
3 REQ FROZ SECT: NO  
4 REQ PREOP X-RAY: DOPPLER STUDIES  
5 INTRAOPERATIVE X-RAYS: NO  
6 REQUEST BLOOD AVAILABILITY: YES  
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
8 REQ BLOOD KIND: (MULTIPLE) (DATA)  
9  
10 SPECIAL EQUIPMENT: (MULTIPLE)  
11 PLANNED IMPLANTS: (MULTIPLE)  
12 SPECIAL SUPPLIES: (MULTIPLE)  
13 SPECIAL INSTRUMENTS: (MULTIPLE)  
14 PHARMACY ITEMS: (MULTIPLE)  
15 REQ PHOTO: NO  
PREOPERATIVE INFECTION: CLEAN

Enter Screen Server Function: <Enter>

\*\* SCHEDULING \*\* CASE #265 SURPATIENT,EIGHT PAGE 3 OF 3

1 PRINC ANESTHETIST: SURANESTHETIST,ONE  
2 ANESTHESIOLOGIST SUPVR:  
3 SURANESTHETIST,TWO BRIEF CLIN HISTORY:  
4 (WORD PROCESSING)  
GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

## Reschedule or Update a Scheduled Operation

### [SRSCHUP]

The *Reschedule or Update a Scheduled Operation* option has three uses: 1) to add a concurrent case, 2) to reschedule an operation for another date, time, and/or operating room, 3) to update the preoperative information that was entered earlier.

#### **Adding a Concurrent Case (See Example 1)**

After the case is selected, the software will ask whether the user wishes to add a concurrent case. If the response is **YES**, the software will prompt for information on the second case. To add the case, the user must enter a surgeon and attending surgeon, a surgical specialty, the principal operative procedure, and a principal preoperative diagnosis. The software will then inform the user that the case has been added. The user can then select another case or the same case for entering detailed preoperative information, or the user can press the **<Enter>** key to return to the *Schedule Operations* menu.

#### **Changing the Date, Time, or Operating Room (See Example 2)**

If a user does not wish to add a concurrent case, the software will prompt to change the date, time or operating room. If the user enters **YES**, the software will erase the old date, time, and operating room and prompt to re-enter this information. The user will be prompted to select a new date, but if the **<Enter>** key is pressed, the software will default to the original date and allow the user to change the room and time. The software supplies a blockout graph to help with rescheduling.



If the user attempts to reschedule a case after the schedule close time for the date of operation, only the time, and not the date, can be changed.

---

#### **Updating the Preoperative Info (See Example 3)**

To update the preoperative information that was entered earlier, the user should respond **NO** to the prompt asking if the user wishes to change the date, time or operating room. The terminal display screen will clear and present a two-page Screen Server summary. Any of the data fields may be changed, as in Example 2.



Example 3 also shows the user how to order more than one blood product for a case.

---

### Example 1: How to Add a Concurrent Case to a Scheduled Operation

```
Select Schedule Operations Option: R Reschedule or Update a Scheduled Operation

Select Patient: SURPATIENT,SIX 04-04-30 000098797
SURPATIENT,SIX (000-09-8797)

1. 09/16/05 CARPAL TUNNEL RELEASE (SCHEDULED)
2. 02/02/05 BUNIONECTOMY (SCHEDULED)

Select Number: 1

Do you want to add a concurrent case ? NO// Y
```

```
SECOND CONCURRENT CASE
SCHEDULE UNREQUESTED OPERATION: REQUIRED INFORMATION

SURPATIENT,SIX (000-09-8797) SEP 16, 2005
=====

Desired Procedure Date: 9/16/05
Primary Surgeon: SURSURGEON,TWO
Attending Surgeon: SURSURGEON,TWO
Surgical Specialty: 54 ORTHOPEDICS 54
Principal Operative Procedure: ARTHROSCOPY, R SHOULDER
Principal Preoperative Diagnosis: DEGENERATIVE OSTEOARTHRITIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Press RETURN to continue <Enter>
```

```
Planned Principal Procedure Code: 23470 RECONSTRUCT SHOULDER JOINT ARTHROPLASTY,
GLENOHUMERAL JOINT; HEMIARTHROPLASTY
Modifier: <Enter>
ASA Class: 1 1 1-NO DISTURB.
Requested Blood Components Available (Y/N): Y
```

```
SECOND CONCURRENT CASE
SCHEDULE UNREQUESTED OPERATION: ANESTHESIA PERSONNEL

SURPATIENT,SIX (000-09-8797) SEP 16, 2005
=====

Principal Anesthetist: SURANESTHETIST,ONE
Anesthesiologist Supervisor: SURANESTHETIST,TWO
```

SECOND CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: PROCEDURE INFORMATION

SURPATIENT,SIX (000-09-8797) SEP 16, 2005

Principal Procedure: ARTHROSCOPY, R SHOULDER  
Planned Principal Procedure Code (CPT): **23470** RECONSTRUCT SHOULDER JOINT  
ARTHROPLASTY, GLENOHUMERAL JOINT; HEMIARTHROPLASTY ACTIVE

Select OTHER PROCEDURE: **<Enter>**

Brief Clinical History:

- 1>>**CHRONIC DEBILITATING PAIN. X-RAY SHOWS SEVERE**
- 2>>**DEGENERATIVE OSTEOARTHRITIS.**
- 3>>**<Enter>**

Edit? NO// **<Enter>**

SECOND CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: BLOOD INFORMATION

SURPATIENT,SIX (000-09-8797) SEP 16, 2005

Request Blood Availability ? YES// **<Enter>**

Type and Crossmatch, Screen, or Autologous ? TYPE & CROSSMATCH// **<Enter>** TYPE & CROSSMATCH

Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// **FA1** FRESH FROZEN PLASMA, CPDA-1

18201

Units Required: **2**

SECOND CONCURRENT CASE  
SCHEDULE UNREQUESTED OPERATION: OTHER INFORMATION

SURPATIENT,SIX (000-09-8797)

SEP 16, 2005

Principal Preoperative Diagnosis: DEGENERATIVE OSTEOARTHRITIS

Replace <Enter>

Prin Pre-OP ICD Diagnosis Code (ICD10): **M19.011**

Hospital Admission Status: I// **2** ADMISSION

Pre-admission Testing Complete (Y/N): **Y**

Do you want to store this information in the concurrent case ? YES// **N**

Case Schedule Type: **S** STANDBY

Do you want to store this information in the concurrent case ? YES// **N**

First Assistant: **TS** SURSURGEON,THREE

Second Assistant: <Enter>

Attending Surgeon: SURSURGEON,TWO//

Planned Postop Care: **WARD**

Case Schedule Order: **1**

Do you want to store this information in the concurrent case ? YES// **N**

Requested Anesthesia Technique: **GENERAL**

Do you want to store this information in the concurrent case ? YES// <Enter>

Request Frozen Section Tests (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Requested Preoperative X-Rays: <Enter>

Intraoperative X-Rays (Y/N): **Y** YES

Do you want to store this information in the concurrent case ? YES// **N**

Request Medical Media (Y/N): **N** NO

Do you want to store this information in the concurrent case ? YES// <Enter>

Preoperative Infection: **C** CLEAN

Do you want to store this information in the concurrent case ? YES// <Enter>

GENERAL COMMENTS:

1> <Enter>

SPD Comments:

1><Enter>

The information to be duplicated in the concurrent case will now be entered....

\*\* SCHEDULING \*\* CASE #245 SURPATIENT,SIX PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: ARTHROSCOPY, R SHOULDER  
2 PLANNED PRIN PROCEDURE CODE: 23470  
3 OTHER PROCEDURES: (MULTIPLE)  
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGERATIVE OSTEOARTHRITIS  
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): M19.011  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 HOSPITAL ADMISSION STAUTS: ADMISSION  
8 PRE-ADMISSION TESTING:  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: ORTHOPEDICS  
11 PRIMARY SURGEON: SURSURGEON,TWO  
12 FIRST ASST: SURSURGEON,THREE  
13 SECOND ASST:  
14 ATTENDING SURGEON: SURSURGEON,TWO  
15 PLANNED POSTOP CARE: WARD

Enter Screen Server Function: <Enter>

\*\* SCHEDULING \*\* CASE #245 SURPATIENT,SIX PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1  
2 REQ ANESTHESIA TECHNIQUE: GENERAL  
3 REQ FROZ SECT: NO  
4 REQ PREOP X-RAY:  
5 INTRAOPERATIVE X-RAYS: YES  
6 REQUEST BLOOD AVAILABILITY: YES  
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE &  
8 CROSSMATCH  
9 SPECIAL (MULTIPLE)  
10 EQUIPMENT (MULTIPLE)  
11 SPECIAL SUPPLIES: (MULTIPLE)  
12 SPECIAL INSTRUMENTS: (MULTIPLE)  
13 PHARMACY ITEMS: (MULTIPLE)  
14 REQ PHOTO: NO  
15  
PREOPERATIVE INFECTION: CLEAN

Enter Screen Server Function: <Enter>

\*\*SCHEDULING\*\* CASE #245 SURPATIENT,SIX PAGE 3 OF 3

1 PRINC ANETHETIST: SURANESTHETIST,ONE  
2 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO  
3 BRIEF CLIN HISTORY: (WORD PROCESSING)  
4 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

The following cases have been entered.

1. Case # 224 SEP 16, 2005  
Surgeon: SURSURGEON,ONE NEUROSURGERY  
Procedure: CARPAL TUNNEL RELEASE
2. Case # 245 SEP 16, 2005  
Surgeon: SURSURGEON,TWO ORTHOPEDICS  
Procedure: ARTHROSCOPY, R SHOULDER

1. Enter Information for Case #224
2. Enter Information for Case #245

Select Number: (1-2):

## Example 2: How to Reschedule an Operation, Change the Date, Time, or Operating Room

```
Select Schedule Operations Option: R Reschedule or Update a Scheduled Operation
Select Patient: SURPATIENT,THREE 12-19-53 000212453
SURPATIENT,THREE (000-21-2453)

1. 09/15/05 SHOULDER ARTHROPLASTY-PROTHESIS (SCHEDULED)

Select Number: 1

Do you want to add a concurrent case ? NO// <Enter>

Do you want to change the date/time or operating room for which this
case is scheduled ? NO// Y
Operating Room Reservations:

Surgeon: SURSURGEON,ONE
Patient: SURPATIENT,THREE
Procedure(s): SHOULDER ARTHROPLASTY-PROTHESIS

Operating Room: OR3
Scheduled Start: SEP 15, 2005 08:00
Scheduled End: SEP 15, 2005 13:00

Reschedule this Procedure for which Date ? <Enter>

Since no date has been entered, I must assume that you want to re-schedule
this case for the same date. If you have made a mistake and want to
leave this case scheduled for the same operating room at the same times,
enter RETURN when prompted to select an operating room.

Press RETURN to continue <Enter>
Display of Available Operating Room Time

1. Display Availability (12:00 AM - 12:00 PM)
2. Display Availability (06:00 AM - 08:00 PM)
3. Display Availability (12:00 PM - 12:00 AM)
4. Do Not Display Availability

Select Number: 2// 4

Schedule this case for which Operating Room: OR3

Reserve from what time ? (24HR:NEAREST 15 MIN): 7:30

Reserve to what time ? (24HR:NEAREST 15 MIN): 13:00

Principal Anesthetist: SURANESTHETIST,ONE// <Enter>
Anesthesiologist Supervisor: SURANESTHETIST,TWO// <Enter>
```



### Example 3: How to Update a Scheduled Operation

Select Schedule Operations Option: **R** Reschedule or Update a Scheduled Operation

Select Patient: **SURPATIENT,THREE** 12-19-53 000212453

SURPATIENT,THREE (000-21-2453)

1. 09/15/05 SHOULDER ARTHROPLASTY-PROTHESIS (SCHEDULED)

Select Number: **1**

Do you want to add a concurrent case ? NO// **<Enter>**

Do you want to change the date/time or operating room for which this case is scheduled ? NO// **<Enter>**

\*\* SCHEDULING \*\* CASE #218 SURPATIENT,THREE PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: SHOULDER ARTHROPLASTY-PROSTHESIS  
2 PLANNED PRIN PROCEDURE CODE: 23470  
3 OTHER PROCEDURES: (MULTIPLE)  
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER  
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): 715.11  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 HOSPITAL ADMISSION STAUTS: ADMISSION  
8 PRE-ADMISSION TESTING:  
9 CASE SCHEDULE TYPE: STANDBY  
10 SURGERY SPECIALTY: ORTHOPEDICS  
11 PRIMARY SURGEON: SURSURGEON,ONE  
12 FIRST ASST: SURSURGEON,TWO  
13 SECOND ASST: SURSURGEON,FOUR  
14 ATTENDING SURGEON: SURSURGEON,ONE  
15 PLANNED POSTOP CARE: WARD

Enter Screen Server Function: **<Enter>**

\*\* SCHEDULING \*\* CASE #218 SURPATIENT,THREE PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1  
2 REQ ANESTHESIA TECHNIQUE: GENERAL  
3 REQ FROZ SECT: NO  
4 REQ PREOP X-RAY: LEFT SHOULDER  
5 INTRAOPERATIVE X-RAYS: YES  
6 REQUEST BLOOD AVAILABILITY: YES  
7 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
8 REQ BLOOD KIND: (MULTIPLE) (DATA)  
9 SPECIAL EQUIPMENT (MULTIPLE)  
10 PLANNED IMPLANTS: (MULTIPLE)  
11 SPECIAL SUPPLIES: (MULTIPLE)  
12 SPECIAL INSTRUMENTS: (MULTIPLE)  
13 PHARMACY ITEMS: (MULTIPLE)  
14 REQ PHOTO: NO  
15 PREOPERATIVE INFECTION: CLEAN

Enter Screen Server Function: **8**

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND

1 REQ BLOOD KIND: FRESH FROZEN PLASMA, CPDA-1
2 NEW ENTRY

Enter Screen Server Function: 2
Select REQ BLOOD KIND: CPDA-1 WHOLE BLOOD 00160
REQ BLOOD KIND: CPDA-1 WHOLE BLOOD// <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND (CPDA-1 WHOLE BLOOD)

1 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
2 UNITS REQ: 2

Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND (CPDA-1 WHOLE BLOOD)

1 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
2 UNITS REQ:

Enter Screen Server Function: 2
Units Required: 2
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 1 OF 1
REQ BLOOD KIND

1 REQ BLOOD KIND: FRESH FROZEN PLASMA, CPDA-1
2 REQ BLOOD KIND: CPDA-1 WHOLE BLOOD
3 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```
** SCHEDULING ** CASE #218 SURPATIENT,THREE PAGE 2 OF 3

1 CASE SCHEDULE ORDER: 1
2 REQ ANESTHESIA TECHNIQUE: GENERAL
3 REQ FROZ SECT: NO
4 REQ PREOP X-RAY: LEFT SHOULDER
5 INTRAOPERATIVE X-RAYS: YES
6 REQUEST BLOOD AVAILABILITY:
7 YES
8 REQ BLOOD KIND: (MULTIPLE) (DATA)
9 SPECIAL EQUIPMENT:
10 PLANNED (MULTIPLE)
11 IMPLANTS: (MULTIPLE)
12 SPECIAL INSTRUMENTS: (MULTIPLE)
13 PHARMACY ITEMS: (MULTIPLE)
14 REQ PHOTO: NO
15 PREOPERATIVE INFECTION: CLEAN

Enter Screen Server Function: <Enter>
```

- 1 PRINC ANESTHETIST: SURANESTHETIST,ONE
- 2 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
- 3 BRIEF CLIN HISTORY: (WORD PROCESSING)
- 4 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: **<Enter>**

## Cancel Scheduled Operation

### [SRSCAN]

When a scheduled operation is cancelled, the *Cancel Scheduled Operation* option will remove that case from the list of scheduled operations. A cancellation will remain in the system as a cancelled case and will be used in computing the facility's cancellation rate.

Enter the patient name and select the operation to be deleted from the choices listed. The "Primary Cancellation Reason:" prompt is a mandatory prompt. Enter a question mark for a list of primary cancellation reasons from which to select. If a mistake is made, or the user finds out later that the primary cancellation reason was not correct, the *Update Cancellation Reason* option allows the primary cancellation reason to be edited.

If there is a concurrent case associated with the operation being cancelled, the software will ask if the user wants to cancel it also.

#### Example 1: Cancel a Single Scheduled Operation

```
Select Schedule Operations Option: C Cancel Scheduled Operation

Cancel a Scheduled Procedure for which Patient: SURPATIENT,NINETEEN 01-01-40
000287354 YES SC VETERAN

SURPATIENT,NINETEEN (000-28-7354)

1. 09/12/11 FRONTAL CRANIOTOMY TO RULE OUT TUMOR (SCHEDULED)

Select Number: 1

Reservation for OR3
Scheduled Start Time: 09-12-11 11:00
Scheduled End Time: 09-12-11 13:00
Patient: SURPATIENT,NINETEEN
Physician: SURSURGEON,ONE
Procedure: FRONTAL CRANIOTOMY TO RULE OUT TUMOR

Is this the correct operation ? YES// <Enter>

Cancellation Timeframe: 1 SURGERY CANCELLED <48 HRS BEFORE SCHEDULED SURGERY
Primary Cancellation Reason: 4 PATIENT HEALTH STATUS 4
Cancellation Avoidable: YES// N NO
Do you want to create a new request for this cancelled case ?? YES// <Enter>

Make the new request for which Date ? MAR 12, 2012// <Enter> (MAR 12, 2012)

Creating the new request...
```

#### Example 2: Cancel a Scheduled Concurrent Case

```
Select Schedule Operations Option: C Cancel Scheduled Operation

Cancel a Scheduled Procedure for which Patient: SURPATIENT,SIX 04-04-30
000098797
```

SURPATIENT,SIX (000-09-8797)

1. 09/16/11 ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)
2. 09/16/11 CARPAL TUNNEL RELEASE (SCHEDULED)

Select Number: **1**

Reservation for OR2

Scheduled Start Time: 09-16-11 08:00

Scheduled End Time: 09-16-11 13:00

Patient: SURPATIENT,SIX

Physician: SURSURGEON,TWO

Procedure: ARTHROSCOPY, RIGHT SHOULDER

Is this the correct operation ? YES// **<Enter>**

Cancellation Timeframe: **1** SURGERY CANCELLED <48 HRS BEFORE SCHEDULED SURGERY

Primary Cancellation Reason: **7** UNAVAILABLE BED **7**

Cancellation Avoidable: YES// **N** NO

Do you want to create a new request for this cancelled case ?? YES// **<Enter>**

Make the new request for which Date ? MAR 29, 2012// **<Enter>** (MAR 29, 2012)

Creating the new request...

There is a concurrent case associated with this operation. Do you want to cancel it also ? YES// **<Enter>**

Do you want to create a new request for this cancelled case ?? YES// **<Enter>**

Make the new request for which Date ? MAR 29, 2012// **<Enter>** (MAR 29, 2012)

Creating the new request...

## Update Cancellation Reason

### [SRSUPC]

The *Update Cancellation Reason* option is used to update the cancellation date and reason previously entered for a selected surgical case.

#### Example: Update Cancellation Reason

```
Select Schedule Operations Option: UC Update Cancellation Reason

Update Cancellation Information for which Patient: SURPATIENT,NINETEEN 01-01-40
000287354 NSC VETERAN

1. 06-01-98 FRONTAL CRANIOTOMY TO RULE OUT TUMOR (CANCELLED)

Select Operation: 1

SURPATIENT,NINETEEN 000-28-7354 Case # 21199

06-01-98 FRONTAL CRANIOTOMY TO RULE OUT TUMOR (CANCELLED)

Cancellation Date: JUN 01,1998@10:53// <Enter>

Cancellation Timeframe: 1 SURGERY CANCELLED <48 HRS BEFORE SCHEDULED SURGERY
Primary Cancellation Reason: PATIENT HEALTH STATUS
// 1 PATIENT RELATED ISSUE 1
Cancellation Avoidable: NO// <Enter>

Press RETURN to continue <Enter>
```

## Schedule Anesthesia Personnel

### [SRSCHDA]

The *Schedule Anesthesia Personnel* option allows anesthesia staff to assign, or change, anesthesia personnel for surgery cases. The scheduling manager may have already assigned some personnel to a case using other menu selections. For the user's convenience, the software will default to any previously entered data.



This option is locked with the SROANES key and will not appear on the menu if the user does not have this key.

This option is used to enter the names of the principal anesthetist, the supervisor, and anesthesia techniques for cases scheduled on a specific date. The user should first enter the date, and then select an operating room. The software will display all cases scheduled in that room. After scheduling personnel for any or all cases in one operating room, the user can do the same for other operating rooms without leaving this option.



---

This option also appears on the *Anesthesia* menu.

---

### Example: Schedule Anesthesia Personnel

```
Select Schedule Operations Option: AN Schedule Anesthesia Personnel
Schedule Anesthesia Personnel for which Date ? 8/16 (AUG 16, 1999)
Schedule Anesthesia Personnel for which Operating Room ? OR2
Scheduled Operations for OR2

Case # 5 Patient: SURPATIENT,TWENTY
From: 07:00 To: 09:00
HARVEST SAPHENOUS VEIN

Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,ONE OS 112G
Anesthesiologist Supervisor: SURANESTHETIST,TWO TS

Press RETURN to continue, or '^' to quit <Enter>

Scheduled Operations for OR2

Case # 14 Patient: SURPATIENT,THREE
From: 13:00 To: 18:00
SHOULDER ARTHROPLASTY

Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,ONE// <Enter> OS 112G
Anesthesiologist Supervisor: SURANESTHETIST,TWO TS

Press RETURN to continue, or '^' to quit <Enter>

Would you like to continue with another operating room ? YES// <Enter>
Schedule Anesthesia Personnel for which Operating Room ? OR1
```

There are no cases scheduled for this operating room.

Press RETURN to continue **<Enter>**

Would you like to continue with another operating room ? YES// **N**



## Create Service Blockout

### [SRSBOUT]

At times, the surgical staff may need to set aside an operating room for a particular service on a recurring basis. The *Create Service Blockout* option is used by the scheduling manager to blockout the operating room(s) on a graph.

The resulting service blockout is automatically charted on a graph that can be viewed from the *Display Availability* option. This service blockout does not restrict the operating room to the service, but can assist the scheduling manager when assigning operating rooms.

The scheduling manager can create the service blockouts by following the example provided on the following page. The required data fields are listed in the following table.

| <b>At this prompt:</b>  | <b>The user should do this:</b>                                                                                                                                                                                                                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For what service?       | Enter a three or four letter abbreviation for the surgical service the room is being reserved (for example, card for cardiology, gen for general surgery).<br><br>Do not use the letter X or an equal sign (=).                                                                                                                 |
| Select Operating Room   | Enter the operating room name or code. The operating room must already exist in the HOSPITAL LOCATION file and the OPERATING ROOM file. The user should enter a question mark to get a list of operating rooms already included in these files. The supervisor or package coordinator can add an operating room to these files. |
| Select Starting Date    | The user should enter the date for the blockout to begin.                                                                                                                                                                                                                                                                       |
| Reserve from what time? | Enter the times for which this room will be blocked-out for a particular service. A room may be reserved at any time during the 24-hour cycle to the nearest 15 minutes. Times entered with AM or PM will be converted to the 24-hour clock.                                                                                    |
| Reserve to what time?   | Enter the end time for the service blockout.                                                                                                                                                                                                                                                                                    |

## Example: Create a Service Blockout

Select Schedule Operations Option: **B** Create Service Blockout

For what service ? (3-4 characters, do not use 'X' or '=') **CARD**

Select Operating Room: **OR2**

Select Starting Date: **T** (NOV 18, 1999)

Reserve from what time ? (NEAREST 15 MIN): **3:00 PM** (15:00)

Reserve to what time ? (NEAREST 15 MIN): **5:00 PM** (17:00)

1. Every week, same time
2. Every other week
3. Every month, same day of week & week of month

Select Number: **1**

Updating Schedules...

## Delete Service Blockout

### [SRSDDEL]

The following example shows how to remove a service blockout from the blockout graph. A service blockout can be deleted for just one date or for all the reserved dates.

After starting this option, if the user decides not to delete a service blockout, he or she can enter an up- arrow (^) to exit.

### Example: Delete Service Blockout

```
Select Schedule Operations Option: DB Delete Service Blockout
Select service you wish to delete. (3-4 characters) CARD

The service 'card' has the following time(s) scheduled:
 1. OR1 on Tuesday from 07.00 to 12.00

Which number would you like to delete ? 1

Delete the Blockout starting with which date ? 3/29 (MAR 29, 1999)

Do you want to delete the blockout for this service on this
date only ? NO// <Enter>

Updating Schedules...

Press RETURN to continue
```

## Schedule of Operations

[SROSCH]

The *Schedule of Operations* option generates the Operating Room Schedule used by the OR nurses, surgeons, anesthesiologists and other hospital services. The report lists operations and patients scheduled for a particular date. It sorts by operating room and includes the procedure(s), blood products requested, and any preoperative x-rays requested. The schedule also provides anesthesia information and surgeon names.

This report has a 132-column format and is designed to be copied to a printer.



---

By setting up default printers in the SURGERY SITE PARAMETERS file, this report can be queued to print in various locations simultaneously. Please see "Chapter 5: Managing the Software Package" for more information.

---

### Example: Print Schedule of Operations

```
Select Schedule Operations Option: S Schedule of Operations
Print Schedule of Operations for which date ? 9/8 (SEP 08, 1999)

Do you want to print the schedule at all locations ? NO// <Enter>
Print the long form or the short form ? SHORT// <Enter>
This report is designed to use a 132 column format.
DEVICE: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 SCHEDULE OF OPERATIONS  
 FOR: SEP 08, 1999

PRINTED: SEP 07, 1999 11:12

SIGNATURE OF CHIEF: DR. ONE SURSURGEON

| PATIENT<br>ID# | AGE | DISPOSITION<br>START TIME<br>END TIME | PREOPERATIVE DIAGNOSIS<br>OPERATION(S) | REQ ANESTHESIA<br>ANESTHESIOLOGIST<br>PRIN. ANESTHETIST | SURGEON<br>FIRST ASST.<br>ATT SURGEON |
|----------------|-----|---------------------------------------|----------------------------------------|---------------------------------------------------------|---------------------------------------|
|----------------|-----|---------------------------------------|----------------------------------------|---------------------------------------------------------|---------------------------------------|

OPERATING ROOM: OR1

|                                |    |                        |                                               |                                                   |                                                 |
|--------------------------------|----|------------------------|-----------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| SURPATIENT, ONE<br>000-44-7629 | 46 | WARD<br>07:30<br>09:30 | CARPAL TUNNEL SYNDROME<br>REVISE MEDIAN NERVE | GENERAL<br>SURANESTHETIST, T<br>SURANESTHETIST, O | SURSURGEON, O<br>SURSURGEON, F<br>SURSURGEON, O |
|--------------------------------|----|------------------------|-----------------------------------------------|---------------------------------------------------|-------------------------------------------------|

Case # 143

PREOPERATIVE XRAYS: CARPAL TUNNEL, R WRIST

OPERATING ROOM: OR2

|                                     |    |                        |                                   |                                                   |                                                 |
|-------------------------------------|----|------------------------|-----------------------------------|---------------------------------------------------|-------------------------------------------------|
| SURPATIENT, FOURTEEN<br>000-45-7212 | 48 | WARD<br>06:30<br>08:00 | CHOLELITHIASIS<br>CHOLECYSTECTOMY | GENERAL<br>SURANESTHETIST, T<br>SURANESTHETIST, O | SURSURGEON, O<br>SURSURGEON, T<br>SURSURGEON, O |
|-------------------------------------|----|------------------------|-----------------------------------|---------------------------------------------------|-------------------------------------------------|

Case # 141

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS

|                                   |    |                        |                                                           |                                                   |                                                 |
|-----------------------------------|----|------------------------|-----------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| SURPATIENT, TWELVE<br>000-41-8719 | 71 | WARD<br>08:00<br>09:30 | ACUTE DIAPHRAGMATIC HERNIA<br>REPAIR DIAPHRAGMATIC HERNIA | GENERAL<br>SURANESTHETIST, T<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, O<br>SURSURGEON, T |
|-----------------------------------|----|------------------------|-----------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|

Case # 142

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS  
 PREOPERATIVE XRAYS: ABDOMEN

|                                   |    |                        |                                                          |                                                   |                                                 |
|-----------------------------------|----|------------------------|----------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| SURPATIENT, THIRTY<br>000-82-9472 | 48 | WARD<br>11:15<br>16:00 | CAROTID ARTERY STENOSIS<br>CAROTID ARTERY ENDARTERECTOMY | GENERAL<br>SURANESTHETIST, T<br>SURANESTHETIST, O | SURSURGEON, O<br>SURSURGEON, F<br>SURSURGEON, O |
|-----------------------------------|----|------------------------|----------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|

Case # 150

\*\* Concurrent Case #157 AORTO CORONARY BYPASS GRAFT  
 REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - UNITS NOT ENTERED  
 CPDA-1 WHOLE BLOOD - 2 UNITS  
 PREOPERATIVE XRAYS: DOPPLER STUDIES

|                                   |    |                        |                                                        |                                                   |                                                 |
|-----------------------------------|----|------------------------|--------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| SURPATIENT, THIRTY<br>000-82-9472 | 48 | WARD<br>11:15<br>16:00 | CORONARY ARTERY DISEASE<br>AORTO CORONARY BYPASS GRAFT | GENERAL<br>SURANESTHETIST, T<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, F<br>SURSURGEON, T |
|-----------------------------------|----|------------------------|--------------------------------------------------------|---------------------------------------------------|-------------------------------------------------|

Case # 157

\*\* Concurrent Case #150 CAROTID ARTERY ENDARTERECTOMY

TOTAL CASES SCHEDULED: 5

# List Scheduled Operations

[SRSCD]

The *List Scheduled Operations* option provides a short form listing of scheduled cases for a given date. It will sort by surgical specialty, operating room, or ward location.

This report is in 80-column format and can be viewed on the screen.

## Example: List Scheduled Operations

```
Select Surgery Menu Option: LS List Scheduled Operations
List of Scheduled Operations:
```

```
List Scheduled Operations for which date ? 3/12 (MAR 12, 1999)
```

```
Do you want to sort by OPERATING ROOM, SPECIALTY or WARD LOCATION ? SPE
```

```
Do you want a list of scheduled operations for a specific specialty ? YES// N
```

```
Print to Device: [Select Print Device]
```

-----*printout follows*-----

```
* Scheduled Operations for GENERAL *
MAR 12, 1999
```

| Start Time | Patient ID #                                         | Operating Room | Ward Location |
|------------|------------------------------------------------------|----------------|---------------|
| 08:00      | SURPATIENT, TWENTY<br>000-45-4886<br>CHOLECYSTECTOMY | OR2            | OUTPATIENT    |

Press RETURN to continue **<Enter>**

```
* Scheduled Operations for ORTHOPEDICS *
MAR 12, 1999
```

| Start Time | Patient ID #                                                        | Operating Room | Ward Location |
|------------|---------------------------------------------------------------------|----------------|---------------|
| 07:15      | SURPATIENT, THREE<br>000-21-2453<br>SHOULDER ARTHROPLASTY-PROTHESIS | OR4            | 1 WEST        |

Press RETURN to continue **<Enter>**

\* Scheduled Operations for PERIPHERAL VASCULAR \*  
MAR 12, 1999

| Start Time | Patient ID #                                                     | Operating Room | Ward Location |
|------------|------------------------------------------------------------------|----------------|---------------|
| 11:15      | SURPATIENT,EIGHT<br>000-37-0555<br>CAROTID ARTERY ENDARTERECTOMY | OR2            | 1 NORTH       |

Press RETURN to continue or '^' to quit. <Enter>

\* Scheduled Operations for THORACIC SURGERY \*  
MAR 12, 1999

| Start Time | Patient ID #                                                   | Operating Room | Ward Location |
|------------|----------------------------------------------------------------|----------------|---------------|
| 11:15      | SURPATIENT,EIGHT<br>000-37-0555<br>AORTO CORONARY BYPASS GRAFT | OR2            | 1 NORTH       |

Press RETURN to continue

# Chapter Two: Tracking Clinical Procedures

## Introduction

The options described in this chapter provide on-line access to medical administration and laboratory information and provide tracking of operative procedures. They allow the following:

- Entry of information specific to an individual surgical case (for example, staff, times, diagnoses, complications, anesthesia).
- On-line entry of data inside the operating room during the actual operative procedure.
- Generation of patient records and reports.

## Key Vocabulary

The following terms are used in this chapter.

| Term             | Definition                                                                                                                                                                                                                                                                    |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conc0urrent Case | The patient undergoes two operations, by two different specialties, at the same time in the same operating room.                                                                                                                                                              |
| Screen Server    | After the data concerning the operation has been entered, the terminal display device will clear and then present a two-page Screen Server summary. The Screen Server summary organizes the information entered and gives the user another opportunity to enter or edit data. |



## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is currently doing. The user can use the up- arrow at almost any prompt to terminate the line of questioning and return to the previous level in the routine. Continue entering up-arrows to completely exit the system.

## Option Overview

The main options included in this chapter are listed in the following table. The *Operation Menu* option, *Anesthesia Menu* option, and the *Non-O.R.. Procedures* menu contain submenus. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                           |
|----------|---------------------------------------|
| O        | <i>Operation Menu</i>                 |
| A        | <i>Anesthesia Menu</i>                |
| PO       | <i>Perioperative Occurrences Menu</i> |
| NON      | <i>Non-O.R. Procedures</i>            |
| C        | <i>Comments</i>                       |

## Operation Menu

### [SROPER]

The *Operation Menu* provides operating room personnel with on-line access to medical administration and laboratory information and generates post-operative reports, including the Nurse Intraoperative Report and the Operation Report. The menu options provide the opportunity to delete, edit, or review a patient's operation history or to enter information concerning a new surgery. The *Operation Menu* allows the user to select an area on which to concentrate data entry or review, such as post operation or anesthesia information. It is designed for operating room nurses, surgeons, and anesthesiologists to use before, during, and after surgery. The Screen Server utility is used extensively to provide quick access to relevant information.

 This option is locked with the SROPER key.

The *Operation Menu* contains the following options. To the left is the keyboard shortcut the user can enter to select the option. A restricted option, such as the *Anesthesia Menu*, will not display if the user does not have security clearance for that option.

| Shortcut | Option Name                                                 |
|----------|-------------------------------------------------------------|
| I        | <i>Operation Information</i>                                |
| SS       | <i>Surgical Staff</i>                                       |
| OS       | <i>Operation Startup</i>                                    |
| O        | <i>Operation</i>                                            |
| PO       | <i>Post Operation</i>                                       |
| PAC      | <i>Enter PAC(U) Information</i>                             |
| OSS      | <i>Operation (Short Screen)</i>                             |
| TO       | <i>Time Out Verified Utilizing Checklist</i>                |
| V        | <i>Surgeon's Verification of Diagnosis &amp; Procedures</i> |
| A        | <i>Anesthesia for an Operation Menu...</i>                  |
| OR       | <i>Operation Report</i>                                     |
| AR       | <i>Anesthesia Report</i>                                    |
| NR       | <i>Nurse Intraoperative Report</i>                          |
| TR       | <i>Tissue Examination Report</i>                            |
| R        | <i>Enter Referring Physician Information</i>                |
| RP       | <i>Enter Irrigations and Restraints</i>                     |
| M        | <i>Medications (Enter/Edit)</i>                             |
| AB       | <i>Abort/Cancel Operation</i>                               |
| B        | <i>Blood Product Verification</i>                           |

## Using the Operation Menu Options

This section provides information on the following:

- accessing the *Operation Menu* option
- entering information
- reviewing information
- deleting a surgery case
- entering a new surgical case

### **Accessing the Operation Menu**

To use one of the *Operation Menu* options, the user must first identify the patient and case on which he or she is currently working. When the *Operation Menu* option is selected, the user will be prompted to enter a patient name. The software will then list all the cases on record for the patient, including scheduled or requested cases and any operations that have been started or completed. Each case will have one of the following designations.

| <b>Designation</b> | <b>Definition</b>                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| REQUESTED          | The procedure is booked for a particular day but the time of surgery and the operating room are not yet confirmed. |
| SCHEDULED          | The procedure is booked for both an operating room and a day, and the starting time of the surgery is scheduled.   |
| NOT COMPLETE       | The start time of the operation is recorded and the patient is still in the operating room.                        |
| COMPLETE           | The operation is completed and the patient has left the operating room.                                            |
| ABORTED            | The patient entered the operating room, but the operation had to be cancelled.                                     |

Following is an example of how the software lists existing cases on record for a patient.

```
Select Surgery Menu Option: O Operation Menu
Select Patient: SURPATIENT,SIX 04-04-30 000098797 NSC VETERAN
SURPATIENT,SIX 000-09-8797

1. 01-25-92 ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)
2. 01-05-92 CORONARY BYPASS (REQUESTED)
3. ENTER NEW SURGICAL CASE

Select Operation: <Enter>
```

The user can select from the case(s) listed or, as in an emergency situation, enter a new surgical case. When the existing case is selected, the software will ask whether the user wants to:

- 1) enter information for the case,
- 2) review the information already entered, or
- 3) delete the case.

```
SURPATIENT,SIX 000-09-8797

01-25-92 ARTHROSCOPY, RIGHT SHOULDER (SCHEDULED)

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1//
```

## Entering Information

First, the user selects the patient name. The Surgery software will then list all the cases on record for the patient, including scheduled or requested cases and any operations that have been started or completed. Then, the user selects the appropriate case.

### Example: Enter Information

```
Select Surgery Menu Option: O Operation Menu
Select Patient: SURPATIENT,THREE 12-19-53 000212453
SURPATIENT,THREE 000-21-2453

1. 03-12-92 SHOULDER ARTHROPLASTY-PROSTHESIS (SCHEDULED)
2. 08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)
3. ENTER NEW SURGICAL CASE

Select Operation: 2
```

```
SURPATIENT,THREE 000-21-2453

08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1// <Enter>
```

After the case is displayed, the user will press the **<Enter>** key or enter the number **1** to enter information for the case.

```
SURPATIENT,THREE (000-21-2453) Case #14 - MAR 12,1999

I Operation Information
SS Surgical Staff
OS Operation Startup
O Operation
PO Post Operation
PAC Enter PAC(U) Information
OSS Operation (Short Screen)
TO Time Out Verified Utilizing Checklist
V Surgeon's Verification of Diagnosis & Procedures
A Anesthesia for an Operation Menu ...
OR Operation Report
AR Anesthesia Report
NR Nurse Intraoperative Report
TR Tissue Examination Report
R Enter Referring Physician Information
RP Enter Irrigations and Restraints
M Medications (Enter/Edit)
AB Abort/Cancel Operation
B Blood Product Verification

Select Operation Menu Option:
```

Now the user can select any of the *Operation Menu* options.

## Reviewing Information

The user enters the number **2** to access this feature. This feature displays a two-page summary of the case. The user cannot edit from this feature. Press the **<Enter>** key at the "Enter Screen Server Function:" prompt to move to the next page, or enter **+1** or **-1** to move forward or backward one page.

### Example: Review Information

```
Select Surgery Menu Option: Operation Menu
Select Patient: SURPATIENT,THREE 12-19-53 000212453
SURPATIENT,THREE 000-21-2453

1. 08-15-99 SHOULDER ARTHROPLASTY (NOT COMPLETE)
2. 03-12-92 SHOULDER ARTHROPLASTY-PROSTHESIS (SCHEDULED)
3. ENTER NEW SURGICAL CASE

Select Operation: 2
SURPATIENT,THREE 000-21-2453

08-15-88 SHOULDER ARTHROPLASTY (NOT COMPLETE)

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1// 2
** REVIEW ** CASE #14 SURPATIENT,THREE PAGE 1 OF 3

1 TIME PAT IN HOLD AREA: AUG 15, 1999 AT 07:40
2 TIME PAT IN OR: AUG 15, 1999 AT 08:00
3 ANES CARE TIME BLOCK: (MULTIPLE)
4 TIME OPERATION BEGAN: AUG 15, 1999 AT 09:00
5 SPECIMENS: (WORD PROCESSING)
6 CULTURES: (WORD PROCESSING)
7 THERMAL UNIT: (MULTIPLE)
8 ELECTROCAUTERY UNIT:
9 ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED: (MULTIPLE)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION: (MULTIPLE)
15 MEDICATIONS: (MULTIPLE)

Enter Screen Server Function: <Enter>

** REVIEW ** CASE #14 SURPATIENT,THREE PAGE 2 OF 3

1 SPONGE FINAL COUNT CORRECT:
2 SHARPS FINAL COUNT CORRECT:
3 INSTRUMENT FINAL COUNT
4 CORRECT: WOUND SWEEP: No
5 (WORD PROCESSING)
6 INTRA-OPERATIVE X-RAYS: No
7 INTRA-OPERATIVE X-RAYS COMMENTS: (WORD PROCESSING)
8 SPONGE, SHARPS, & INST COUNTER:
9 COUNT VERIFIER:
10 SEQUENTIAL COMPRESSION DEVICE:
11 LASER PERFORMED: (MULTIPLE)
12 CELL SAVER: (MULTIPLE)
13 NURSING CARE COMMENTS: (WORD PROCESSING)
```

14 PRINCIPAL PRE-OP  
15 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD9):

Enter Screen Server Function:

\*\* REVIEW \*\* CASE #14 SURPATIENT,THREE PAGE 3 OF 3

1 PRINCIPAL PROCEDURE: APPENDECTOMY TEST  
2 PLANNED PRIN PROCEDURE CODE :  
3 ROBOTIC ASSISTANCE (Y/N):  
4 OTHER PROCEDURES: (MULTIPLE)  
5 INDICATIONS FOR OPERATIONS: (WORD PROCESSING) (DATA)  
6 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function:

---

## Deleting a Surgery Case

The user enters the number **3** to access this feature. The *Delete Surgery Case* feature will permanently remove all information on the operative procedure from the records; however, only cases that are not completed can be deleted.

### Example: How to Delete A Case

```
Select Surgery Menu Option: Operation Menu
Select Patient: SURPATIENT,NINE 12-09-51 000345555 NSC VETERAN
SURPATIENT,NINE 000-34-5555

1. 04-26-05 CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)
2. 12-20-05 REMOVE FACIAL LESIONS (NOT COMPLETE)

3. ENTER NEW SURGICAL CASE

Select Operation: 2
SURPATIENT,NINE 000-34-5555

12-20-05 REMOVE FACIAL LESIONS (NOT COMPLETE)

1. Enter Information
2. Review Information
3. Delete Surgery Case

Select Number: 1// 3

Are you sure that you want to delete this case ? NO// Y
Deleting Operation...
```



## Abort/Cancel Operation

### [SROABRT]

The *Abort/Cancel Operation* option is used to Abort or Cancel a previously entered surgical case.

This menu option should only be used if the patient has been taken to the operating room and no incision has been made. If an incision is made, the case should be completed and the discontinued procedure indicated in the record. Cancellation of future surgical cases should not use this option.

#### Example: Abort Operation

```
Select Schedule Operations Option: AB Abort/Cancel Operation
SURPATIENT,ELEVEN (666-00-0785) Case #21814 - JUN 22, 2015

Case Aborted?: N// Y
 1 YES-PRE ANESTHESIA
 2 YES-POST ANESTHESIA
Choose 1-2: 1 YES-PRE ANESTHESIA
Time Patient In the O.R.: JUN 22,2015@0730 (JUN 22, 2015@07:30)
Time Patient Out of the O.R.: JUN 22,2015@0800 (JUN 22, 2015@08:00)
Primary Cancellation Reason: 1 PATIENT RELATED ISSUE 1
Cancellation Date/Time: JUN 22,2015@0810 (JUN 22, 2015@08:10)
Cancellation Avoidable: N NO

Aborting Surgery case #21814

Enter RETURN to continue or '^' to exit: <Enter>
```

Time Patient In the O.R. and Time Patient Out of the O.R. will only be asked if they weren't previously

### Example: Cancel Operation

```
Select Schedule Operations Option: AB Abort/Cancel Operation
SURPATIENT,ELEVEN (666-00-0785) Case #21815 - JUN 22, 2015

Case Aborted?: N// <Enter> NO
Primary Cancellation Reason: 6 SCHED ISSUES NON EMERGENT CASE
Cancellation Date/Time: JUN 22,2015@0700 (JUN 22, 2015@07:00)
Cancellation Avoidable: N NO

Cancelling Surgery case #21815

Enter RETURN to continue or '^' to exit: <Enter>
```

### Entering a New Surgical Case

A new surgical case is a case that has not been previously requested or scheduled. This option is designed primarily for entering emergency cases. Be aware that a surgical case entered in the records without being booked through scheduling will not appear on the operating room schedule or as an operative request.

At the "Select Operation:" prompt the user enters the number corresponding to the ENTER NEW SURGICAL CASE field. He or she will then be prompted to supply preoperative information concerning the case.

After the user has entered data concerning the operation, the screen will clear and present a two-page Screen Server summary and provide another opportunity to enter or edit data.

#### **Prompts that require a response include:**

"Select the Date of Operation:"  
"Desired Procedure Date:"  
"Enter the Principal Operative  
Procedure:" "Principal Preoperative  
Diagnosis:" "Select Primary  
Surgeon:"  
"Attending Surgeon:"  
"Select Surgical  
Specialty:"  
"Planned Principal Procedure Code:"

## Example: Entering a New Surgical Case

```
Select Surgery Menu Option: O Operation Menu
Select Patient: SURPATIENT,SIX 04-04-30 000098797

SURPATIENT,SIX 000-09-8797

1. ENTER NEW SURGICAL CASE

Select Operation: 1

Select the Date of Operation: T (JAN 14, 2006)
Desired Procedure Date: T (JAN 14, 2006)

Enter the Principal Operative Procedure: APPENDECTOMY
Principal Preoperative Diagnosis: APPENDICITIS

The information entered into the Principal Preoperative Diagnosis field
has been transferred into the Indications for Operation field.
The Indications for Operation field can be updated later if necessary.

Select Primary Surgeon: SURSURGEON,ONE
Attending Surgeon: SURSURGEON,TWO
Select Surgical Specialty: GENERAL SURGERY GENERAL SURGERY 50 (OR WHEN NOT DEFINED BELOW)
Planned Principal Procedure Code: 44960 APPENDECTOMY
APPENDECTOMY; FOR RUPTURED APPENDIX WITH ABSCESS OR GENERALIZED PERITONITIS
Modifier:
```

```
Brief Clinical History:
1>PATIENT WITH 5-DAY HISTORY OF INCREASING ABDOMINAL
2>PAIN, ONSET OF FEVER IN LAST 24 HOURS. REBOUND
3>TENDERNESS IN RIGHT LOWER QUAD. NAUSEA AND
4>VOMITING FOR 3 DAYS.
5><Enter>
```

```
EDIT Option: <Enter>
```

```
Request Blood Availability (Y/N): N// YES
```

```
Type and Crossmatch, Screen, or Autologous: TYPE & CROSSMATCH// <Enter> TYPE & CROSSMATCH
```

```
Select REQ BLOOD KIND: AS-1 RED BLOOD CELLS// <Enter>
Required Blood Product: CPDA-1 RED BLOOD CELLS// <Enter>
Units Required: 2
```

```
Principal Preoperative Diagnosis: APPENDICITIS// <Enter>
Prin Pre-OP ICD Diagnosis Code (ICD10): APPENDICITIS
```

```
11 matches found
```

```
Hospital Admission Status: 2 <Enter> ADMISSION
Case Schedule Type: EM EMERGENCY
First Assistant: SURSURGEON,ONE
Second Assistant: SURSURGEON,FOUR
Attending Surgeon:
Planned Postop Care: W WARD
```

Case Schedule Order: <Enter>  
Select SURGERY POSITION: SUPINE// <Enter>  
Surgery Position: SUPINE// <Enter>  
Requested Anesthesia Technique: G GENERAL  
Request Frozen Section Tests (Y/N): N NO  
Requested Preoperative X-Rays: <Enter>  
Intraoperative X-Rays (Y/N/C): N NO  
Request Medical Media (Y/N): N NO  
Preoperative infection: C CLEAN  
Select REFERRING PHYSICIAN: <Enter>  
General Comments:  
Edit?NO//<Enter>  
SPD Comments:  
Edit? NO// <Enter>

\*\* NEW SURGERY \*\* CASE #185 SURPATIENT,SIX

PAGE 1 OF 3

1 PRINCIPAL PROCEDURE: APPENDECTOMY  
2 OTHER PROCEDURES: (MULTIPLE)  
3 PLANNED PRIN PROCEDURE CODE: LATERALITY OF  
4 PROCEDURE: LEFT  
5 PRINCIPAL PRE-OP DIAGNOSIS: APPENDICITIS  
6 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): K35.20  
7 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
8 PALLIATION: NO  
9 PLANNED ADMISSION STATUS: ADMITTED  
10 PRE-ADMISSION TESTING:  
11 CASE SCHEDULE TYPE: EMERGENCY  
12 SURGERY SPECIALTY: GENERAL(OR WHEN NOT DEFINED BELOW)  
13 PRIMARY SURGEON: SURSURGEON,ONE  
14 FIRST ASST: SURSURGEON,ONE  
15 SECOND ASST: SURSURGEON,FOUR

Enter Screen Server Function: <Enter>

\*\* NEW SURGERY \*\* CASE #185 SURPATIENT,SIX

PAGE 2 OF 3

1 ATTENDING SURGEON: SURSURGEON,TWO  
2 PLANNED POSTOP CARE: WARD  
3 CASE SCHEDULE ORDER:  
4 SURGERY POSITION: (MULTIPLE) (DATA)  
5 REQ ANESTHESIA TECHNIQUE: GENERAL  
6 REQ FROZ SECT: NO  
7 REQ PREOP X-RAY:  
8 INTRAOPERATIVE X-RAYS: NO  
9 REQUEST BLOOD AVAILABILITY: YES  
10 CROSSMATCH, SCREEN, AUTOLOGOUS: TYPE & CROSSMATCH  
11 REQ BLOOD KIND: (MULTIPLE) (DATA)  
  
12 SPECIAL EQUIPMENT: (MULTIPLE)  
13 PLANNED IMPLANT: (MULTIPLE)  
14 SPECIAL SUPPLIES: (MULTIPLE)  
15 SPECIAL INSTRUMENTS: (MULTIPLE)

Enter Screen Server Function: <Enter>

\*\* NEW SURGERY \*\* CASE #185 SURPATIENT,SIX

PAGE 3 OF 3

1 PHARMACY ITEMS: (MULTIPLE)  
2 REQ PHOTO: NO  
3 PREOPERATIVE INFECTION: CLEAN  
4 REFERRING PHYSICIAN: (MULTIPLE)  
5 GENERAL COMMENTS: (WORD PROCESSING)  
6 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)  
7 BRIEF CLIN HISTORY: (WORD PROCESSING) (DATA)  
8 SPD COMMENTS: (WORD PROCESSING)

Enter Screen Server Function:

## Operation Information

### [SROMEN-OPINFO]

Surgeons and other members of the surgical staff use the *Operation Information* option for a quick reference on a case. It produces a report that touches on the more important areas of interest recorded for the case. The report can be viewed on screen but cannot be edited from this option.

An asterisk indicates the principal diagnosis for the case, since some cases have more than one diagnosis. Notice that the INTRAOP OCCURRENCES field and the POSTOP OCCURRENCES field indicate if there are occurrences; however, the occurrences will not be defined, as access to this information is restricted.

#### Example: Operation Information

Select Operation Menu Option: **I** Operation Information

```

Patient: SURPATIENT,SIX (000-09-8797) Operation Date: MAR 9, 1999
Primary Surgeon: SURSURGEON,SIXTEEN
Attending Surgeon: SURSURGEON,FOUR Operation Time: 45 Minutes
Operation(s):
APPENDECTOMY

Postop Diagnosis: Intraop Occurrences: YES
* APPENDICITIS Postop Occurrences: YES

Anesthesia Technique: Anesthetist: SURANESTHETIST,THREE
 INHALATION
 ENFLURANE 125ML

Wound Classification:
Intraoperative Blood Loss: 100 CC'S

Press RETURN to continue
```

## Surgical Staff

### [SRROMEN-STAFF]

The *Surgical Staff* option allows the operating room nurse or scheduling manager to enter or edit the names of the surgical team prior to the operation. Some data fields may be automatically filled in based on previous responses. The names entered will be reflected in the Nurse Intraoperative Report and other staffing reports.

At the "Enter Screen Server Function:" prompt, the user may choose the field(s) to be edited or press the

<Enter> key to continue. Some of the data fields are "multiple" and may contain more than one value. When a field labeled "multiple" is selected, a new screen is generated so that the user can enter data related to that multiple. For example, the CIRC SUPPORT, SCRUB SUPPORT, and SCRUBBED ASSISTANT fields generate new screens that allow the user to add the TIME ON, TIME OFF, REASON FOR RELIEF, and STATUS. The TIME ON and TIME OFF fields also generate additional screens so that the user may enter more than one TIME ON/OFF for the same operation as some assistants must enter and exit more than once.



---

If entering times on a day other than the day of surgery, enter both the date and the time. Entering only a time will default the date to the current date.

---

### **Field Information**

The following are fields that correspond to the Surgical Staff entries.

| Field Name                | Definition                                                                                                                                                                        |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ATTENDING/RES SUP CODE    | This field corresponds to the highest level of supervision provided by the attending staff surgeon during the procedure. Enter a question mark (?) to retrieve the list of codes. |
| OTHER SCRUBBED ASSISTANTS | If there are more than two assistants scrubbed for this case, they can be entered here.                                                                                           |
| OTHER PERSONS IN O.R.     | This fields includes any observers, such as equipment vendors, in the operating room.                                                                                             |

## Example: Entering Surgical Staff

```
Select Operation Menu Option: SS Surgical Staff
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1

1 PRIMARY SURGEON SURSURGEON, ONE
2 PGY OF PRIMARY SURGEON:
3 FIRST ASST: SURSURGEON, TWELVE
4 SECOND ASST: SURSURGEON, TWO
5 ATTENDING SURGEON: SURSURGEON, ONE
6 ATTENDING/RES SUP CODE:
7 PRINC ANESTHETIST: SURANESTHETIST, FOUR
8 ASST ANESTHETIST:
9 ANESTHESIOLOGIST SUPVR: SURSURGEON, TWO
10 PERFUSIONIST:
11 ASST PERFUSIONIST:
12 OR CIRC SUPPORT: (MULTIPLE)
13 OR SCRUB SUPPORT: (MULTIPLE)
14 OTHER SCRUBBED ASSISTANTS: (MULTIPLE)
15 OTHER PERSONS IN OR: (MULTIPLE)

Enter Screen Server Function: 6;13;15
Attending/Res Sup Code: C LEVEL C: ATTENDING IN O.R., NOT SCRUBBED C
The supervising practitioner is physically present in the operative or
procedural room. The supervising practitioner observes and provides
direction. The resident performs the procedure.

** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1
OR SCRUB SUPPORT

1 NEW ENTRY

Enter Screen Server Function: 1
Select OR SCRUB SUPPORT: SURNURSE, ONE
OR SCRUB SUPPORT: SURNURSE, ONE// <Enter>

** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1
OR SCRUB SUPPORT (SURNURSE, ONE)
TIME ON

1 NEW ENTRY

Enter Screen Server Function: 1
Select TIME ON: 8:00 (JUN 06, 1999@08:00)
TIME ON: JUN 06, 1999@08:00// <Enter>

** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1
OR SCRUB SUPPORT (SURNURSE, ONE)

1 OR SCRUB SUPPORT: SURNURSE, ONE
2 TIME ON: (MULTIPLE)
3 STATUS:

Enter Screen Server Function: 2:3
Educational Status: ?
CHOOSE FROM:
O ORIENTEE
F FULLY TRAINED
Educational Status: F FULLY TRAINED
```

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1  
OR SCRUB SUPPORT (SURNURSE,ONE)  
TIME ON (2920606.08)

1 TIME ON: JUN 06, 1999 AT 08:00  
2 TIME OFF:  
3 REASON FOR RELIEF:

Enter Screen Server Function: **2:3**

Time Off: **13:00** (JUN 06, 1999@13:00)

Reason for Relief: ?

Enter the code corresponding to the reason for relief.  
CHOOSE FROM:

P PERSONAL  
S SHIFT CHANGE  
A ADMINISTRATIVE

Reason for Relief: **S** SHIFT CHANGE

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1 OF 1  
OR SCRUB SUPPORT (SURNURSE,ONE)  
TIME ON (2920606.08)

1 TIME ON: JUN 06, 1999 AT 08:00  
2 TIME OFF: JUN 06, 1999 AT 13:00  
3 REASON FOR RELIEF: SHIFT CHANGE

Enter Screen Server Function: **<Enter>**

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1 OF 1  
OR SCRUB SUPPORT (SURNURSE,ONE)  
TIME ON

1 TIME ON: JUN 06, 1999 AT 08:00  
2 NEW ENTRY

Enter Screen Server Function: **<Enter>**

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1 OF 1  
OR SCRUB SUPPORT (SURNURSE,ONE)

1 OR SCRUB SUPPORT: SURNURSE,ONE  
2 TIME ON: (MULTIPLE) (DATA)  
3 STATUS: FULLY TRAINED

Enter Screen Server Function: **<Enter>**

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1 OF 1  
OR SCRUB SUPPORT

1 OR SCRUB SUPPORT: SURNURSE,ONE  
2 NEW ENTRY

Enter Screen Server Function: **<Enter>**

\*\* SURGICAL STAFF \*\* CASE #193 SURPATIENT,THREE PAGE 1 OF 1  
OTHER PERSONS IN OR

1 NEW ENTRY

Enter Screen Server Function: **1**

Select OTHER PERSONS IN OR: **SURTECHNICIAN,ONE**

OTHER PERSONS IN OR: SURTECHNICIAN,ONE // **<Enter>**



```

** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
 OTHER PERSONS IN OR (0)

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 TITLE/ORGANIZATION:

Enter Screen Server Function: 2
Title and Organization: TECHNICIAN, AMERICAN SURGICAL EQUIP
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
 OTHER PERSONS IN OR (0)

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 TITLE/ORGANIZATION: TECHNICIAN, AMERICAN SURGICAL EQUIP

Enter Screen Server Function: <Enter>
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1
 OTHER PERSONS IN OR

1 OTHER PERSONS IN OR: ONE SURTECHNICIAN
2 NEW ENTRY

Enter Screen Server Function: <Enter>
** SURGICAL STAFF ** CASE #193 SURPATIENT,THREE PAGE 1 OF 1

1 PRIMARY SURGEON: SURSURGEON,ONE
2 PGY OF PRIMARY SURGEON:
3 FIRST ASST: SURSURGEON,TWELVE
4 SECOND ASST: SURSURGEON,TWO
5 ATTENDING SURG: SURSURGEON,ONE
6 ATTENDING/RES SUP CODE: LEVEL C: ATTENDING IN O.R., NOT SCRUBBED
7 PRINC ANESTHETIST: SURANESTHETIST,FOUR
8 ASST ANESTHETIST:
9 ANESTHESIOLOGIST SUPVR: SURANESTHETIST,TWO
10 PERFUSIONIST:
11 ASST PERFUSIONIST:
12 OR CIRC SUPPORT: (MULTIPLE)
13 OR SCRUB SUPPORT: (MULTIPLE) (DATA)
14 OTHER SCRUBBED ASSISTANTS: (MULTIPLE)
15 OTHER PERSONS IN OR: (MULTIPLE) (DATA)

Enter Screen Server Function:

```

## Operation Startup

### [SRROMEN-START]

The nurse or other operating room staff uses the *Operation Startup* option to enter data concerning the patient's preparation for the surgery (for example, diagnosis, delays, skin prep, and position aids). Some data fields may be automatically filled in based on previous responses.

Some of the data fields are "multiple fields" and can have more than one value. For example, a patient can have more than one diagnosis or restraint/position aid. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. At the "Enter Screen Server Function:" prompt, the user can choose the field(s) to be edited, or press the **<Enter>** key to go to the next item or page.

### Field Information

The following are fields that correspond to the Operation Startup entries.

| Field Name             | Definition                                                                                                                                                                                                                                                                      |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DELAY CAUSE:           | If the actual start time of the surgery is significantly delayed (15 minutes or more, depending on the institution's policy) it is necessary to select a reason at the "Delay Cause:" prompt. Type in a question mark (?) at this prompt to select from a list of delay causes. |
| RESTR & POSITION AIDS: | A safety strap is automatically included as a restraint.                                                                                                                                                                                                                        |

```
Select Operation Menu Option: OS Operation Startup
** STARTUP ** CASE #159 SURPATIENT,THREE PAGE 1 OF 3

1 HEIGHT: 58 INCHES
2 WEIGHT: 264 LBS.
3 DATE OF OPERATION: DEC 06, 2004 AT 08:00
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10):
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 OP ROOM PROCEDURE PERFORMED: OR2
8 SURGERY SPECIALTY: ORTHOPEDICS
9 PLANNED POSTOP CARE: WARD
10 CASE SCHEDULE TYPE: ELECTIVE
11 REQ ANESTHESIA TECHNIQUE: GENERAL
12 PATIENT EDUCATION/ASSESSMENT:
13 DELAY CAUSE: (MULTIPLE)
14 ASA CLASS:
15 PREOP MOOD:
Enter Screen Server Function: 9;12
Planned Postop Care: WARD W
Preoperative Patient Education: Y YES
```

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 1 OF 3

1 HEIGHT: 58 INCHES  
2 WEIGHT: 264 LBS.  
3 DATE OF OPERATION: DEC 06, 2004 AT 08:00  
4 PRINCIPAL PRE-OP DIAGNOSIS: DEGENERATIVE JOINT DISEASE, L SHOULDER  
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10):  
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)  
7 OP ROOM PROCEDURE PERFORMED: OR2  
8 SURGERY SPECIALTY: ORTHOPEDICS  
9 PLANNED POSTOP CARE: WARD  
10 CASE SCHEDULE TYPE: ELECTIVE  
11 REQ ANESTHESIA TECHNIQUE: GENERAL  
12 PATIENT EDUCATION/ASSESSMENT: YES  
13 DELAY CAUSE: (MULTIPLE)  
14 ASA CLASS:  
15 PREOP MOOD:

Enter Screen Server Function: <Enter>

### Example: Operation Startup

\*\* STARTUP \*\* CASE #159 SURPATIENT, THREE PAGE 2 OF 3

Preoperative Consciousness: **AO** ALERT-ORIENTED AO  
Preoperative Skin Integrity: **INTACT** I  
Transported to O.R. By: **PACU** BED  
Preop Surgical Site Hair Removal by: **SURNURSE,TWO**  
Surgical Site Hair Removal Method: **N** NO HAIR REMOVED  
Hair Removal Comments:  
Edit? NO// <Enter>  
Foley Catheter Inserted By:  
Skin Prepped By: <Enter>  
Skin Prepped By (2):  
Skin Preparation Agent: **HIBICLENS** HI  
Second Skin Preparation Agent: <Enter>  
Laterality Of Procedure: **NA**  
Electroground Placement:

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 1  
SURGERY POSITION

1 SURGERY POSITION: SUPINE  
2 NEW ENTRY

Enter Screen Server Function: **2**  
Select SURGERY POSITION: **SEMISUPINE**  
SURGERY POSITION: SEMISUPINE// <Enter>

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 1  
SURGERY POSITION (SEMISUPINE)

1 SURGERY POSITION: SEMISUPINE  
2 TIME PLACED:

Enter Screen Server Function: <Enter>

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 1 OF 1  
SURGERY POSITION

1 SURGERY POSITION: SUPINE  
2 SURGERY POSITION: SEMISUPINE  
3 NEW ENTRY

Enter Screen Server Function: <Enter>

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 1 OF 1  
RESTR & POSITION AIDS

- 1 RESTR & POSITION AIDS: SAFETY STRAP
- 2 NEW ENTRY

Enter Screen Server Function: **2**  
Select RESTR & POSITION AIDS: **FOAM PADS**  
RESTR & POSITION AIDS: FOAM PADS// **<Enter>**

\*\* STARTUP \*\* CASE #159 PAGE 1 OF  
RESTR & POSITION AIDS (FOAM PADS)

- 1 RESTR & POSITION AIDS: FOAM PADS
- 2 APPLIED BY:

Enter Screen Server Function: **2**  
Applied By: **SURNURSE,TWO**

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 2 OF 3

- 1 PREOP CONSCIOUS:
- 2 PREOP SKIN INTEG:
- 3 TRANS TO OR BY:
- 4 HAIR REMOVAL BY:
- 5 HAIR REMOVAL METHOD:
- 6 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
- 7 FOLEY CATHETER INSERTED BY:
- 80 SKIN PREPPED BY (1):
- 91 SKIN PREPPED BY (2):
- 10 SKIN PREP AGENTS:
- 11 SECOND SKIN PREP AGENT:
- 12 SURGERY POSITION: (MULTIPLE) (DATA)
- 13 LATERALITY OF PROCEDURE:
- 14 RESTR & POSITION AIDS: (MULTIPLE) (DATA)
- 15 ELECTROGROUND POSITION:

Enter Screen Server Function: **<Enter>**

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 3 OF 3

- 1 ELECTROGROUND POSITION (2):

Enter Screen Server Function: **1**  
Electroground Position (2): **LF** LEFT FLANK

\*\* STARTUP \*\* CASE #159 SURPATIENT,THREE PAGE 3 OF 3

- 1 ELECTROGROUND POSITION (2):

Enter Screen Server Function:

## Operation

### [SRROMEN-OP]

Surgeons and nurses use the *Operation* option to enter data relating to the operation during or immediately following the actual procedure. It is very important to record the time of the patient's entrance into the hold area and operating room, the time anesthesia is administered, and the operation start time.

Many of the data fields are "multiple fields" and can have more than one value. For example, a patient can have more than one diagnosis or procedure done per operation. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. The up-arrow (^) can be used to exit from any multiple field. Enter a question mark (?) for software- assisted instruction.

### **Field Information**

The following are fields that correspond to the *Operation* entries.

| Field Name           | Definition                                                                                                                                                |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| TIME OPERATION BEGAN | The user should check his or her institution's policy concerning an operation's start time. In some institutions, this may be the time of first incision. |



---

If entering times on a day other than the day of surgery, enter both the date and the time. Entering only a time will default the date to the current date.

---

## Example: Operation Option: Entering Information

Select Operation Menu Option: **O** Operation

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 3
1 TIME PAT IN HOLD AREA:
2 TIME PAT IN OR:
3 ANES CARE TIME BLOCK: (MULTIPLE)
4 TIME OPERATION BEGAN:
5 SPECIMENS: (WORD PROCESSING)
6 CULTURES: (WORD PROCESSING)
7 THERMAL UNIT: (MULTIPLE)
8 ELECTROCAUTERY UNIT:
9 ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED: (MULTIPLE)
13 REPLACEMENT FLUID TYPE: (MULTIPLE)
14 IRRIGATION: (MULTIPLE)
15 MEDICATIONS: (MULTIPLE)

Enter Screen Server Function: 1;2;13:14
Time Patient Arrived in Holding Area: 8:50 (JUL 12, 2024@08:50)
Time Patient In the O.R.: 9:00 (JUL 12, 2024@09:00)
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
 REPLACEMENT FLUID TYPE

1 NEW ENTRY

Enter Screen Server Function: 1
Select REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
// <Enter>
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
 REPLACEMENT FLUID TYPE (RINGERS LACTATED SOLUTION)

1 REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2 QTY OF FLUID (ml):
3 SOURCE ID:
4 VA IDENT:
5 REPLACEMENT FLUID COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: 2;3
Quantity of Fluid (ml): 1000
Source Identification Number: TRAVENOL
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
 REPLACEMENT FLUID TYPE (RINGERS LACTATED SOLUTION)

1 REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2 QTY OF FLUID (ml): 1000
3 SOURCE ID: TRAVENOL
4 VA IDENT:
5 REPLACEMENT FLUID COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
 REPLACEMENT FLUID TYPE

1 REPLACEMENT FLUID TYPE: RINGERS LACTATED SOLUTION
2 NEW ENTRY

Enter Screen Server Function: <Enter>
```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION
1 NEW ENTRY
Enter Screen Server Function: 1
Select IRRIGATION: NORMAL SALINE
IRRIGATION: NORMAL SALINE// <Enter>

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
1 IRRIGATION: NORMAL SALINE
2 TIME: (MULTIPLE)
Enter Screen Server Function: 2

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
IRRIGATION (NORMAL SALINE)
TIME
1 NEW ENTRY
Enter Screen Server Function: 1
Select TIME: 9:40 JUL 12, 2024@09:40
TIME: JUL 12,2024@09:40// <Enter>

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1
IRRIGATION (NORMAL SALINE)
TIME (3240712.094)
1 TIME: JUL 12, 2024 AT 09:40
2 AMOUNT USED:
3 PROVIDER:
Enter Screen Server Function: 2:3
Amount of Solution Used: 1000
Person Responsible: SURNURSE,THREE

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
TIME (3240712.094)
1 TIME: JUL 12, 2024 AT 09:40
2 AMOUNT USED: 1000
3 PROVIDER: SURNURSE,THREE
Enter Screen Server Function: <Enter>

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
TIME
1 TIME: JUL 12, 2024 AT 09:40
2 NEW ENTRY
Enter Screen Server Function: <Enter>

```

```

** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
IRRIGATION (NORMAL SALINE)
1 IRRIGATION: NORMAL SALINE
2 TIME: (MULTIPLE) (DATA)
Enter Screen Server Function: <Enter>

```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 1
 IRRIGATION
1 IRRIGATION: NORMAL SALINE
2 NEW ENTRY
Enter Screen Server Function: <Enter>
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 1 OF 3
1 TIME PAT IN HOLD AREA: JUL 12, 2024 AT 08:50
2 TIME PAT IN OR: JUL 12, 2024 AT 09:00
3 ANES CARE TIME BLOCK: (MULTIPLE)
4 TIME OPERATION BEGAN:
5 SPECIMENS: (WORD PROCESSING)
6 CULTURES: (WORD PROCESSING)
7 THERMAL UNIT: (MULTIPLE)
8 ELECTROCAUTERY UNIT:
9 ESU COAG RANGE:
10 ESU CUTTING RANGE:
11 TIME TOURNIQUET APPLIED: (MULTIPLE)
12 PROSTHESIS INSTALLED: (MULTIPLE)
13 REPLACEMENT FLUID TYPE: (MULTIPLE) (DATA)
14 IRRIGATION: (MULTIPLE) (DATA)
15 MEDICATIONS: (MULTIPLE)
Enter Screen Server Function: <Enter>
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 2 OF 3
1 SPONGE FINAL COUNT CORRECT:
2 SHARPS FINAL COUNT CORRECT:
3 INSTRUMENT FINAL COUNT CORRECT:
4 WOUND SWEEP:
5 WOUND SWEEP COMMENTS: (WORD PROCESSING)
6 INTRA-OPERATIVE X-RAY:
7 INTRA-OPERATIVE X-RAY COMMENTS: (WORD PROCESSING)
8 SPONGE, SHARPS, & INST COUNTER:
9 COUNT VERIFIER:
10 SEQUENTIAL COMPRESSION DEVICE:
11 LASER PERFORMED: (MULTIPLE)
12 CELL SAVER: (MULTIPLE)
13 NURSING CARE COMMENTS: (WORD PROCESSING)
14 PRINCIPAL PRE-OP DIAGNOSIS: LIVER TUMOR
15 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10):
Enter Screen Server Function: 1:3
Sponge Final Count Correct: Y YES
Sharps Final Count Correct: Y YES
Instrument Final Count Correct: Y YES
```

```
 ** OPERATION ** CASE #173 SURPATIENT,TWENTY PAGE 2 OF 3
1 SPONGE FINAL COUNT CORRECT: YES
2 SHARPS FINAL COUNT CORRECT: YES
3 INSTRUMENT FINAL COUNT CORRECT: YES
4 WOUND SWEEP:
5 WOUND SWEEP COMMENTS: (WORD PROCESSING)
6 INTRA-OPERATIVE X-RAY:
7 INTRA-OPERATIVE X-RAY COMMENTS: (WORD PROCESSING)
8 SPONGE, SHARPS, & INST COUNTER:
9 COUNT VERIFIER:
10 SEQUENTIAL COMPRESSION DEVICE:
11 LASER PERFORMED: (MULTIPLE)
12 CELL SAVER: (MULTIPLE)
13 NURSING CARE COMMENTS: (WORD PROCESSING)
14 PRINCIPAL PRE-OP DIAGNOSIS: LIVER TUMOR
15 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10):
Enter Screen Server Function: <Enter>
```



1    PRINCIPAL PROCEDURE:      LAPROSCOPIC BIOPSY  
2    PLANNED PRIN PROCEDURE CODE : 49000  
3    ROBOTIC ASSISTANCE (Y/N):  
4    OTHER PROCEDURES:      (MULTIPLE)  
5    INDICATIONS FOR OPERATIONS: (WORD PROCESSING) (DATA)  
6    BRIEF CLIN HISTORY:      (WORD PROCESSING)

Enter Screen Server Function:    **<Enter>**

## Post Operation

### [SRROMEN-POST]

The *Post Operation* option concerns the close of the operation, discharge, and post anesthesia recovery. It is important to enter the operation and anesthesia end times, as well as the time the patient leaves the operation room, as these fields affect many reports.

#### **Field Information**

The following are fields that correspond to the *Post Operation* option entries.

| <b>Field Name</b>    | <b>Definition</b>                                                                                                                  |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------|
| TIME PAT OUT OR      | Entry of this field generates an alert notifying the circulating nurse that the Nurse Intraoperative Report is ready for signature |
| ANES CARE TIME BLOCK | Entry of this multiple generates an alert notifying the anesthesiologist that the Anesthesia Report is ready for signature.        |

## Example: Post Operation

Select Operation Menu Option: **PO** Post Operation

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 DRESSING:  
2 PACKING:  
3 TUBES AND DRAINS:  
4 BLOOD LOSS (ML):  
5 TOTAL URINE OUTPUT (ML):  
6 GASTRIC OUTPUT:  
7 WOUND CLASSIFICATION:  
8 POSTOP MOOD:  
9 POSTOP CONSCIOUS:  
10 POSTOP SKIN INTEG:  
11 TIME OPERATION ENDS:  
12 ANES CARE TIME BLOCK: (MULTIPLE)  
13 TIME PAT OUT OR:  
14 OP DISPOSITION:  
15 DISCHARGED VIA:

Enter Screen Server Function: **A**  
Dressing(s): **TELFA**  
Packing Type: **<Enter>**  
Tubes and Drains: **PENROSE**  
Intraoperative Blood Loss (ml): **200**  
Total Urine Output (ml): **600**  
Gastric Output (cc's): **150**  
Wound Classification: **CC** CLEAN/CONTAMINATED  
Postoperative Mood: **RELAXED** R  
Postoperative Consciousness: **RESTING** R  
Postoperative Skin Integrity: **INTACT** I  
Time the Operation Ends: **12:30** (APR 26, 2005@12:30)  
Time Patient Out of the O.R.: **12:50** (APR 26, 2005@12:50)  
Postoperative Disposition: **PACU** (RECOVERY ROOM) R  
Patient Discharged Via: **PACU** BED

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK

1 NEW ENTRY

Enter Screen Server Function: **1**  
Select ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: **10:30** APR 26, 2005@  
10:30  
ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: APR 26, 2005@10:30  
// <Enter>

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3050608.153)

1 ANES CARE MULTIPLE START TIME: APR 26, 2005@10:30  
2 ANES CARE MULTIPLE END TIME:

Enter Screen Server Function: **2**  
Anesthesia Care Multiple End Time: **12:40** (APR 26, 2005@12:40)

Does this entry complete all start and end times for this case? (Y/N) // **Y**  
\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3050608.153)

1 ANES CARE MULTIPLE START TIME: APR 26, 2005 AT 10:30  
2 ANES CARE MULTIPLE END TIME: APR 26, 2005 AT 12:40

Enter Screen Server Function: **<Enter>**

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK

1 ANES CARE MULTIPLE START TIME: APR 26, 2005 AT 10:30  
2 NEW ENTRY

Enter Screen Server Function: <Enter>

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 DRESSING: TELFA  
2 PACKING:  
3 TUBES AND DRAINS: PENROSE  
4 BLOOD LOSS (ML): 200  
5 TOTAL URINE OUTPUT (ML): 600  
6 GASTRIC OUTPUT: 150  
7 WOUND CLASSIFICATION: CLEAN/CONTAMINATED  
8 POSTOP MOOD: RELAXED  
9 POSTOP CONSCIOUS: RESTING  
10 POSTOP SKIN INTEG: INTACT  
11 TIME OPERATION ENDS: APR 26, 2005 AT 12:30  
12 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)  
13 TIME PAT OUT OR: APR 26, 2005 AT 12:50  
14 OP DISPOSITION: PACU (RECOVERY ROOM)  
15 DISCHARGED VIA: PACU BED

Enter Screen Server Function: <Enter>

\*\* POST OPERATION \*\* CASE #145 SURPATIENT,NINE PAGE 2 OF 2

1 REPORT GIVEN TO:  
2 PRINCIPAL POST-OP DIAG: CHOLELITHIASIS  
3 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10):  
4 OTHER POSTOP DIAGS: (MULTIPLE)  
5 PRINCIPAL PROCEDURE: CHOLECYSTECTOMY  
6 PLANNED PRIN PROCEDURE CODE: 47480  
7 OTHER PROCEDURES: (MULTIPLE) (DATA)  
8 ATTENDING/RES SUP CODE: LEVEL C: ATTENDING IN O.R., NOT SCRUBBED  
9 IMMED USE-CONTAMINATION: 0  
10 IMMED USE-SPS/OR MGT ISSUE: 0  
11 IMMED USE-EMERGENCY CASE: 0  
12 IMMED USE-NO BETTER OPTION: 0  
13 IMMED USE-LOANER INSTRUMENT: 0  
14 IMMED USE-DECONTAMINATION: 0

Enter Screen Server Function:

## Enter PAC(U) Information

### [SRROMEN-PACU]

Personnel in the Post Anesthesia Care Unit (PACU) use the *Enter PAC(U) Information* option to enter the admission and discharge times and scores.

#### Example: Entering PAC(U) Information

Select Operation Menu Option: **PAC** Enter PAC(U) Information

```

 ** PACU ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1

1 ADMIT PAC(U) TIME:
2 PAC(U) ADMIT SCORE:
3 PAC(U) DISCH TIME:
4 PAC(U) DISCH SCORE:

Enter Screen Server Function: 1:4
PAC(U) Admission Time: 13:00 (APR 26, 1999@13:00)
PAC(U) Admission Score: 10
PAC(U) Discharge Date/Time: 14:00 (APR 26, 1999@14:00)
PAC(U) Discharge Score: 10
 ** PACU ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1

1 ADMIT PAC(U) TIME: APR 26, 1999 AT 13:00
2 PAC(U) ADMIT SCORE: 10
3 PAC(U) DISCH TIME: APR 26, 1999 AT 14:00
4 PAC(U) DISCH SCORE: 10

Enter Screen Server Function:
```

## Operation (Short Screen)

### [SROMEN-OUT]

The *Operation (Short Screen)* option provides a three-page screen of information concerning a surgical procedure performed on a patient. The *Operation (Short Screen)* option allows the nurse or surgeon to easily enter data relating to the operation during, and shortly after, the actual procedure. This time-saving option can replace the *Operation Startup* option, the *Operation* option, and the *Post Operation* option for minor surgeries.

When only one anesthesia technique is entered, the software will assume that it is the principal anesthesia technique for the case. Some data fields may be automatically pre-populated if the case was booked in advance.

### Example: Operation Short Screen

Select Operation Menu Option: **OSS** Operation (Short Screen)

```
 ** SHORT SCREEN ** CASE #45566 SURPATIENT, ONE PAGE 1 OF 3
1 DATE OF OPERATION: JUN 27, 2024
2 HOSPITAL ADMISSION STATUS: ADMISSION
3 PRIMARY SURGEON: SURSURGEON, TWO
4 PRINCIPAL PRE-OP DIAGNOSIS: BONE ON BONE
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): M17.9
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 PRINCIPAL PROCEDURE: KNEE REPLACEMENT
8 PLANNED PRIN PROCEDURE CODE : 27427
9 ROBOTIC ASSISTANCE (Y/N):
10 OTHER PROCEDURES: (MULTIPLE)
11 HAIR REMOVAL BY:
12 HAIR REMOVAL METHOD:
13 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
14 TIME PAT IN OR:
15 TIME OPERATION BEGAN:

Enter Screen Server Function: 9
Robotic Assistance (Y/N): Y YES
```

```
 ** SHORT SCREEN ** CASE #45566 SURPATIENT, ONE PAGE 1 OF 3
1 DATE OF OPERATION: JUN 27, 2024
2 HOSPITAL ADMISSION STATUS: ADMISSION
3 PRIMARY SURGEON: SURSURGEON, TWO
4 PRINCIPAL PRE-OP DIAGNOSIS: BONE ON BONE
5 PRIN PRE-OP ICD DIAGNOSIS CODE (ICD10): M17.9
6 OTHER PREOP DIAGNOSIS: (MULTIPLE)
7 PRINCIPAL PROCEDURE: KNEE REPLACEMENT
8 PLANNED PRIN PROCEDURE CODE : 27427
9 ROBOTIC ASSISTANCE (Y/N): YES
10 OTHER PROCEDURES: (MULTIPLE)
11 HAIR REMOVAL BY:
12 HAIR REMOVAL METHOD:
13 HAIR REMOVAL COMMENTS: (WORD PROCESSING)
14 TIME PAT IN OR:
15 TIME OPERATION BEGAN:

Enter Screen Server Function: <Enter>
```

1 TIME OPERATION ENDS:  
2 TIME PAT OUT OR:  
3 IV STARTED BY:  
4 OR CIRC SUPPORT: (MULTIPLE)  
5 OR SCRUB SUPPORT: (MULTIPLE)  
6 OP ROOM PROCEDURE PERFORMED: OR4  
7 FIRST ASST:  
8 SPONGE FINAL COUNT CORRECT:  
9 SHARPS FINAL COUNT CORRECT:  
10 INSTRUMENT FINAL COUNT CORRECT:  
11 WOUND SWEEP:  
12 WOUND SWEEP COMMENTS: (WORD PROCESSING)  
13 INTRA-OPERATIVE X-RAY:  
14 INTRA-OPERATIVE X-RAY COMMENTS: (WORD PROCESSING)  
15 SPONGE, SHARPS, & INST COUNTER:

Enter Screen Server Function: **8**  
Sponge Final Count Correct: **Y** YES

1 TIME OPERATION ENDS:  
2 TIME PAT OUT OR:  
3 IV STARTED BY:  
4 OR CIRC SUPPORT: (MULTIPLE)  
5 OR SCRUB SUPPORT: (MULTIPLE)  
6 OP ROOM PROCEDURE PERFORMED: OR4  
7 FIRST ASST:  
8 SPONGE FINAL COUNT CORRECT: YES  
9 SHARPS FINAL COUNT CORRECT:  
10 INSTRUMENT FINAL COUNT CORRECT:  
11 WOUND SWEEP:  
12 WOUND SWEEP COMMENTS: (WORD PROCESSING)  
13 INTRA-OPERATIVE X-RAY:  
14 INTRA-OPERATIVE X-RAY COMMENTS: (WORD PROCESSING)  
15 SPONGE, SHARPS, & INST COUNTER:

Enter Screen Server Function: **<Enter>**

1 COUNT VERIFIER:  
2 SURGERY SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)  
3 WOUND CLASSIFICATION:  
4 ATTENDING SURGEON: SURSURGEON, TWO  
5 ATTENDING/RES SUP CODE:  
6 SPECIMENS: (WORD PROCESSING)  
7 CULTURES: (WORD PROCESSING)  
8 NURSING CARE COMMENTS: (WORD PROCESSING)  
9 ASA CLASS:  
10 PRINC ANESTHETIST:  
11 ANESTHESIA TECHNIQUE: (MULTIPLE)  
12 ANES CARE TIME BLOCK: (MULTIPLE)  
13 DELAY CAUSE: (MULTIPLE)

Enter Screen Server Function:

# Time Out Verified Utilizing Checklist

[SROMEN-VERF]

This option is used to enter information related to the Time Out Verified Utilizing Checklist.

## Example: Time Out Verified Utilizing Checklist

Select Operation Menu Option: **Time Out Verified Utilizing Checklist**

```
 ** TIME OUT CHECKLIST ** CASE #145 SUR,NINE PAGE 1 OF 1

1 CONFIRM PATIENT IDENTITY:
2 PROCEDURE TO BE PERFORMED:
3 SITE OF PROCEDURE:
4 CONFIRM VALID CONSENT: CONFIRM
5 PATIENT POSITION: MARKED SITE
6 CONFIRMED: PREOPERATIVE IMAGES
7 CONFIRMED: CORRECT MEDICAL
8 IMPLANTS: AVAILABILITY OF SPECIAL
9 EQUIP: ANTIBIOTIC PROPHYLAXIS:
10 APPROPRIATE DVT PROPHYLAXIS: BLOOD
11 AVAILABILITY:
12
13 CHECKLIST COMMENT: (WORD PROCESSING)
14 TIME-OUT DOCUMENT COMPLETED BY:
15 TIME-OUT COMPLETED:

Enter Screen Server Function: A
Confirm Correct Patient Identity: Y YES
Confirm Procedure To Be Performed: Y YES
Confirm Site of Procedure, Including Laterality: Y YES
Confirm Valid Consent: 1 YES, i-MED
Confirm Patient Position: N NO
Confirm Proc. Site has been Marked Appropriately and the Site of the Mark is Visible After Prep: Y YES
Confirm Pertinent Medical Images Available in the OR: Y YES
Confirm Correct Medical Implant(s) is Available: Y YES
Confirm Availability of Special Equipment: Y YES
Confirm Appropriate Antibiotic Prophylaxis: Y YES
Confirm Appropriate Deep Vein Thrombosis Prophylaxis: Y YES
Confirm Blood Available (Operating Room or in-house Blood Bank: Y YES
Checklist Comment:
Edit? NO// <Enter>
TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE
TIME-OUT COMPLETED:

Checklist Comments should be entered when a "NO" response is entered for any of the Time Out
Verified Utilizing Checklist fields.
Do you want to enter Checklist Comment ? YES//

Checklist Comment: No existing text
Edit? NO//
```

```
 ** TIME OUT CHECKLIST ** CASE #145 SURPATIENT,NINE PAGE 1 OF 1
```

```
1 CONFIRM PATIENT IDENTITY: YES
2 PROCEDURE TO BE PERFORMED: YES
3 SITE OF PROCEDURE: YES
4 CONFIRM VALID CONSENT: YES, i-MED
5 CONFIRM PATIENT POSITION: YES
6 MARKED SITE CONFIRMED: YES
7 PREOPERATIVE IMAGES CONFIRMED: YES
8 CORRECT MEDICAL IMPLANTS: YES
9 AVAILABILITY OF SPECIAL EQUIP: YES
10 ANTIBIOTIC PROPHYLAXIS: YES
```



```
11 APPROPRIATE DVT PROPHYLAXIS: YES
12 BLOOD AVAILABILITY: YES
13 CHECKLIST COMMENT: (WORD PROCESSING)
14 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE, FIVE
15 TIME-OUT COMPLETED:
Enter Screen Server Function:
```

If the PLANNED PRIN PROCEDURE CODE field for the case is one of the following CPT codes Time Out Checklist-2 will be displayed: 32851, 32852,3 2853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365.

### Example: Time Out Verified Utilizing Checklist-2

```
** TIME OUT CHECKLIST-2 ** CASE #811 SURPATIENT,FOUR PAGE 1 OF 2

1 ORGAN TO BE TRANSPLANTED: (MULTIPLE)
2 UNOS NUMBER:
3 DONOR SEROLOGY HCV:
4 DONOR SEROLOGY HBV:
5 DONOR SEROLOGY CMV:
6 DONOR SEROLOGY HIV:
7 DONOR ABO TYPE:
8 RECIPIENT ABO TYPE:
9 BLOOD BANK ABO VERIFICATION:
10 BLOOD BANK ABO VER COMMENTS:
11 D/T BLOOD BANK ABO VERIF:
12 OR ABO VERIFICATION (Y/N):
13 OR ABO VER COMMENTS:
14 D/T OR ABO VERIF:
15 SURGEON VERIFYING UNET:

Enter Screen Server Function:
```

```
** TIME OUT CHECKLIST-2 ** CASE #811 SURPATIENT,FOUR PAGE 2 OF 2

1 UNET VERIF BY SURGEON (Y/N):
2 ORGAN VER PRE-ANESTHESIA:
3 SURGEON VER ORGAN PRE-ANES:
4 SURGEON VER DONOR ORG PRE-ANES:
5 DONOR ORG VER PRE-ANES:
6 ORGAN VER PRE-TRANSPLANT:
7 SURGEON VER ORG PRE-TRANSPLANT:
8 ORGAN VER PRE-TRANSPLANT:
9 DONOR VESSEL UNOS ID: (MULTIPLE)
10 DONOR VESSEL USAGE:
11 DONOR VESSEL DISPOSITION:

Enter Screen Server Function:
```

## Surgeon's Verification of Diagnosis & Procedures

### [SROVER]

Surgeons use this option to verify that the stated procedure(s), diagnosis, and occurrences are correct for a case. With this option, the surgeon can update the Operation Name, Planned CPT Code, Diagnosis, and Intraoperative Occurrences before verifying the case. If the case has already been verified, the user will be asked whether to re-verify it.

If the user responds **YES** to the prompt "Do you need to update the information above?" the software will provide a summary for editing.



---

If there are no occurrences, the INTRAOP OCCURRENCES field should be left blank. Do **not** enter **NO** or **NONE**.

---

The procedure and diagnosis codes are the codes captured with clinical data and are supplied as defaults to the Coder when entering the final codes that will be sent to PCE.

### **Service Classifications**

Information relating to a patient's status of Service Connected (SC) and Environmental Indicators (EI) are captured during patient registration. The Surgery software receives this data from enrollment and displays it when the user creates a case.

In the Surgery software, the patient's Service Classification status is determined at the case level when the case is created. The user can further refine status designations, not only per case, but also per diagnosis.

The system defaults the case-level Service Classification indicators into each Other Postop Diagnosis field as the user adds the Other Postop Diagnoses. The system allows the user to edit these fields if the user determines that the defaulted value is incorrect.

## Example: Surgeon's Verification of Diagnosis & Procedures

Select Operation Menu Option: **V** Surgeon's Verification of Diagnosis & Procedures

SURPATIENT,ONE (000-44-7629)

Operation Date: JUN 5, 2005

- 
1. Indications for Operation:  
Swelling in the inguinal region.
  2. Planned Principal CPT Code: 00830  
Assoc. DX: 1. 550.02 BILAT ING HERNIA W GANG
  3. Principal Procedure: REMOVE HERNIA
  4. Other Procedures:
  5. Postoperative Diagnosis: INGUINAL HERNIA
  6. Intraoperative Occurrences: NO OCCURRENCES HAVE BEEN ENTERED
  7. Principal Pre-OP Diagnosis: HERNIA
  8. Principal Pre-OP Diagnosis Code: 550.02 BILAT ING HERNIA W GANG
- 

Do you need to update the information above ? NO// **Y**

Select Information to Edit: **2:3**

Planned Principal Procedure Code (CPT): **49521** REREPAIR ING HERNIA, BLOCKE

D

REPAIR RECURRENT INGUINAL HERNIA, ANY AGE; INCARCERATED OR STRANGULATED

The Diagnosis to Procedure Associations may no longer be correct.

Delete Diagnosis Associations for this Procedure? N// **NO**

Modifier: **59** DISTINCT PROCEDURAL SERVICE

Modifier: **<Enter>**

Principal Procedure: REMOVE HERNIA// **REPAIR INGUINAL HERNIA**

SURPATIENT,ONE (000-44-7629)

Operation Date: JUN 5, 2005

---

1. Indications for Operation:

Swelling in the inguinal region.

2. Planned Principal CPT Code: 49521

REPAIR RECURRENT INGUINAL HERNIA, ANY AGE; INCARCERATED OR STRANGULATED

Modifiers: -59

3. Principal Procedure: REPAIR INGUINAL HERNIA

4. Other Procedures:

5. Postoperative Diagnosis: INGUINAL HERNIA

6. Intraoperative Occurrences: NO OCCURRENCES HAVE BEEN ENTERED

7. Principal Pre-OP Diagnosis: HERNIA

8. Principal Pre-OP Diagnosis Code (ICD9): 550.02 BILAT ING HERNIA W GANG

---

Do you need to update the information above ? NO// <Enter>

Will you verify that the information on your screen is correct ? YES// <Enter>

Press RETURN to continue

## Anesthesia for an Operation Menu

### [SROANES]



---

The *Anesthesia for an Operation Menu* option is restricted to anesthesia personnel and is locked with the SROANES key.

---

This option is designed for convenient entry of data pertaining to the anesthesia agents, personnel and techniques. When the user selects this option from the *Operation Menu* option, he or she is given a submenu of five options.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym that may be entered to select the option.

| Shortcut | Option Name                                |
|----------|--------------------------------------------|
| I        | <i>Anesthesia Information (Enter/Edit)</i> |
| T        | <i>Anesthesia Technique (Enter/Edit)</i>   |
| M        | <i>Medications (Enter/Edit)</i>            |
| R        | <i>Anesthesia Report</i>                   |
| S        | <i>Schedule Anesthesia Personnel</i>       |

### **Prerequisites**

To use any of these options, other than the *Schedule Anesthesia Personnel* option, the user must first select a patient case. For the *Schedule Anesthesia Personnel* option, a date and then an operating room must first be selected.

These options can also be accessed from the main *Surgery Menu*.

Information related to these options is contained in "Chapter Two: Tracking Clinical Procedures," in the Anesthesia Menu section.

## Operation Report

### [SROSRPT]

The *Operation Report* option displays the dictated Operation Report for the patient case selected. This report contains the surgeon's dictation regarding the surgical procedure. The Operation Report is not electronically signed in the Surgery package. After the dictated Operation Report is uploaded into the Text Integration Utilities (TIU) package, it is then available for electronic signature through the Computerized Patient Record System (CPRS) Surgery tab.

When electronically signed, the Operation Report is also viewable through CPRS. The electronically signed Operation Report replaces VA Form 516. If the Operation Report has not been electronically signed, then CPRS will only display a stub for that document.



After the dictated Operation Report is transcribed and uploaded into TIU, the TIU software sends an alert to the surgeon responsible for electronically signing the report.

---

Until the Operation Report is signed, if the *Operation Report* option is selected, the following text displays:

"The Operation Report for this case is not yet  
available."

If the Operation Report has been signed, the *Operation Report* option will display the signed document. (See the example.)

printout follows

## Example: A signed Operation Report

Page: 1

-----  
SURPATIENT, TEN 000-12-3456

OPERATION REPORT  
-----

NOTE DATED: 07/29/2003 15:15 OPERATION REPORT  
VISIT: 07/29/2003 15:15 SURGERY OF REPORT NON-COUNT  
SUBJECT: Case #: 73285

PREOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

POSTOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

PROCEDURE: Phacoemulsification with intraocular lens placement, right eye

CLINICAL INDICATIONS: This 64-year-old gentleman complains of decreased vision in the right eye affecting his activities of daily living. Best corrected visual acuity is counting fingers at 6 feet, associated with a 2-3+ nuclear sclerotic and 4+ posterior subcapsular cataract in that eye.

ANESTHESIA: Local monitoring with topical Tetracaine and 1% preservative free Lidocaine.

DESCRIPTION OF THE PROCEDURE: After the risks, benefits and alternatives of the procedure were explained to the patient, informed consent was obtained. The patient's right eye was dilated with Phenylephrine, Mydriacyl and Ocufen. He was brought to the Operating Room and placed on anesthetic monitors. Topical Tetracaine was given. He was prepped and draped in the usual sterile fashion for eye surgery. A Lieberman lid speculum was placed.

A Supersharps was used to create a superior paracentesis port. The anterior chamber was irrigated with 1% preservative free Lidocaine. The anterior chamber was filled with Viscoelastic. The diamond groove maker and diamond keratome were used to create a clear corneal tunneled incision at the temporal limbus. The cystotome was used to initiate a continuous capsulorrhexis, which was then completed using Utrata forceps. Balanced salt solution was used to hydrodissect and hydrodelineate the lens.

Phacoemulsification was used to remove the lens nucleus and epinucleus in a non-stop horizontal chop fashion. Cortex was removed using irrigation and aspiration. The capsular bag was filled with Viscoelastic. The wound was enlarged with a 69 blade. An Alcon model MA60BM posterior chamber intraocular lens with a power of 24.0 diopters, serial #588502.064, was folded and inserted with the leading haptic placed into the bag. The trailing haptic was dialed into the bag with the Lester hook. The wound was hydrated. The anterior chamber was filled with balanced salt solution. The wound was tested and found to be self-sealing. Subconjunctival antibiotics were given, and an eye shield was placed. The patient was taken in good condition to the Recovery Room. There were no complications.

KJC/PSI

DATE DICTATED: 07/29/03

DATE TRANSCRIBED: 07/29/03

JOB: 629095

Signed by: /es/ FOURTEEN SURSURGEON, M.D.  
07/30/2003 10:31

## Anesthesia Report

### [SROARPT]

The Anesthesia Report details anesthesia information for the patient case selected. This option provides the capability to view/print the report, edit information contained in the report, and electronically sign the report. This option can also be accessed from the *Anesthesia Menu* option located on the *Operation Menu*, as well as on the main *Surgery Menu*.

### **Anesthesia Report (Unsigned)**

Upon selecting this option, if the Anesthesia Report is not signed the report will begin displaying. The Anesthesia Report displays key fields on the first page. Several of these fields are required before the software will allow the user to electronically sign the report. If any of these fields are left blank, a warning will appear prompting the user to provide the missing information. The ANES CARE TIME field, PRINCIPAL ANESTHESIA TECHNIQUE (primary) field, ANESTHESIA TECHNIQUE field, ASA CLASS field, OP DISPOSITION field, and the PRINC ANESTHETIST field must all be completed before the Anesthesia Report can be electronically signed.



---

Entering the information into the ANES CARE END TIME field triggers an alert that is sent to the anesthetist responsible for signing the report. By responding to the alert, the user is taken to the *Anesthesia Report* option.

---

At the bottom of the first screen is the prompt, "Press <return> to continue, 'A' to access Anesthesia Report functions or '^' to exit:". The *Anesthesia Report* functions, accessed by entering **A** at the prompt, allow the user to edit the report, to view or print the report, or to electronically sign the report.



## Example: First page of an Anesthesia Report

```
MEDICAL RECORD SURPATIENT,TEN (000-12-3456) PAGE 1
 ANESTHESIA REPORT - CASE #267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN Relief Anesth:
Anesthesiologist: SURANESTHESIOLOGIST,ONE Assist Anesth: SURANESTHETIST,FIVE
Attending Code: LEVEL 3. ATTENDING NOT PRESENT IN O.R. SUITE, IMMEDIATE
LY AVAILABLE.

Anes Begin: FEB 12, 2004 08:00 Anes End: FEB 12, 2004 12:10

ASA Class: * NOT ENTERED *

Operation Disposition: * NOT ENTERED *

Anesthesia Technique(s):
GENERAL (PRINCIPAL)
 Agent: ISOFLURANE FOR INHALATION 100ML
 Intubated: YES
 Trauma: NONE

Press <return> to continue, 'A' to access Anesthesia Report functions
or '^' to exit: A
```

After entering an **A** at the prompt, the Anesthesia functions are displayed. The following examples demonstrate how these three functions are accessed and how they operate.

If the user enters a **1**, the Anesthesia Report data can be edited.

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

```
Anesthesia Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 1 Edit report information
```

### Example: Edit Report Information

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OP ROOM PROCEDURE PERFORMED: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4
5
6 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
7 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
8
9 ASST ANESTHETIST: SURANESTHETIST,FIVE
10 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
11 ASA CLASS:
12 OP DISPOSITION:
13 ANESTHESIA TECHNIQUE:
14 PRINCIPAL PROCEDURE:
15 OTHER PROCEDURES:
```

```
Enter Screen Server Function: 9
Postoperative Disposition: SICU
```

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OP ROOM PROCEDURE PERFORMED: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
8 ASA CLASS:
9 OP DISPOSITION: ICU
10 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE) (DATA)
13 MEDICATIONS: (MULTIPLE)
14
15
```

```
MIN INTRAOP TEMPERATURE (C): 35
```

```
MONITORS: (MULTIPLE)
```

If the user enters a **2**, the Anesthesia Report can be printed.

**Example: Print the Anesthesia Report**

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// **2**

*printout follows*

-----  
SURPATIENT,TEN 000-12-3456 ANESTHESIA REPORT  
-----

NOTE DATED: 02/12/2004 08:00 ANESTHESIA REPORT

SUBJECT: Case #: 267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN Relief Anesth:  
Anesthesiologist: SURANESTHESIOLOGIST,ONE Assist Anesth: SURANESTHETIST,FIVE  
Attending Code: LEVEL 3. ATTENDING NOT PRESENT IN O.R. SUITE, IMMEDIATE  
LY AVAILABLE.

Anes Begin: FEB 12, 2004 08:00 Anes End: FEB 12, 2004 12:10

ASA Class: \* NOT ENTERED \*

Operation Disposition: SICU

Anesthesia Technique(s):  
GENERAL (PRINCIPAL)  
Agent: ISOFLURANE FOR INHALATION 100ML  
Intubated: YES  
Trauma: NONE

Procedure(s)  
Performed:

Min Intraoperative Temp: 35

Intraoperative Blood Loss: 800 ml Urine Output: 750 ml  
Operation Disposition: SICU  
PAC(U) Admit Score: PAC(U) Discharge Score:

Postop Anesthesia Note Date/Time:

To electronically sign the report, the user enters a **3**.

### Example: Sign the Report Electronically

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004
```

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// 3

In this case, a key field, the ASA CLASS field, has been omitted. The system will prompt the user to supply the missing information before allowing the report to be electronically signed.



---

The Anesthesia Report cannot be signed if the ASA CLASS field, or any other key field information, is missing.

---

Responding **YES** to the, "Do you want to enter this information?" prompt allows the user to enter or correct fields on the Anesthesia Report.

### Example: Entering or Correcting a Field on the Anesthesia Report prior to Signature

The following information is required before this report may be signed:

ASA CLASS

Do you want to enter this information? YES// **YES**

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT,TEN PAGE 1 OF 2
```

```
1 OP ROOM PROCEDURE PERFORMED: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
8 ASA CLASS:
9 OP DISPOSITION:
10 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE) (DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

Enter Screen Server Function: 8

ASA Class: 1 1 1-NO DISTURB

\*\* ANESTHESIA REPORT \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 2

```
1 OP ROOM PROCEDURE PERFORMED: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST,ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST,FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
8 ASA CLASS: 1-NO DISTURB
9 OP DISPOSITION:
10 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE) (DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

Enter Screen Server Function: ^

After any necessary edits have been made, the report can be electronically signed.

### Example: Electronically signing the Anesthesia Report

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// **3** Sign the report electronically

Enter your Current Signature Code: **xxx** SIGNATURE VERIFIED

When typing the electronic signature code, no characters will display on screen.

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

\* \* The Anesthesia Report has been electronically signed. \* \*

Once an Anesthesia Report has been signed, a warning informing the user that the Anesthesia Report has already been signed will display on screen and an addendum will be required for any future changes.

## **Anesthesia Report (Signed)**

After an Anesthesia Report has been signed, any changes to the signed report will require a signed addendum.

### **Example: Editing the Signed Report**

```
Select Operation Menu Option: AR Anesthesia Report
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

* * The Anesthesia Report has been electronically signed. * *

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// 1 Edit report information
```



---

If the Anesthesia Report and/or the Nurse Intraoperative Report has already been signed, the following warning will be displayed. If any data on either signed report is edited, an addendum to the Anesthesia Report and/or to the Nurse Intraoperative Report will be required.

---

### **Example: Warning**

```
SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

>>> WARNING <<<

Electronically signed reports are associated with this case. Editing
of data that appear on electronically signed reports will require the
creation of addenda to the signed reports.

Enter RETURN to continue or '^' to exit: <Enter>
```

The user can proceed to edit the report and sign the required addendum or simply exit.

## Example: Editing the Signed Report

```
ANESTHESIA REPORT CASE #267226 SURPATIENT, TEN PAGE 1 OF 2

1 OP ROOM PROCEDURE PERFORMED: WX OR3
2 PRINC ANESTHETIST: SURANESTHETIST, SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHETIST, ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST, FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
8 ASA CLASS:
9 OP DISPOSITION: (MULTIPLE) (DATA)
10 ANESTHESIA TECHNIQUE: MVR
11 PRINCIPAL PROCEDURE: (MULTIPLE) (DATA)
12 OTHER PROCEDURES: (MULTIPLE)
13 MEDICATIONS:
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)

Enter Screen Server Function: 1
OP ROOM PROCEDURE PERFORMED: WX OR3// BO OR1
```

```
** ANESTHESIA REPORT ** CASE #267226 SURPATIENT, TEN PAGE 1 OF 2
```

```
1 OP ROOM PROCEDURE PERFORMED: BO OR1
2 PRINC ANESTHETIST: SURANESTHETIST, SEVEN
3 RELIEF ANESTHETIST:
4 ANESTHESIOLOGIST SUPVR: SURANESTHESIOLOGIST, ONE
5 ANES SUPERVISE CODE: 3. STAFF ASSISTING C.R.N.A.
6 ASST ANESTHETIST: SURANESTHETIST, FIVE
7 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)
8 ASA CLASS: 1-NO DISTURB.
9 OP DISPOSITION: ICU
10 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
11 PRINCIPAL PROCEDURE: MVR
12 OTHER PROCEDURES: (MULTIPLE) (DATA)
13 MEDICATIONS: (MULTIPLE)
14 MIN INTRAOP TEMPERATURE (C): 35
15 MONITORS: (MULTIPLE)
```

Enter Screen Server Function: ^

SURPATIENT, TEN (000-12-3456) Case #267226 - FEB 12, 2004

An addendum to each of the following electronically signed document(s) is required:

Nurse Intraoperative Report - Case #267226  
Anesthesia Report - Case #267226

If you choose not to create an addendum, the original data will be restored to the modified fields appearing on the signed reports.

Create addendum? YES// **<Enter>**



---

If the user elects to exit these options prior to signing the addendum, all fields on the report revert back to the values entered when electronically signed.

---

If the user elects to exit these options prior to signing the addendum, all fields

on the report revert back to the values entered when electronically signed.

---

Addendum for Case #267226 - FEB 12,2004  
Patient: SURPATIENT,TEN (000-12-3456)

-----  
The Operating Room field was changed  
from WX OR3  
to BO OR1

Enter RETURN to continue or '^' to exit: **<Enter>**

Do you want to add a comment for this case? NO// **YES**

Comment: OPERATING ROOM NUMBER WAS CORRECTED.



Addendum for Case #267226 - FEB 12,2004  
Patient: SURPATIENT,TEN (000-12-3456)

---

The Operating Room field was changed  
from WX OR3  
to BO OR1

Addendum Comment: OPERATING ROOM NUMBER WAS CORRECTED.

Enter RETURN to continue or '^' to exit: <Enter>

Enter your Current Signature Code: **XXX** SIGNATURE VERIFIED

Press RETURN to continue... <Enter>

When typing the electronic signature code, no characters will display on screen.

The *Print/View report from beginning* function can then be used to view or print the report with the addendum.

### Example: Print/View Report With Addendum

SURPATIENT,TEN (000-12-3456) Case #267226 - FEB 12, 2004

\* \* The Anesthesia Report has been electronically signed. \* \*

Anesthesia Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// **2** Print/View report from beginning

Do you want WORK copies or CHART copies? WORK// <Enter>

DEVICE: [**Select Print Device**]

.....*printout follows*.....

-----  
SURPATIENT,TEN 000-12-3456

ANESTHESIA REPORT  
-----

NOTE DATED: 02/12/2004 08:00 ANESTHESIA REPORT

SUBJECT: Case #: 267226

Operating Room: WX OR3

Anesthetist: SURANESTHETIST,SEVEN

Relief Anesth:

Anesthesiologist: SURANESTHESIOLOGIST,ONE

Assist Anesth: SURANESTHETIST,FIVE

Attending Code: 3. STAFF ASSISTING C.R.N.A.

Anes Begin: FEB 12, 2004 08:00

Anes End: FEB 12, 2004 12:10

ASA Class: 1-NO DISTURB.

Operation Disposition: SICU

Anesthesia Technique(s):

GENERAL (PRINCIPAL)

Agent: ISOFLURANE FOR INHALATION 100ML

Enter RETURN to continue or '^' to exit:

Intubated: YES

Trauma: NONE

Procedure(s) Performed:

Principal: MVR

Min Intraoperative Temp: 35

Intraoperative Blood Loss: 800 ml

Urine Output: 750 ml

Operation Disposition: SICU

PAC(U) Admit Score:

PAC(U) Discharge Score:

Postop Anesthesia Note Date/Time:

Signed by: /es/ SEVEN SURANESTHETIST  
03/04/2004 10:59

03/04/2004 11:04 ADDENDUM

The Operating Room field was changed  
from WX OR3  
to BO OR1

Addendum Comment: OPERATING ROOM NUMBER WAS CORRECTED.

Signed by: /es/ SEVEN SURANESTHETIST  
03/04/2004 11:04

## Nurse Intraoperative Report

### [SRONRPT]

The Nurse Intraoperative Report details case information relating to nursing care provided for the patient during the operative case selected. This option provides the capability to view and print the report, edit information contained in the report, and electronically sign the report.

With the *Surgery Site Parameters (Enter/Edit)* option located on the *Surgery Package Management Menu*, the user can select one of two different formats for this report. One format (PRINT ALL FIELD TITLES) includes all field names whether or not information has been entered. The other format (PRINT TITLES WITH INFO ONLY) only includes fields that have actual data.

Electronically signed reports may be viewed through CPRS for completed operations.

### Nurse Intraoperative Report - Before Electronic Signature

Upon selecting the *Nurse Intraoperative Report* option, if the Nurse Intraoperative Report is not signed, the report will begin displaying on the screen.

At the bottom of the first screen is the prompt, "Press <return> to continue, 'A' to access Nurse Intraoperative Report functions, or '^' to exit:". The *Nurse Intraoperative Report* functions, accessed by entering **A** at the prompt, allow the user to edit the report, view or print the report, or electronically sign the report.

### Example: First Page of the Nurse Intraoperative Report

```
Select Operation Menu Option: NR Nurse Intraoperative Report
SURPATIENT,TEN (000-12-3456)
MEDICAL RECORD NURSE INTRAOPERATIVE REPORT - CASE #267226 PAGE 1
Operating Room: BO OR1 Surgical Priority: ELECTIVE
Patient in Hold: JUL 12, 2024 07:30 Patient in OR: JUL 12, 2024 08:00
Operation Begin: JUL 12, 2024 08:58 Operation End: JUL 12, 2024 12:10
Surgeon in OR: JUL 12, 2024 07:45 Patient Out OR: JUL 12, 2024 12:45
Major Operations Performed:
Primary: MVR
Robotic Assistance (Y/N): NO
Wound Classification: CLEAN/CONTAMINATED
Operation Disposition: ICU
Discharged Via: ICU BED
Primary Surgeon: SURSURGEON,THREE First Assist: SURSURGEON,FOUR
Attending Surgeon: SURSURGEON,THREE Second Assist: N/A
Anesthetist: SURANESTHETIST,SEVEN Assistant Anesth: N/A
Press <return> to continue, 'A' to access Nurse Intraoperative Report
functions, or '^' to exit: A
```

After the user enters an **A** at the prompt, the *Nurse Intraoperative Report* functions are displayed. The following examples demonstrate how the three functions are accessed and how they operate.

If the user enters a **1**, the Nurse Intraoperative Report information can be edited.

### Example: Editing the Nurse Intraoperative Report

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// **1** Edit report information

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 7

```
1 DATE OF OPERATION: JUL 12, 2024 AT 08:00
2 OP ROOM PROCEDURE PERFORMED: BO OR1
3 CASE SCHEDULE TYPE: ELECTIVE
4 TIME PAT IN HOLD AREA: JUL 12, 2024 AT 07:30
5 PATIENT EDUCATION/ASSESSMENT: YES
6 TRANS TO OR BY: AMBULATORY
7 TIME PAT IN OR: JUL 12, 2024 AT 08:00
8 DELAY CAUSE: (MULTIPLE)
9 PREOP MOOD: ANXIOUS
10 PREOP CONSCIOUS: ALERT-ORIENTED
11 PREOP SKIN INTEG: INTACT
12 SURG PRESENT TIME: JUL 12, 2024 AT 07:45
13 PRIMARY SURGEON: SURSURGEON,THREE
14 PGY OF PRIMARY SURGEON: 0
15 ATTENDING SURGEON: SURSURGEON,THREE
```

Enter Screen Server Function: **<Enter>**

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 2 OF 7

```
1 FIRST ASST: SURSURGEON,FOUR
2 SECOND ASST:
3 OTHER SCRUBBED ASSISTANTS: (MULTIPLE) (DATA)
4 PRINC ANESTHETIST: SURANESTHETIST,SEVEN
5 ASST ANESTHETIST:
6 ANESTHESIOLOGIST SUPVR:
7 RELIEF ANESTHETIST: SURANESTHETIST,EIGHT
8 ANESTHESIA TECHNIQUE: (MULTIPLE)
9 ASA CLASS:
10 PERFUSIONIST:
11 ASST PERFUSIONIST:
12 OR CIRC SUPPORT: (MULTIPLE)
13 OR SCRUB SUPPORT: (MULTIPLE)
14 OTHER PERSONS IN OR: (MULTIPLE)
15 SURGERY POSITION: (MULTIPLE) (DATA)
```

Enter Screen Server Function: **9**

ASA Class: **1** 1 1-NO DISTURB.

1 FIRST ASST: SURSURGEON,FOUR  
2 SECOND ASST:  
3 OTHER SCRUBBED ASSISTANTS: (MULTIPLE) (DATA)  
4 PRINC ANESTHETIST: SURANESTHETIST,SEVEN  
5 ASST ANESTHETIST:  
6 ANESTHESIOLOGIST SUPVR:  
7 RELIEF ANESTHETIST: SURANESTHETIST,EIGHT  
8 ANESTHESIA TECHNIQUE: (MULTIPLE)  
9 ASA CLASS: 1-NO DISTURB.  
10 PERFUSIONIST:  
11 ASST PERFUSIONIST:  
12 OR CIRC SUPPORT: (MULTIPLE)  
13 OR SCRUB SUPPORT: (MULTIPLE)  
14 OTHER PERSONS IN OR: (MULTIPLE)  
15 SURGERY POSITION: (MULTIPLE) (DATA)

Enter Screen Server Function: <Enter>

1 RESTR & POSITION AIDS: (MULTIPLE) (DATA)  
2 HAIR REMOVAL BY: NURSE,EIGHT  
3 HAIR REMOVAL METHOD: CLIPPER  
4 HAIR REMOVAL COMMENTS: (WORD PROCESSING)  
5 SKIN PREPPED BY (1): NURSE,ELEVEN  
6 SKIN PREPPED BY (2):  
7 SKIN PREP AGENTS: POVIDONE IODINE  
8 SECOND SKIN PREP AGENT:  
9 ELECTROCAUTERY UNIT: DAISY:18%  
10 ESU COAG RANGE:  
11 ESU CUTTING RANGE:  
12 ELECTROGROUND POSITION:  
13 ELECTROGROUND POSITION (2):  
14 SEQUENTIAL COMPRESSION DEVICE:  
15 THERMAL UNIT: (MULTIPLE)

Enter Screen Server Function: <Enter>

1 FOLEY CATHETER INSERTED BY:  
2 CONFIRM PATIENT IDENTITY: YES  
3 PROCEDURE TO BE PERFORMED: YES  
4 SITE OF PROCEDURE: YES  
5 CONFIRM VALID CONSENT: YES, i-MED  
6 CONFIRM PATIENT POSITION: YES  
7 MARKED SITE CONFIRMED: YES  
8 PREOPERATIVE IMAGES CONFIRMED: YES  
9 CORRECT MEDICAL IMPLANTS: YES  
10 AVAILABILITY OF SPECIAL EQUIP: YES  
11 ANTIBIOTIC PROPHYLAXIS: YES  
12 APPROPRIATE DVT PROPHYLAXIS: YES  
13 BLOOD AVAILABILITY: YES  
14 CHECKLIST COMMENT: (WORD PROCESSING)  
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function: <Enter>

```

** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 5 OF 7
1 TIME-OUT COMPLETED: JUL 12, 2024 AT 08:00
2 TIME OPERATION BEGAN: JUL 12, 2024 AT 08:58
3 DEVICE(S) :
4 IRRIGATION: (MULTIPLE)
5 MEDICATIONS: (MULTIPLE)
6 TIME TOURNIQUET APPLIED: (MULTIPLE)
7 CELL SAVER: (MULTIPLE)
8 PROSTHESIS INSTALLED: (MULTIPLE)
9 LASER PERFORMED: (MULTIPLE)
10 SPECIMENS: (WORD PROCESSING)
11 CULTURES: (WORD PROCESSING)
12 SPONGE FINAL COUNT CORRECT: YES
13 SHARPS FINAL COUNT CORRECT: YES
14 INSTRUMENT FINAL COUNT CORRECT: YES
15 SPONGE, SHARPS, & INST COUNTER: SURNURSE,FOUR
Enter Screen Server Function: <Enter>

```

```

** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 6 OF 7
1 COUNT VERIFIER: SURNURSE,FIVE
2 WOUND SWEEP:
3 WOUND SWEEP COMMENTS: (WORD PROCESSING)
4 INTRA-OPERATIVE X-RAY:
5 INTRA-OPERATIVE X-RAY COMMENTS: (WORD PROCESSING)
6 NURSING CARE COMMENTS: (WORD PROCESSING)
7 SURGERY SPECIALTY: CARDIAC SURGERY
8 PRINCIPAL PROCEDURE: MVR
9 LATERALITY OF PROCEDURE:
10 OTHER PROCEDURES: (MULTIPLE)
11 ROBOTIC ASSISTANCE (Y/N): NO
12 WOUND CLASSIFICATION: CLEAN/CONTAMINATED
13 ATTENDING/RES SUP CODE:
14 PACKING: NONE
15 DRESSING: DSD, PAPER TAPE, MEPORE
Enter Screen Server Function: <Enter>

```

---

A surgical case's PLANNED PRIN PROCEDURE CODE will determine what the last page (or pages) will look like when editing its Nurse Intraoperative Report information.

If the case's PLANNED PRIN PROCEDURE CODE field is set to one of the following CPT codes: 32851, 32852, 32853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365, then it is a Transplant case and there will be 9 pages to edit. Also, every page will display as "PAGE <#> OF 9" instead of "PAGE <#> OF 7".



If the case's PLANNED PRIN PROCEDURE CODE field is set to one of the following CPT codes: 44133, 47140, 47141, 47142, 48550, 50320, 50547, then it is a Donor case and there will be 7 pages to edit (with 8 fields on PAGE 7 OF 7).

If the case's PLANNED PRIN PROCEDURE CODE field is set to any other CPT code than the ones mentioned above, then it is neither a Transplant case nor a Donor case and there will be 7 pages to edit

---

---

(with 7 fields on PAGE 7 OF 7).

---

In the example below, PAGE 7 OF 7 belongs to a case that is neither a Transplant case nor a Donor case.

**Example: Last Page of the Nurse Intraoperative Report for a Non-Transplant, Non-Donor Case**

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 7 OF 7
1 TUBES AND DRAINS: #16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES
2 TIME OPERATION ENDS: JUL 12, 2024 AT 12:10
3 POSTOP SKIN INTEG:
4 DISCHARGED VIA: ICU BED
5 OP DISPOSITION: ICU
6 REPORT GIVEN TO:
7 TIME PAT OUT OR: JUL 12, 2024 AT 12:45

Enter Screen Server Function: <Enter>

Processing for last edits...
```



---

After exiting from Nurse Intraoperative Report edit, the system briefly pauses to allow for processing of last edits to complete before returning to the *Nurse Intraoperative Report* functions screen.

---

In the example below, PAGE 7 OF 7 belongs to a Donor case. It has one additional field – SURGEON VER DONOR ORG PRE-ANES.

**Example: Last Page of the Nurse Intraoperative Report for a Donor Case**

```
** NURSE INTRAOP ** CASE #267227 SURPATIENT,ELEVEN PAGE 7 OF 7
1 TUBES AND DRAINS:
2 TIME OPERATION ENDS: JUL 13, 2024 AT 11:10
3 POSTOP SKIN INTEG:
4 DISCHARGED VIA: AMBULATORY
5 OP DISPOSITION: OUTPATIENT/DISCHARGE
6 REPORT GIVEN TO:
7 TIME PAT OUT OR: JUL 13, 2024 AT 11:45
8 SURGEON VER DONOR ORG PRE-ANES:

Enter Screen Server Function: 8
Surgeon Verifying Organ Prior to Donor Anesthesia: SURSURGEON,ONE
```

```
** NURSE INTRAOP ** CASE #267227 SURPATIENT,ELEVEN PAGE 7 OF 7
1 TUBES AND DRAINS:
2 TIME OPERATION ENDS: JUL 13, 2024 AT 11:10
3 POSTOP SKIN INTEG:
4 DISCHARGED VIA: AMBULATORY
5 OP DISPOSITION: OUTPATIENT/DISCHARGE
6 REPORT GIVEN TO:
7 TIME PAT OUT OR: JUL 13, 2024 AT 11:45
8 SURGEON VER DONOR ORG PRE-ANES: SURSURGEON,ONE

Enter Screen Server Function:
```

In the example below, PAGES 7-9 OF 9 belong to a Transplant case. It has 25 additional fields, starting with ORGANS TO BE TRANSPLANTED Multiple and ending with DONOR VESSEL DISPOSITION.



### Example: Last Page of the Nurse Intraoperative Report for a Transplant Case

```

** NURSE INTRAOP ** CASE #267228 SURPATIENT,TWELVE PAGE 7 OF 9

1 TUBES AND DRAINS: #30 CHEST TUBE
2 TIME OPERATION ENDS: JUL 14, 2024 AT 10:10
3 POSTOP SKIN INTEG:
4 DISCHARGED VIA: WARD BED
5 OP DISPOSITION: WARD
6 REPORT GIVEN TO:
7 TIME PAT OUT OR: JUL 14, 2024 AT 10:45
8 ORGANS TO BE TRANSPLANTED: (MULTIPLE) (DATA)
9 UNOS NUMBER: 44432
10 DONOR SEROLOGY HCV: NO
11 DONOR SEROLOGY HBV: NO
12 DONOR SEROLOGY CMV: NO
13 DONOR SEROLOGY HIV: NO
14 DONOR ABO TYPE: O RH(+)
15 RECIPIENT ABO TYPE: O RH(+)

Enter Screen Server Function: <Enter>
```

```

** NURSE INTRAOP ** CASE #267228 SURPATIENT,TWELVE PAGE 8 OF 9

1 BLOOD BANK ABO VERIFICATION: YES
2 BLOOD BANK ABO VER COMMENTS:
3 D/T BLOOD BANK ABO VERIF: JUL 14, 2024 AT 09:32
4 OR ABO VERIFICATION (Y/N): YES
5 OR ABO VER COMMENTS:
6 D/T OR ABO VERIF: JUL 14, 2024 AT 09:33
7 SURGEON VERIFYING UNET: SURSURGEON,THREE
8 UNET VERIF BY SURGEON (Y/N): YES
9 ORGAN VER PRE-ANESTHESIA: YES
10 SURGEON VER ORGAN PRE-ANES: SURSURGEON,TWO
11 SURGEON VER DONOR ORG PRE-ANES:
12 DONOR ORG VER PRE-ANES: NOT APPLICABLE
13 ORGAN VER PRE-TRANSPLANT: YES
14 SURGEON VER ORG PRE-TRANSPLANT: SURSURGEON,TWO
15 DONOR VESSEL UNOS ID: (MULTIPLE) (DATA)

Enter Screen Server Function: <Enter>
```

```

** NURSE INTRAOP ** CASE #267228 SURPATIENT,TWELVE PAGE 9 OF 9

1 DONOR VESSEL USAGE: YES
2 DONOR VESSEL DISPOSITION:

Enter Screen Server Function: 2
Donor Vessel Disposition if not used: ?
Enter disposition of donor vessels.
Choose from:
 N NO DONOR VESSELS RECEIVED
 D DISCARDED
 R RETURNED TO OPO
 S STORED
 NA NOT APPLICABLE
Donor Vessel Disposition if not used: NA
```

```

** NURSE INTRAOP ** CASE #267228 SURPATIENT,TWELVE PAGE 9 OF 9

1 DONOR VESSEL USAGE: YES
2 DONOR VESSEL DISPOSITION: NOT APPLICABLE

Enter Screen Server Function:
```

If the user enters a **2**, the Nurse Intraoperative Report can be printed. In the example below, at the time of printing the report, the Surgery Site Parameter "NURSE INTRAOP REPORT" was set to "PRINT TITLES WITH INFO ONLY" so only populated fields are

displayed.

### Example: Printing the Unsigned Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024
```

```
Nurse Intraoperative Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// <Enter> Print/View report from beginning
```

```
DEVICE: HOME// [Select Print Device]
```

.....*printout follows*.....

Operating Room: BO OR1 Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2024 07:30 Patient in OR: JUL 12, 2024 08:00  
 Operation Begin: JUL 12, 2024 08:58 Operation End: JUL 12, 2024 12:10  
 Surgeon in OR: JUL 12, 2024 07:45 Patient Out OR: JUL 12, 2024 12:45

Major Operations Performed:  
 Primary: MVR  
 Robotic Assistance (Y/N): NO

Wound Classification: CLEAN/CONTAMINATED  
 Operation Disposition: ICU  
 Discharged Via: ICU BED

Primary Surgeon: SURSURGEON, THREE First Assist: SURSURGEON, FOUR  
 Attending Surgeon: SURSURGEON, THREE Second Assist: N/A  
 Anesthetist: SURANESTHETIST, SEVEN Assistant Anesth: N/A

OR Support Personnel:  
 Scrubbed Circulating  
 N/A N/A

Preop Mood: ANXIOUS Preop Consc: ALERT-ORIENTED  
 Preop Skin Integ: INTACT Preop Converse: N/A

--- Time Out Checklist ---

Confirm Correct Patient Identity: YES  
 Confirm Procedure To Be Performed: YES  
 Confirm Site of the Procedure, Including Laterality: YES  
 Confirm Valid Consent: YES, i-MED  
 Confirm Patient Position: YES  
 Confirm Procedure Site has been Marked Appropriately and that the Site of the  
 Mark is Visible After Prep and Draping: YES  
 Pertinent Medical Images Have Been Confirmed: YES  
 Correct Medical Implant(s) is Available: YES  
 Availability of Special Equipment: YES  
 Appropriate Antibiotic Prophylaxis: YES  
 Appropriate Deep Vein Thrombosis Prophylaxis: YES  
 Blood Availability: YES  
 Checklist Comment: NO COMMENTS ENTERED

Time-Out Document Completed By: SURNURSE, FIVE  
 Time-Out Completed: JUL 12, 2024@08:00

Skin Prep By: NURSE, ELEVEN Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: NURSE, EIGHT  
 Surgical Site Hair Removal Method: CLIPPER  
 Hair Removal Comments: NO COMMENTS ENTERED

Surgery Position(s):  
 SUPINE Placed: N/A

Restraints and Position Aids:  
 SAFETY STRAP Applied By: N/A

Electrocautery Unit: DAISY:18%  
 ESU Coagulation Range: N/A  
 ESU Cutting Range: N/A  
 Electroground Position(s): N/A

Tubes and Drains:  
 #16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Possible Item Retention: \* NOT ENTERED \*  
 Sponge Final Count Correct: YES  
 Sharps Final Count Correct: YES  
 Instrument Final Count Correct: YES  
 Wound Sweep: \* NOT ENTERED \*  
 Wound Sweep Comment: NO COMMENTS ENTERED  
 Intra-Operative X-Ray: \* NOT ENTERED \*

Intra-Operative X-Ray Comment: NO COMMENTS ENTERED  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE  
Packing: NONE

Transplant Information:

Organ to be Transplanted: \* NOT ENTERED \*  
UNOS Identification Number of Donor:  
Donor Serology Hepatitis C virus (HCV): \* NOT ENTERED \*  
Donor Serology Hepatitis B Virus (HBV): \* NOT ENTERED \*  
Donor Serology Cytomegalovirus (CMV): \* NOT ENTERED \*  
Donor Serology HIV: \* NOT ENTERED \*  
Donor ABO Type: \* NOT ENTERED \*  
Recipient ABO Type: \* NOT ENTERED \*  
Blood Bank Verification of ABO Type: \* NOT ENTERED \*  
Blood Bank ABO Verification Comments:  
Date/Time of Blood Bank ABO Verification: \* NOT ENTERED \*  
OR Verification of ABO Type: \* NOT ENTERED \*  
OR ABO Verification Comments:  
Date/Time OR ABO Verification: \* NOT ENTERED \*  
Surgeon Performing UNET Verification: \* NOT ENTERED \*  
UNET Verification by Surgeon: \* NOT ENTERED \*  
Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Donor Anesthesia: \* NOT ENTERED \*  
Donor Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Organ Verification Prior to Transplant: \* NOT ENTERED \*  
Surgeon Verifying the Organ Prior to Transplant: \* NOT ENTERED \*  
Donor Vessel Usage: \* NOT ENTERED \*  
Donor Vessel Disposition if not used:  
Donor Vessel UNOS ID:



---

The Transplant Information section will only appear for:

- 1) Transplant cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 32851, 32852, 32853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365
  - 2) Donor cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 44133, 47140, 47141, 47142, 48550, 50320, 50547
- 

Immediate Use Steam Sterilization Episodes:

Contamination: 0  
SPS Processing/OR Management Issues: 0  
Emergency Case: 0  
No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Contaminated During the Case: 0

Nursing Care Comments: NO COMMENTS ENTERED

If the user enters a **3**, the Nurse Intraoperative Report can be electronically signed. However, *Nurse Intraoperative Report* function “3. Sign the report electronically” is only accessible after the TIME PAT IN OR and TIME PAT OUT OR fields have been entered.



---

Entering the TIME PAT OUT OR field triggers an alert that is sent to the nurse responsible for signing the report. By acting on the alert, the nurse accesses the *Nurse Intraoperative Report* option to electronically sign the report.

---

### Example: Signing the Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024
```

```
Nurse Intraoperative Report Functions:
```

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

```
Select number: 2// 3 Sign the report electronically
```

At the time of electronic signature, the software checks for data in key fields; if any of the key fields are not entered, a warning will appear to inform the user which fields are missing and to prompt the user to provide the missing information.

The following information is required before the Nurse Intraoperative Report may be signed:

- TIME PAT IN OR
- TIME PAT OUT OR
- ROBOTIC ASSISTANCE (Y/N)
- PREOPERATIVE IMAGING CONFIRMED
- MARKED SITE CONFIRMED
- CORRECT PATIENT IDENTITY
- PROCEDURE TO BE PERFORMED
- SITE OF PROCEDURE
- CONFIRM VALID CONSENT
- CONFIRM PATIENT POSITION
- CORRECT MEDICAL IMPLANTS
- ANTIBIOTIC PROPHYLAXIS
- APPROPRIATE DVT PROPHYLAXIS
- BLOOD AVAILABILITY
- AVAILABILITY OF SPECIAL EQUIP
- HAIR REMOVAL METHOD
- ASA CLASS

- TIME-OUT DOCUMENT COMPLETED BY
- TIME-OUT COMPLETED
- CHECKLIST COMMENT\*
- ANESTHESIA TECHNIQUE Multiple

\*The CHECKLIST COMMENT field is included in the "list of required information before the Nurse Intraoperative Report may be signed" if any of the following Time Out Verified Utilizing Checklist fields are answered "NO" or left blank:

- CORRECT PATIENT IDENTITY
- PROCEDURE TO BE PERFORMED
- SITE OF PROCEDURE
- CONFIRM VALID CONSENT
- CONFIRM PATIENT POSITION
- MARKED SITE CONFIRMED
- PREOPERATIVE IMAGING CONFIRMED
- CORRECT MEDICAL IMPLANTS
- AVAILABILITY OF SPECIAL EQUIP
- ANTIBIOTIC PROPHYLAXIS
- APPROPRIATE DVT PROPHYLAXIS
- BLOOD AVAILABILITY

If any of the Time Out Verified Utilizing Checklist fields are answered "NO", then the user is prompted to enter information in the CHECKLIST COMMENT field and the CHECKLIST COMMENT field is required for electronic signature of the Nurse Intraoperative Report. But if all of the Time Out Verified Utilizing Checklist fields are answered "YES" (or "NA" or "NI" for the fields with those options), then the CHECKLIST COMMENT field is NOT required for electronic signature of the Nurse Intraoperative Report.

### Example: Prompt for Checklist Comment

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 4 OF 7

1 FOLEY CATHETER INSERTED BY:
2 CONFIRM PATIENT IDENTITY: YES
3 PROCEDURE TO BE PERFORMED: YES
4 SITE OF PROCEDURE: YES
5 CONFIRM VALID CONSENT: YES, i-MED
6 CONFIRM PATIENT POSITION: YES
7 MARKED SITE CONFIRMED: YES
8 PREOPERATIVE IMAGES CONFIRMED: YES
9 CORRECT MEDICAL IMPLANTS: YES
10 AVAILABILITY OF SPECIAL EQUIP: YES
11 ANTIBIOTIC PROPHYLAXIS: YES
12 APPROPRIATE DVT PROPHYLAXIS: YES
13 BLOOD AVAILABILITY: YES
14 CHECKLIST COMMENT: (WORD PROCESSING)
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function: 11
Confirm Appropriate Antibiotic Prophylaxis: YES// NO
1 NO
2 NOT INDICATED
CHOOSE 1-2: 1
```

Checklist Comments should be entered when a "NO" response is entered for any of the Time Out Verified Utilizing Checklist fields.  
Do you want to enter Checklist Comment ? YES// **NO**

```
** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 4 OF 7

1 FOLEY CATHETER INSERTED BY:
2 CONFIRM PATIENT IDENTITY: YES
3 PROCEDURE TO BE PERFORMED: YES
4 SITE OF PROCEDURE: YES
5 CONFIRM VALID CONSENT: YES, i-MED
6 CONFIRM PATIENT POSITION: YES
7 MARKED SITE CONFIRMED: YES
8 PREOPERATIVE IMAGES CONFIRMED: YES
9 CORRECT MEDICAL IMPLANTS: YES
10 AVAILABILITY OF SPECIAL EQUIP: YES
11 ANTIBIOTIC PROPHYLAXIS: NO
12 APPROPRIATE DVT PROPHYLAXIS: YES
13 BLOOD AVAILABILITY: YES
14 CHECKLIST COMMENT: (WORD PROCESSING)
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function:
```

**Here are additional fields that are included in the "list of required information before the Nurse Intraoperative Report may be signed" under certain circumstances:**

If the HAIR REMOVAL METHOD field is answered "SHAVING" or "OTHER" then the HAIR REMOVAL COMMENTS field is required.

If the COUNT VERIFIER field is entered, then the following fields are required:

- SPONGE FINAL COUNT CORRECT
- SHARPS FINAL COUNT CORRECT
- INSTRUMENT FINAL COUNT CORRECT
- SPONGE, SHARPS, & INST COUNTER

If any of the count fields (SPONGE FINAL COUNT CORRECT, SHARPS FINAL COUNT CORRECT, INSTRUMENT FINAL COUNT CORRECT) are answered "NO", then the WOUND SWEEP and INTRAOPERATIVE X-RAY fields are required.

If the PROSTHESIS INSTALLED field has one or more items entered, then the following fields are required for each item:

- IMPLANT STERILITY CHECKED
- STERILITY EXPIRATION DATE
- RN VERIFIER
- LOT NUMBER
- SERIAL NUMBER
- PROVIDER READ BACK PERFORMED



If the case's PLANNED PRIN PROCEDURE CODE field is set to one of the following CPT codes:

32851, 32852, 32853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365

then the following fields are required:

- UNOS NUMBER
- DONOR SEROLOGY HCV
- DONOR SEROLOGY HBV
- DONOR SEROLOGY CMV
- DONOR SEROLOGY HIV
- DONOR ABO TYPE
- RECEIPIENT ABO TYPE
- BLOOD BANK ABO VERIFICATION
- OR ABO VERIFICATION
- SURGEON VERIFYING UNET
- ORGAN VER PRE-ANESTHESIA
- ORGAN VER PRE-TRANSPLANT
- DONOR VESSEL USAGE
- DONOR VESSEL DISPOSITION
- D/T BLOOD BANK ABO VERIF
- D/T OR ABO VERIF
- UNET VERIF BY SURGEON
- SURGEON VER ORGAN PRE-ANES
- DONOR ORG VER PRE-ANES
- SURGEON VER ORG PRE-TRANSPLANT
- DONOR VESSEL UNOS ID Multiple
- ORGAN TO BE TRANSPLANTED Multiple

If the case's PLANNED PRIN PROCEDURE CODE field is set to one of the following CPT codes:

44133, 47140, 47141, 47142, 48550, 50320, 50547

then the SURGEON VER DONOR ORG PRE-ANES field is required.

In the following example, the CHECKLIST COMMENT field and ANESTHESIA TECHNIQUE multiple must be entered before the Nurse Intraoperative Report may be electronically signed.

## Example: Missing Fields Warning, Correction, and Electronic Signature

The following information is required before this report may be signed:

CHECKLIST COMMENT  
ANESTHESIA TECHNIQUE Multiple

Do you want to enter this information? YES// <Enter>

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 7

1 DATE OF OPERATION: JUL 12, 2024 AT 08:00  
2 OP ROOM PROCEDURE PERFORMED: BO OR1  
3 CASE SCHEDULE TYPE: ELECTIVE  
4 TIME PAT IN HOLD AREA: JUL 12, 2024 AT 07:30  
5 PATIENT EDUCATION/ASSESSMENT: YES  
6 TRANS TO OR BY: AMBULATORY  
7 TIME PAT IN OR: JUL 12, 2024 AT 08:00  
8 DELAY CAUSE: (MULTIPLE)  
9 PREOP MOOD: ANXIOUS  
10 PREOP CONSCIOUS: ALERT-ORIENTED  
11 PREOP SKIN INTEG: INTACT  
12 SURG PRESENT TIME: JUL 12, 2024 AT 07:45  
13 PRIMARY SURGEON: SURSURGEON,THREE  
14 PGY OF PRIMARY SURGEON: 0  
15 ATTENDING SURGEON: SURSURGEON,THREE

Enter Screen Server Function: <Enter>

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 2 OF 7

1 FIRST ASST: SURSURGEON,FOUR  
2 SECOND ASST:  
3 OTHER SCRUBBED ASSISTANTS: (MULTIPLE) (DATA)  
4 PRINC ANESTHETIST: SURANESTHETIST,SEVEN  
5 ASST ANESTHETIST:  
6 ANESTHESIOLOGIST SUPVR:  
7 RELIEF ANESTHETIST: SURANESTHETIST,EIGHT  
8 ANESTHESIA TECHNIQUE: (MULTIPLE)  
9 ASA CLASS: 1-NO DISTURB.  
10 PERFUSIONIST:  
11 ASST PERFUSIONIST:  
12 OR CIRC SUPPORT: (MULTIPLE)  
13 OR SCRUB SUPPORT: (MULTIPLE)  
14 OTHER PERSONS IN OR: (MULTIPLE)  
15 SURGERY POSITION: (MULTIPLE) (DATA)

Enter Screen Server Function: 8

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1  
ANESTHESIA TECHNIQUE

1 NEW ENTRY

Enter Screen Server Function: 1  
Select ANESTHESIA TECHNIQUE: G (G GENERAL)  
ANESTHESIA TECHNIQUE: GENERAL// <Enter>

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1  
ANESTHESIA TECHNIQUE (0)

1 ANESTHESIA TECHNIQUE: GENERAL

Enter Screen Server Function: <Enter>

\*\* NURSE INTRAOP \*\* CASE #267226 SURPATIENT,TEN PAGE 1 OF 1  
ANESTHESIA TECHNIQUE

1 ANESTHESIA TECHNIQUE: GENERAL  
2 NEW ENTRY

Enter Screen Server Function: <Enter>

1 FIRST ASST: SURSURGEON,FOUR  
2 SECOND ASST:  
3 OTHER SCRUBBED ASSISTANTS: (MULTIPLE) (DATA)  
4 PRINC ANESTHETIST: SURANESTHETIST,SEVEN  
5 ASST ANESTHETIST:  
6 ANESTHESIOLOGIST SUPVR:  
7 RELIEF ANESTHETIST: SURANESTHETIST,EIGHT  
8 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)  
9 ASA CLASS: 1-NO DISTURB.  
10 PERFUSIONIST:  
11 ASST PERFUSIONIST:  
12 OR CIRC SUPPORT: (MULTIPLE)  
13 OR SCRUB SUPPORT: (MULTIPLE)  
14 OTHER PERSONS IN OR: (MULTIPLE)  
15 SURGERY POSITION: (MULTIPLE) (DATA)

Enter Screen Server Function: **P4**

1 FOLEY CATHETER INSERTED BY:  
2 CONFIRM PATIENT IDENTITY: YES  
3 PROCEDURE TO BE PERFORMED: YES  
4 SITE OF PROCEDURE: YES  
5 CONFIRM VALID CONSENT: YES, i-MED  
6 CONFIRM PATIENT POSITION: YES  
7 MARKED SITE CONFIRMED: YES  
8 PREOPERATIVE IMAGES CONFIRMED: YES  
9 CORRECT MEDICAL IMPLANTS: YES  
10 AVAILABILITY OF SPECIAL EQUIP: YES  
11 ANTIBIOTIC PROPHYLAXIS: NO  
12 APPROPRIATE DVT PROPHYLAXIS: YES  
13 BLOOD AVAILABILITY: YES  
14 CHECKLIST COMMENT: (WORD PROCESSING)  
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function: **14**

CHECKLIST COMMENT:

1>**ANTIBIOTICS NOT NECESSARY**

2> **<Enter>**

EDIT Option: **<Enter>**

1 FOLEY CATHETER INSERTED BY:  
2 CONFIRM PATIENT IDENTITY: YES  
3 PROCEDURE TO BE PERFORMED: YES  
4 SITE OF PROCEDURE: YES  
5 CONFIRM VALID CONSENT: YES, i-MED  
6 CONFIRM PATIENT POSITION: YES  
7 MARKED SITE CONFIRMED: YES  
8 PREOPERATIVE IMAGES CONFIRMED: YES  
9 CORRECT MEDICAL IMPLANTS: YES  
10 AVAILABILITY OF SPECIAL EQUIP: YES  
11 ANTIBIOTIC PROPHYLAXIS: NO  
12 APPROPRIATE DVT PROPHYLAXIS: YES  
13 BLOOD AVAILABILITY: YES  
14 CHECKLIST COMMENT: (WORD PROCESSING) (DATA)  
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function: **^**

Processing for last edits...

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning
3. Sign the report electronically

Select number: 2// **3** Sign the report electronically

Enter your Current Signature Code: **XXXXXX** SIGNATURE VERIFIED..

Press RETURN to continue... **<Enter>**



---

When typing the electronic signature code, no characters will display on screen.

---

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

\* \* The Nurse Intraoperative Report has been electronically signed. \* \*

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2//

### **Nurse Intraoperative Report - After Electronic Signature**

After the Nurse Intraoperative Report has been signed, any changes to the report will require a signed addendum.

#### **Example: Editing the Signed Nurse Intraoperative Report**

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

\* \* The Nurse Intraoperative Report has been electronically signed. \* \*

Nurse Intraoperative Report Functions:

1. Edit report information
2. Print/View report from beginning

Select number: 2// **1** Edit report information

If the Anesthesia Report and/or the Nurse Intraoperative Report is already signed, the following warning will be displayed.

SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

>>> WARNING <<<

Electronically signed reports are associated with this case. Editing of data that appear on electronically signed reports will require the creation of addenda to the signed reports.

Type <Enter> to continue or '^' to exit: **<Enter>**

If any data on either signed report is edited, an addendum to the Anesthesia Report and/or to the Nurse Intraoperative Report will be required.

First, the user makes the edits to the desired field.

```
 ** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 4 OF 7

1 FOLEY CATHETER INSERTED BY:
2 CONFIRM PATIENT IDENTITY: YES
3 PROCEDURE TO BE PERFORMED: YES
4 SITE OF PROCEDURE: YES
5 CONFIRM VALID CONSENT: YES, i-MED
6 CONFIRM PATIENT POSITION: YES
7 MARKED SITE CONFIRMED: YES
8 PREOPERATIVE IMAGES CONFIRMED: YES
9 CORRECT MEDICAL IMPLANTS: YES
10 AVAILABILITY OF SPECIAL EQUIP: YES
11 ANTIBIOTIC PROPHYLAXIS: NO
12 APPROPRIATE DVT PROPHYLAXIS: YES
13 BLOOD AVAILABILITY: YES
14 CHECKLIST COMMENT: (WORD PROCESSING) (DATA)
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE

Enter Screen Server Function: 15
TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,FIVE// SURNURSE,SIX
```

```
 ** NURSE INTRAOP ** CASE #267226 SURPATIENT,TEN PAGE 4 OF 7

1 FOLEY CATHETER INSERTED BY:
2 CONFIRM PATIENT IDENTITY: YES
3 PROCEDURE TO BE PERFORMED: YES
4 SITE OF PROCEDURE: YES
5 CONFIRM VALID CONSENT: YES, i-MED
6 CONFIRM PATIENT POSITION: YES
7 MARKED SITE CONFIRMED: YES
8 PREOPERATIVE IMAGES CONFIRMED: YES
9 CORRECT MEDICAL IMPLANTS: YES
10 AVAILABILITY OF SPECIAL EQUIP: YES
11 ANTIBIOTIC PROPHYLAXIS: NO
12 APPROPRIATE DVT PROPHYLAXIS: YES
13 BLOOD AVAILABILITY: YES
14 CHECKLIST COMMENT: (WORD PROCESSING) (DATA)
15 TIME-OUT DOCUMENT COMPLETED BY: SURNURSE,SIX

Enter Screen Server Function: ^
```

Processing for last edits...



After exiting from Nurse Intraoperative Report edit, the system briefly pauses to allow for processing of last edits to complete before prompting the user to create an addendum.

An addendum is required before the edit can be made to the signed report.

### Example: Creating an Addendum

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024

An addendum to each of the following electronically signed document(s) is
required:

 Nurse Intraoperative Report - Case #267226

If you choose not to create an addendum, the original data will be restored
to the modified fields appearing on the signed reports.

Create addendum? YES// <Enter>
```

```
Addendum for Case #267226 - JUL 12,2024
Patient: SURPATIENT,TEN (000-12-3456)
```

```

The Time Out Document Completed By field was changed
 from SURNURSE,FIVE
 to SURNURSE,SIX
```

Type <Enter> to continue or '^' to exit: <Enter>

Before the addendum is signed, comments may be added.

```
Do you want to add a comment for this case? NO// YES
```

```
Comment: TO DOC COMPLETED BY CORRECTION
```

### Example: Signing the Addendum

```
Addendum for Case #267226 - JUL 12,2024
Patient: SURPATIENT,TEN (000-12-3456)
```

```

The Time Out Document Completed By field was changed
 from SURNURSE,FIVE
 to SURNURSE,SIX
```

```
Addendum Comment: TO DOC COMPLETED BY CORRECTION
```

Type <Enter> to continue or '^' to exit: <Enter>

```
Enter your Current Signature Code: XXXXXX SIGNATURE VERIFIED..
```

```
Press RETURN to continue... <Enter>
```



---

When typing the electronic signature code, no characters will display on screen.

---

In the example below, at the time of printing the report, the Surgery Site Parameter "NURSE INTRAOP REPORT" was set to "PRINT TITLES WITH INFO ONLY" so only populated fields are displayed.

### Example: Printing the Signed Nurse Intraoperative Report

```
SURPATIENT,TEN (000-12-3456) Case #267226 - JUL 12, 2024
```

```
* * The Nurse Intraoperative Report has been electronically signed. * *
```

```
Nurse Intraoperative Report Functions:
```

1. Edit report information
2. Print/View report from beginning

```
Select number: 2// <Enter> Print/View report from beginning
```

```
Do you want WORK copies or CHART copies? WORK// <Enter>
```

```
DEVICE: HOME// [Select Print Device]
```

-----printout follows-----

-----  
SURPATIENT, TEN 000-12-3456

NURSE INTRAOPERATIVE REPORT  
-----

NOTE DATED: 07/12/2024 08:00 NURSE INTRAOPERATIVE REPORT  
VISIT: 07/12/2024 08:00 BO OR1  
SUBJECT: Case #: 267226

Operating Room: BO OR1 Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2024 07:30 Patient in OR: JUL 12, 2024 08:00  
Operation Begin: JUL 12, 2024 08:58 Operation End: JUL 12, 2024 12:10  
Surgeon in OR: JUL 12, 2024 07:45 Patient Out OR: JUL 12, 2024 12:45

Major Operations Performed:  
Primary: MVR  
Robotic Assistance (Y/N): NO

Wound Classification: CLEAN/CONTAMINATED  
Operation Disposition: ICU  
Discharged Via: ICU BED

Primary Surgeon: SURSURGEON, THREE First Assist: SURSURGEON, FOUR  
Attending Surgeon: SURSURGEON, THREE Second Assist: N/A  
Anesthetist: SURANESTHETIST, SEVEN Assistant Anesth: N/A

OR Support Personnel:  
Scrubbed N/A Circulating N/A

Preop Mood: ANXIOUS Preop Consc: ALERT-ORIENTED  
Preop Skin Integ: INTACT Preop Converse: N/A

--- Time Out Checklist ---

Confirm Correct Patient Identity: YES  
Confirm Procedure To Be Performed: YES  
Confirm Site of the Procedure, Including Laterality: YES  
Confirm Valid Consent: YES, i-MED  
Confirm Patient Position: YES  
Confirm Procedure Site has been Marked Appropriately and that the Site of the  
Mark is Visible After Prep and Draping: YES  
Pertinent Medical Images Have Been Confirmed: YES  
Correct Medical Implant(s) is Available: YES  
Availability of Special Equipment: YES  
Appropriate Antibiotic Prophylaxis: NO  
Appropriate Deep Vein Thrombosis Prophylaxis: YES  
Blood Availability: YES  
Checklist Comment:  
ANTIBIOTICS NOT NECESSARY

Time-Out Document Completed By: SURNURSE, FIVE  
Time-Out Completed: JUL 12, 2024@08:00

Skin Prep By: NURSE, ELEVEN Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: NURSE, EIGHT  
Surgical Site Hair Removal Method: CLIPPER  
Hair Removal Comments: NO COMMENTS ENTERED

Surgery Position(s):  
SUPINE Placed: N/A

Restraints and Position Aids:  
SAFETY STRAP Applied By: N/A

Electrocautery Unit: DAISY:18%  
ESU Coagulation Range: N/A  
ESU Cutting Range: N/A  
Electroground Position(s): N/A

Anesthesia Technique(s):  
GENERAL

Tubes and Drains:

#16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Possible Item Retention: \* NOT ENTERED \*  
Sponge Final Count Correct: YES  
Sharps Final Count Correct: YES  
Instrument Final Count Correct: YES  
Wound Sweep: \* NOT ENTERED \*  
Wound Sweep Comment: NO COMMENTS ENTERED  
Intra-Operative X-Ray: \* NOT ENTERED \*  
Intra-Operative X-Ray Comment: NO COMMENTS ENTERED  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE  
Packing: NONE

Transplant Information:

Organ to be Transplanted: \* NOT ENTERED \*  
UNOS Identification Number of Donor:  
Donor Serology Hepatitis C virus (HCV): \* NOT ENTERED \*  
Donor Serology Hepatitis B Virus (HBV): \* NOT ENTERED \*  
Donor Serology Cytomegalovirus (CMV): \* NOT ENTERED \*  
Donor Serology HIV: \* NOT ENTERED \*  
Donor ABO Type: \* NOT ENTERED \*  
Recipient ABO Type: \* NOT ENTERED \*  
Blood Bank Verification of ABO Type: \* NOT ENTERED \*  
Blood Bank ABO Verification Comments:  
Date/Time of Blood Bank ABO Verification: \* NOT ENTERED \*  
OR Verification of ABO Type: \* NOT ENTERED \*  
OR ABO Verification Comments:  
Date/Time OR ABO Verification: \* NOT ENTERED \*  
Surgeon Performing UNET Verification: \* NOT ENTERED \*  
UNET Verification by Surgeon: \* NOT ENTERED \*  
Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Donor Anesthesia: \* NOT ENTERED \*  
Donor Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Organ Verification Prior to Transplant: \* NOT ENTERED \*  
Surgeon Verifying the Organ Prior to Transplant: \* NOT ENTERED \*  
Donor Vessel Usage: \* NOT ENTERED \*  
Donor Vessel Disposition if not used:  
Donor Vessel UNOS ID:

---

The Transplant Information section will only appear for:

- 1) Transplant cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 32851, 32852, 32853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365
  - 2) Donor cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 44133, 47140, 47141, 47142, 48550, 50320, 50547
- 



Immediate Use Steam Sterilization Episodes:

Contamination: 0  
SPS Processing/OR Management Issues: 0  
Emergency Case: 0  
No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Contaminated During the Case: 0

Nursing Care Comments: NO COMMENTS ENTERED

Signed by: /es/ FIVE SURNURSE  
07/13/2024 10:41

07/17/2024 16:42

ADDENDUM

STATUS: COMPLETED



The Time Out Document Completed By field was changed  
from SURNURSE,FIVE  
to SURNURSE,SIX

Addendum Comment: TO DOC COMPLETED BY CORRECTION  
Signed by: /es/ FIVE SURNURSE  
07/17/2024 16:42

# Tissue Examination Report

## [SROTRPT]

The *Tissue Examination Report* option is used to generate the Tissue Examination Report that contains information about cultures and specimens sent to the laboratory.

This report prints in an 80-column format and can be viewed on the screen.

### Example: Tissue Examination Report

Select Operation Menu Option: **TR** Tissue Examination Report  
 DEVICE: *[Select Print Device]*

*printout follows*

```

MEDICAL RECORD | TISSUE EXAMINATION

Specimen Submitted By: Obtained: MAR 09, 1999
OR1, SURGERY CASE # 187

Specimen(s) :

Brief Clinical History:
Subscapular pain for 3 days. Nausea and vomiting.
Increased serum amylase.

Operative Procedure(s):
CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM

Preoperative Diagnosis:
CHOLECYSTITIS

Operative Findings:
THE GALLBLADDER HAD A FEW ADHESIONS EASILY REMOVED
AND WAS FOUND TO BE FIRMLY DISTENDED WITH STONES.

Postoperative Diagnosis: Signature and Title
CHOLECYSTITIS SURSURGEON,TWO

Attending Surgeon: SURSURGEON,ONE

PATHOLOGY REPORT

Name of Laboratory Accession Number(s)

Gross Description, Histologic Examination and Diagnosis

```

(Continue on reverse side)

```

PATHOLOGIST'S SIGNATURE DATE:

SURPATIENT,NINE AGE: 48 SEX: MALE ID # 000-34-5555
ETHNICITY: NOT HISPANIC REGISTER NO.
RACE: WHITE, ASIAN
WARD: ROOM-BED:

VAMC: MAYBERRY, NC REPLACEMENT FORM 515

```

## Enter Referring Physician Information

### [SRROMEN-REFER]

The *Enter Referring Physician Information* option allows the surgical staff to enter the name, address, and phone number of the individual or institution that referred the patient. The scheduling manager usually enters referring physician information when the operation is booked. This information shows up on many reports.

First, users identify the surgical specialty to which the patient will be assigned. To add a new case to the waiting list, the user must enter the patient's name and the procedure name. The user can also add comments, referring physician name and address, tentative admission date, and tentative operation date. This information will appear on the *Waiting List Report*. Patient names stay on the waiting list until the data is used to make a request or until the data is deleted.

After entering a Referring Physician name or partial name, the system prompts, "Is this a VA Physician from this facility? (Y/N): <Y>". If the user answers Y, a list of VA physician names displays that matches the data entered. The user selects from those listed. The physician's address and telephone number are also copied into the corresponding fields if the data is available. If no selection is made, the system accepts the information entered as free text.

If the referring physician is not from that VA facility, then the system uses the information already entered as the Referring Physician name, or the user can enter the appropriate name.

### Example: Enter Referring Physician Information

```
Select Operation Menu Option: R Enter Referring Physician Information
Select REFERRING PHYSICIAN: SURPHYSICIAN,ONE
Is this a VA physician from this facility? (Y/N): Y
Lookup: NAME
 2 SURPHYSICIAN,O OJ 112 SURGICAL STUDENT
 3 SURPHYSICIAN,S
 4 SURPHYSICIAN,S A
 5 SURPHYSICIAN,S T
 6 SURPHYSICIAN,T
Press <RETURN> to see more, ^^ to exit this list, ^^^ to exit all lists, OR
CHOOSE 1-5:
```

## Enter Irrigations and Restraints

### [SROMEN-REST]

The *Enter Irrigations and Restraints* option is designed to allow the nurse to quickly document the irrigation solutions or the restraint and positioning devices used in a case. The list of solutions or devices can be different at each facility.

At the "Select Number:" prompt, the user should choose the number corresponding to the solution or device. For more than one choice, numbers are separated with a comma. If an item has been selected before, a default prompt will appear. The user can enter an at-sign (@) to delete the selection, as in Example 3.

#### Example 1: Entering Irrigations

```
Select Operation Menu Option: RP Enter Irrigations or Restraints
Enter/Edit Irrigations or Restraints and Positioning Aids:
```

```
1. Irrigations
2. Restraints and Positioning Aids
Select Number: 1
```

#### IRRIGATION SOLUTIONS

```
=====
```

|                         |                        |
|-------------------------|------------------------|
| 1. AEROSP/PXYN          | 2. BACITRACIN SOLUTION |
| 3. BETADINE SOLUTION    | 4. HEPARIN             |
| 5. HEPARINIZED SALINE   | 6. ICED SALINE         |
| 7. KANTREX SOLUTION     | 8. KEFLEX SOLUTION     |
| 9. NEOMYCIN             | 10. NEOMYCIN SOLUTION  |
| 11. NORMAL SALINE       | 12. POVODINE           |
| 13. SORBITAL            | 14. STERILE WATER      |
| 15. VEIN GRAFT SOLUTION | 16. THROMBIN           |

```
Select the number(s) corresponding to your choice: 2,15
```

```
Entering BACITRACIN SOLUTION ...
Entering VEIN GRAFT SOLUTION ...
```

```
Press <Enter> to continue <Enter>
```

#### Example 2: Restraints and Positioning Aids

```
Select Operation Menu Option: RP Enter Irrigations or Restraints
```

```
Enter/Edit Irrigations or Restraints and Positioning Aids:
```

```
1. Irrigations
2. Restraints and Positioning Aids
```

```
Select Number: 2
```

```

=====
Restraints and Positioning Aids
=====
1. ARMSHEET 2. SAFETY STRAP
3. ARMBOARD 4. VAC PAC
5. FOAM PADS 6. PILLOW
7. AXILLARY ROLL 8. ADHESIVE TAPE
9. SURGERY ARMBOARD 10. KIDNEY REST
11. SANDBAG 12. OVERHEAD ARMREST
13. ROLLED SHEET 14. LEG HOLDER
15. FOOT EXTENSION 16. STIRRUPS
17. FRACTURE TABLE 18. OTHER

Select the number(s) corresponding to your choice: 3,6,9
Entering ARMBOARD ...

Entering PILLOW ...

Entering SURGERY ARMBOARD ...

Press <Enter> to continue <Enter>

```

### Example 3: Deleting Restraints and Positioning Aids

```

Select Operation Menu Option: RP Enter Irrigations or Restraints

Enter/Edit Irrigations or Restraints and Positioning Aids:
1. Irrigations
2. Restraints and Positioning Aids

Select Number: 2

=====
Restraints and Positioning Aids
=====
1. ARMSHEET 2. SAFETY STRAP
3. ARMBOARD 4. VAC PAC
5. FOAM PADS 6. PILLOW
7. AXILLARY ROLL 8. ADHESIVE TAPE
9. SURGERY ARMBOARD 10. KIDNEY REST
11. SANDBAG 12. OVERHEAD ARMREST
13. ROLLED SHEET 14. LEG HOLDER
15. FOOT EXTENSION 16. STIRRUPS
17. FRACTURE TABLE 18. OTHER

Select the number(s) corresponding to your choice: 3
Entering ARMBOARD ...
 RESTR & POSITION AIDS: ARMBOARD// @
 SURE YOU WANT TO DELETE THE ENTIRE RESTR & POSITION AIDS? Y (YES)

Press <Enter> to continue

```

## Medications (Enter/Edit)

### [SROANES MED]

The *Medications (Enter/Edit)* option allows the user to enter all the medications administered on a case. It is designed to aid in quickly entering many different medications for a case.

In one entry, the user can enter the medication, dosage, route, and time given with the use of slashes between these categories. After one medication has been entered, the software will return the cursor to the beginning prompt so that the user can enter another medication for the case. When the user is finished entering medications for the case, he or she should press the **<Enter>** key to return to the menu.

### About the prompts

"ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:" Respond to this prompt with the medication, dosage, route, and time given separated by slashes. If the software needs more specific information about the medication, the user will be prompted. In the example below, the software reads "Valium" and then asks the user to select from the Valiums on file. A question mark can be entered in place of one of the categories in order to get help or more information. In the example, a question mark was entered in place of the route. Then, in response to the question mark, the software offered a list of acceptable routes.

## Example: Entering Medication

Select Operation Menu Option: **Medications** (Enter/Edit)

ENTER MEDICATION/DOSE (MG) /ROUTE/TIME: **DIAZEPAM/5MG/?/8:00**

|   |                         |     |                                  |
|---|-------------------------|-----|----------------------------------|
| 1 | DIAZEPAM 10MG S.R. CAP  | N/F | ***NOT MANUFACTURED***           |
| 2 | DIAZEPAM 10MG S.T.      |     | NOTE RESTRICTIONS (ON OPTS ONLY) |
| 3 | DIAZEPAM 15 MG S.R. CAP | N/F | NOTE RESTRICTIONS                |
| 4 | DIAZEPAM 2MG S.T.       | N/F |                                  |
| 5 | DIAZEPAM 5MG S.T.       |     | NOTE RESTRICTIONS (ON OPTS ONLY) |

Press <RETURN> to see more, '^' to exit this list, OR  
CHOOSE 1-5: **5**

Route entered is not one of the available choices.  
Please enter medication route again.

Choose from:

|    |               |
|----|---------------|
| IV | INTRAVENOUS   |
| T  | TOPICAL       |
| IR | IRRIGATION    |
| IM | INTRAMUSCULAR |
| R  | RECTAL        |
| S  | SUBLINGUAL    |
| SC | SUBCUTANEOUS  |
| IN | INFILTRATE    |
| O  | OTHER         |
| P  | PREPUMP       |
| OR | ORAL          |

Enter ROUTE: **IV** INTRAVENOUS

MEDICATION ENTERED ....

ENTER MEDICATION/DOSE (MG) /ROUTE/TIME:

## Blood Product Verification

### [SR BLOOD PRODUCT VERIFICATION]

The *Blood Product Verification* option is used for transfusion error risk management. This option is used in conjunction with a bar code reader to confirm that the blood product is assigned to the patient. The functionality provided by this option is meant as an additional check for proper patient identification and should never be relied upon as the primary check.

This option prompts the user to scan the blood product unit ID, after which the software checks the Blood Bank files for an association with the patient identified. If there are multiple entries with the unit ID scanned, these entries will be listed along with the Blood Component, Patient Associated, and Expiration Date. The user will then be prompted to select the one that matches the blood product about to be administered. If the selected product is not associated with the patient identified, a warning message will be displayed.

There are certain valid scenarios that are internal to the Blood Bank that may result in a blood component not being readable using the scanner and therefore may give an unexpected response. There will be some rare instances in which this option may not produce an expected result. After verifying proper patient identification, the option may be attempted again; however, it is recommended that the unit ID be typed in manually rather than be scanned in these cases.

Blood product manufacturers are required to label all units of blood in a consistent manner. The barcode that is to be scanned at the "Enter Blood Product Identifier:" prompt will always be the barcode in the upper-left portion of the blood product label. Since this label can be in close proximity to the ABO/Rh label, care should be taken not to read both labels during a scan. One way to accomplish this would be to use a finger or some other convenient object to cover the label that the user does not wish to have read during the scanning process. The light emitted from the scanner itself will cause no harm to skin, latex, or any other object with which it comes in contact.



### Example: Option displayed with no discrepancies

Select Operation Menu Option: **BLOOD PRODUCT VERIFICATION**

To use BAR CODE READER

Pass reader wand over a GROUP-TYPE ( ABO/Rh) label

=>

Enter Blood Product Identifier: **KW10945**

- 1) Unit ID: KW10945 CPDA-1 RED BLOOD CELLS  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: NOV 27,1997
- 2) Unit ID: KW10945 FRESH FROZEN PLASMA, ACD-A  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: MAY 19,1998
- 3) Unit ID: KW10945 PLATELETS, POOLED, IRRADIATED  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: MAR 24,1998

Select the blood product matching the unit label: (1-3): **2**

No Discrepancies Found

### Example: Option displayed with discrepancies

Select Operation Menu Option: **BLOOD PRODUCT VERIFICATION**

To use BAR CODE READER

Pass reader wand over a GROUP-TYPE ( ABO/Rh) label

=>

Enter Blood Product Identifier: **KW10945**

- 1) Unit ID: KW10945 CPDA-1 RED BLOOD CELLS  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: NOV 27,1997
- 2) Unit ID: KW10945 FRESH FROZEN PLASMA, ACD-A  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: MAY 19,1998
- 3) Unit ID: KW10945 PLATELETS, POOLED, IRRADIATED  
Patient: SURPATIENT,FOURTEEN 000-45-7212 Expiration Date: MAR 24,1998

Select the blood product matching the unit label: (1-3): **3**

**\*\*WARNING\*\***

Blood Product Expiration Date is later than today's date.

## Anesthesia Menu

[SROANES1]



The *Anesthesia Menu* is restricted to Anesthesia personnel and is locked with the SROANES key. It is designed for the convenient entry of data pertaining to the anesthesia agents and techniques used in a surgery.

The main options included in this menu are listed below. The *Anesthesia Data Entry Menu* contains sub- options. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                          |
|----------|--------------------------------------|
| E        | <i>Anesthesia Data Entry Menu</i>    |
| R        | <i>Anesthesia Report</i>             |
| S        | <i>Schedule Anesthesia Personnel</i> |

## Prerequisites

To use the *Anesthesia Data Entry Menu* or the *Anesthesia Report* option, the user must first select a patient case. The user must select an operating room to use the *Schedule Anesthesia Personnel* option.

## Anesthesia Data Entry Menu

### [SROANES-D]

The *Anesthesia Data Entry Menu* allows the user to enter anesthesia data pertinent to a selected case. The information entered in these sub-options is reflected on the Anesthesia Report.

To use any option within the *Anesthesia Data Entry Menu*, the user must first enter a patient name and choose a patient case, as shown below.

#### Example: How to Select a Case for the Data Entry Menu

```
Select Surgery Menu Option: A Anesthesia Menu

 E Anesthesia Data Entry Menu
 R Anesthesia Report
 A Anesthesia AMIS
 S Schedule Anesthesia Personnel

Select Anesthesia Menu Option: E Anesthesia Data Entry Menu
Select Patient: SURPATIENT,NINE 12-09-51 000345555 NSC VETERAN

SURPATIENT,NINE 000-34-5555

1. 04-26-99 CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)
2. 11-20-98 Release of Hammer Toes (REQUESTED)
3. ENTER NEW SURGICAL CASE

Select Operation: 1

SURPATIENT,NINE (000-34-5555) Case #145 - APR 26,1999

 I Anesthesia Information (Enter/Edit)
 T Anesthesia Technique (Enter/Edit)
 M Medications (Enter/Edit)

Select Anesthesia Data Entry Menu Option:
```

## Anesthesia Information (Enter/Edit)

### [SRROMEN-ANES]

Anesthesia staff uses this option to enter anesthesia related information for a given case. The first group of prompts affects the Anesthesia AMIS Report. Some of the data fields may be automatically filled in from previous responses.

At the "Enter Screen Server Function:" prompt, the user can choose the field(s) to be edited, or press the

**<Enter>** key to continue. Some of the data fields are "multiple" and may contain more than one value. When a multiple field is selected, a new screen is generated so that the user can enter data related to that multiple. For instance, the MONITORS field generates a new screen for adding the device, time installed, and time removed. The TIME INSTALLED field and TIME REMOVED field generate additional screens so that the user may enter more than one time installed/removed for the same operation.

### About the prompts

The prompts are described as follows:

- "Is this the Principal Technique (Y/N): " — Asks if the user has entered a technique that is the primary anesthesia technique for the case. The user is required to establish the principal technique as this information affects many reports.
- "Would you like to enter additional anesthesia related information ? " — If the user wants to enter more detailed information concerning the case, he or she must answer **YES** to this prompt. Two Screen Server-formatted pages are then provided for entering more anesthesia information for the case.
- "Does this entry complete all start and end times for this case? "— The user should answer **YES** only if the block of time just completed is the final block of time for the case that he or she is documenting.

An Anesthesia Care Questionnaire will be added to allow a more complete capture of clinical data, which will support coding and billing efforts. The results of the questionnaire are crucial for a coder to use in order to select the proper modifier. Modifiers are required for reimbursement for all anesthesia services.

This information can be accessed through the Anesthesia menu, specifically through the Anesthesia Data Entry Menu. The user selects a patient and surgical case and completes the anesthesia information.

After completion, the user is prompted with the question, "Would you like to enter additional anesthesia related information? " The questions associated with the Anesthesia Care Questionnaire (shown as numbers 8-12 on the last screen display in this section) are located on page two of the anesthesia information sheet.

## Example: Entering Anesthesia Information

Select Anesthesia Data Entry Menu Option: **I** Anesthesia Information (Enter/Edit)

The following information is required for the Anesthesia AMIS.

Principal Anesthetist: SURANESTHETIST,THREE// **<Enter>**  
Select ANESTHESIA TECHNIQUE: **G** (G GENERAL)  
Is this the Principal Technique (Y/N): YES// **<Enter>**  
Was the Patient Intubated ? (Y/N): **Y** YES  
Trauma Resulting from Intubation Process: NONE// **<Enter>**  
Select ANESTHESIA AGENTS: **ENFLURANE** N/F  
Dose (mg): **125**  
Diagnostic/Therapeutic (Y/N): NO// **<Enter>**

ASA Class: **2** 2-MILD DISTURB.

Mallampati Scale:  
Mandibular Space (length in mm):

Would you like to enter additional anesthesia related information ? NO//**Y**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:  
2 ANES SUPERVISE CODE:  
3 PRINC ANESTHETIST: SURANESTHETIST,THREE  
4 RELIEF ANESTHETIST:  
5 ASST ANESTHETIST:  
6 ANES CARE TIME BLOCK: (MULTIPLE)  
7 INDUCTION COMPLETE:  
8 ASA CLASS: 2-MILD DISTURB.  
9 BLOOD LOSS (ML): 200  
10 MIN INTRAOP TEMPERATURE (C):  
11 FINAL ANESTHESIA TEMP (C):  
12 TOTAL URINE OUTPUT (ML): 1  
13 OP DISPOSITION: PACU (RECOVERY ROOM)  
14 POSTOP ANES NOTE:  
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: **6**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK

1 NEW ENTRY

Enter Screen Server Function: **1**

Select ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: **4/26@9:20**  
ANES CARE TIME BLOCK ANES CARE MULTIPLE START TIME: APR 26, 1999@09:20  
//

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3030426.092)

1 ANES CARE MULTIPLE START TIME: APR 26, 1999 AT 09:20  
2 ANES CARE MULTIPLE END TIME:

Enter Screen Server Function: **2**

Anesthesia Care Multiple End Time: **4/26@12:45** (APR 26, 1999@12:45)

Does this entry complete all start and end times for this case? (Y/N)// **Y**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK (3030426.092)

1 ANES CARE MULTIPLE START TIME: APR 26, 1999 AT 09:20  
2 ANES CARE MULTIPLE END TIME: APR 26, 1999 AT 12:45

Enter Screen Server Function: **<Enter>**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 1  
ANES CARE TIME BLOCK

1 ANES CARE MULTIPLE START TIME: APR 26, 2003 AT 09:20  
2 NEW ENTRY

Enter Screen Server Function: <Enter>

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:  
2 ANES SUPERVISE CODE:  
3 PRINC ANESTHETIST: SURANESTHETIST, THREE  
4 RELIEF ANESTHETIST:  
5 ASST ANESTHETIST:  
6 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)  
7 INDUCTION COMPLETE:  
8 ASA CLASS: 2-MILD DISTURB.  
9 BLOOD LOSS (ML): 200  
10 MIN INTRAOP TEMPERATURE (C):  
11 FINAL ANESTHESIA TEMP (C):  
12 TOTAL URINE OUTPUT (ML): 1  
13 OP DISPOSITION: PACU (RECOVERY ROOM)  
14 POSTOP ANES NOTE:  
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: **9:12**  
Intraoperative Blood Loss (ml): 200// **500**  
Lowest Intraoperative Temperature (C): **28**  
Final Anesthesia Temperature (C): **37**  
Total Urine Output (ml): 1// **1800**

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 1 OF 2

1 ANESTHESIOLOGIST SUPVR:  
2 ANES SUPERVISE CODE:  
3 PRINC ANESTHETIST: SURANESTHETIST, THREE  
4 RELIEF ANESTHETIST:  
5 ASST ANESTHETIST:  
6 ANES CARE TIME BLOCK: (MULTIPLE) (DATA)  
7 INDUCTION COMPLETE:  
8 ASA CLASS: 2-MILD DISTURB.  
9 BLOOD LOSS (ML): 500  
10 MIN INTRAOP TEMPERATURE (C): 28  
11 FINAL ANESTHESIA TEMP (C): 37  
12 TOTAL URINE OUTPUT (ML): 1800  
13 OP DISPOSITION: PACU (RECOVERY ROOM)  
14 POSTOP ANES NOTE:  
15 ORAL-PHARYNGEAL SCORE: CLASS 2

Enter Screen Server Function: <Enter>

\*\* ANESTHESIA INFO \*\* CASE #145 SURPATIENT,NINE PAGE 2 OF 2

1 MANDIBULAR SPACE: 80  
2 REPLACEMENT FLUID TYPE: (MULTIPLE) (DATA)  
3 MEDICATIONS: (MULTIPLE) (DATA)  
4 MONITORS: (MULTIPLE)  
5 GENERAL COMMENTS: (WORD PROCESSING)  
6 THERMAL UNIT: (MULTIPLE) (DATA)  
7 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)  
8 ANES PERSONALLY PERFORMED:  
9 NUM OF CONCURRENT ANES CASES:  
10 ANES CONCURRENT CASES: (MULTIPLE)  
11 ANES MEDICALLY DIRECTED:  
12 ANES PHYSICIAN AVAILABLE:

Enter Screen Server Function: **4**



```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
MONITORS
1 NEW ENTRY
Enter Screen Server Function: 1
Select MONITORS: ECG
MONITORS: ECG// <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
MONITORS (ECG)
1 MONITORS: ECG
2 TIME INSTALLED:
3 TIME REMOVED:
4 APPLIED BY:
Enter Screen Server Function: 2:4
Time Applied: 4/26@9:20 (APR 26, 1999@09:20)
Time Removed: 4/26@12:45 (APR 26, 1999@12:45)
Person Applying the Monitor: SURNURSE,ONE
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2
1 MANDIBULAR SPACE: 80
2 REPLACEMENT FLUID TYPE: (MULTIPLE) (DATA)
3 MEDICATIONS: (MULTIPLE) (DATA)
4 MONITORS: (MULTIPLE) (DATA)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 THERMAL UNIT: (MULTIPLE) (DATA)
7 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
8 ANES PERSONALLY PERFORMED:
9 NUM OF CONCURRENT ANES CASES:
10 ANES CONCURRENT CASES: (MULTIPLE)
11 ANES MEDICALLY DIRECTED:
12 ANES PHYSICIAN AVAILABLE:
Enter Screen Server Function: 8:12
Anesthesiologist Personally Performed: NO
Number Of Concurrent Anesthesiology Cases: <Enter>
Anesthesiologist Medically Directed: Y YES
Teaching Physician Present: Y YES
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 1
ANES CONCURRENT CASES
1 NEW ENTRY
Enter Screen Server Function: <Enter>
```

```
** ANESTHESIA INFO ** CASE #145 SURPATIENT,NINE PAGE 2 OF 2
1 MANDIBULAR SPACE: 80
2 REPLACEMENT FLUID TYPE: (MULTIPLE) (DATA)
3 MEDICATIONS: (MULTIPLE) (DATA)
4 MONITORS: (MULTIPLE) (DATA)
5 GENERAL COMMENTS: (WORD PROCESSING)
6 THERMAL UNIT: (MULTIPLE) (DATA)
7 ANESTHESIA TECHNIQUE: (MULTIPLE) (DATA)
8 ANES PERSONALLY PERFORMED: NO
9 NUM OF CONCURRENT ANES CASES:
10 ANES CONCURRENT CASES: (MULTIPLE)
11 ANES MEDICALLY DIRECTED: NO
12 ANES PHYSICIAN AVAILABLE: YES
Enter Screen Server Function: <Enter>
```

## **Anesthesia Technique (Enter/Edit)**

### **[SRROMEN-ANES TECH]**

The *Anesthesia Technique (Enter/Edit)* option is used to enter information concerning the anesthesia technique. More than one anesthesia technique can be entered for a case. When the user is finished entering the first technique, he or she should select this option again to start entering another anesthesia technique.

The Surgery software recognizes the following anesthesia techniques, each with different sets of prompts.

- G GENERAL
- M MONITORED ANESTHESIA CARE
- S SPINAL
- E EPIDURAL
- L LOCAL
- R REGIONAL

Note: The selection of 'OTHER' is no longer available for selection.

Another choice for an anesthesia technique is NO ANESTHESIA. This selection does not include any additional prompts.

### **About the prompts**

"Diagnostic/ Therapeutic (Y/N):" The user should answer **Y** or **YES** if the anesthesia procedure is itself a surgical procedure. The user will then have an opportunity to define the surgical (operative) procedure.

"Is this the Principal Technique (Y/N):" This prompt asks the user whether or not the technique being entered is the primary anesthesia technique for the case. For the technique being entered to appear on the Anesthesia AMIS Report, answer this prompt with a **Y** or **YES**.

"Select ANESTHESIA AGENTS:" The user can enter more than one anesthesia agent for a case by using the up-arrow (^) to jump to the "Select ANESTHESIA AGENTS:" prompt.

## Example 1: General Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: G (GENERAL)
 Is this the Principal Technique (Y/N): YES// <Enter> YES
 Was the Patient Intubated ? (Y/N): Y YES
 Trauma Resulting from Intubation Process: NONE// <Enter> NONE
Select ANESTHESIA AGENTS: ?
```

More than one anesthesia agent may be entered for each technique.



---

The ANESTHESIA AGENT field uses entries from the institution's local DRUG file. Prior to using the Surgery package, drugs that will be used as anesthesia agents must be flagged (using the Chief of Surgery Menu) by the user's package coordinator. If the user experiences problems entering an agent, it is likely that the drug being chosen has not been flagged.

---

## Example 2: Monitored Anesthesia Care Technique

```
Select ANESTHESIA AGENTS: ENFLURANE
 Dose (mg): <Enter>
Approach Technique: D DIRECT VISION LARYNGOSCOPY
Endotracheal Tube Route: O ORAL
Type of Laryngoscope: M MACINTOSH
Laryngoscope Size: 3
Was a Stylet Used ? (Y/N): Y YES
Was Topical Lidocaine Used ? (Y/N): Y YES
Was Intravenous Lidocaine Administered ? (Y/N): N NO
Type of Endotracheal Tube: P PVC LOW PRESSURE
Endotracheal Tube Size: 3
Location where the Endotracheal Tube was Removed: O OR
Who Removed the Endotracheal Tube ? : SURANESTHETIST,SIX
Was Reintubation Required within 8 Hours ? (Y/N): N NO
Was a Heat and Moisture Exchanger Used ? (Y/N): N NO
Was a Bacterial Filter Used ? (Y/N): N NO
Oral-Pharyngeal (OP) Score: 1 CLASS 1
Mandibular Space (length in mm): 65
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// No (No Editing)
GENERAL COMMENTS:
1> <Enter>
```

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: M (MONITORED ANESTHESIA CARE)
 Is this the Principal Technique (Y/N): YES// <Enter> YES
 Was the Patient Intubated ? (Y/N): N NO
Select ANESTHESIA AGENTS: VALIUM
 Dose (mg): 5
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
Mandibular Space (length in mm): 65// <Enter>
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0//NO (No Editing)
GENERAL COMMENTS:
1> <Enter>
```

### Example 3: Spinal Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: S (SPINAL)
Is this the Principal Technique (Y/N): YES// <Enter> YES
Was the Patient Intubated ? (Y/N): N NO
Select ANESTHESIA AGENTS: PONTOCAINE
Dose (mg): 5
Was the Catheter placed for Continuous Administration ? (Y/N): NO
// <Enter> NO
Baricity: 1// <Enter> HYPERBARIC
Puncture Site: 2 L3-4
Needle Size: 25G 25G
Neurodermatone Anesthesia Sensory Level: T6 T6
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
Mandibular Space (length in mm): 65// <Enter>
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
GENERAL COMMENTS:
1><Enter>
```

### Example 4: Epidural Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: E (EPIDURAL)
Is this the Principal Technique (Y/N): YES// <Enter> YES
Was the Patient Intubated ? (Y/N): N NO
Select ANESTHESIA AGENTS: LIDOCAINE
Dose (mg): 5
Was the Catheter placed for Continuous Administration ? (Y/N): YES
// <Enter> YES
Puncture Site: 2 L3-4
Dural Puncture ? (Y/N): NO// Y YES
Who Removed the Catheter ?: 213 SURANESTHETIST,SIX
Date/Time that the Catheter was Removed: 5/4@2:30 (MAY 04, 1999@14:30)
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
Mandibular Space (length in mm): 65// <Enter>
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
GENERAL COMMENTS:
1>LOSS OF RESISTANCE TECHNIQUE
2><Enter>
EDIT Option: <Enter>
```

### Example 5: Local Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO// <Enter>
Select ANESTHESIA TECHNIQUE: L (LOCAL)
Is this the Principal Technique (Y/N): YES// <Enter> YES
Was the Patient Intubated ? (Y/N): N NO
Select ANESTHESIA AGENTS: LIDOCAINE
Dose (mg): 5
Select BLOCK SITE: OROPHARYNX 60200
ARE YOU ADDING 'OROPHARYNX' AS A NEW BLOCK SITE (THE 1ST FOR THIS ANESTHESIA TECHNIQUE)? Y
(YES)
Length of Needle (cm): <Enter>
Gauge Size of the Needle: <Enter>
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>
Mandibular Space (length in mm): 65// <Enter>
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)
GENERAL COMMENTS:
1>
```

### Example 6: Regional Technique

```
Select Anesthesia Data Entry Menu Option: T Anesthesia Technique (Enter/Edit)
Diagnostic/Therapeutic (Y/N): NO//
Select ANESTHESIA TECHNIQUE: LOCAL// R (R REGIONAL)
```

Is this the Principal Technique (Y/N): YES// <Enter> YES  
Was the Patient Intubated ? (Y/N): **N** NO  
Select ANESTHESIA AGENTS: **LIDOCAINE**  
Dose (mg): **5**  
Select BLOCK SITE: **OROPHARYNX** 60200  
ARE YOU ADDING 'OROPHARYNX' AS A NEW BLOCK SITE (THE 1ST FOR THIS ANESTHESIA TECHNIQUE)? **Y**  
(YES)  
Length of Needle (cm): <Enter>  
Gauge Size of the Needle: <Enter>  
Oral-Pharyngeal (OP) Score: CLASS 1// <Enter>  
Mandibular Space (length in mm): 65// <Enter>  
Airway Index: 1. INDEX LESS THAN OR EQUAL TO 0// (No Editing)  
GENERAL COMMENTS:  
**1>**

## Medications (Enter/Edit)

### [SROANES MED]

Anesthesia staff members use the *Medications (Enter/Edit)* option to enter medications administered on a case. This is the last sub-option of the *Anesthesia Data Entry Menu*.

This option is designed to help the user quickly enter many different medications for a case. In one entry, the user can enter the medication, dosage, route, and time given with the use of slashes between these categories. (This is a different type of prompt response from what has been used elsewhere). After the user has finished entering one medication, the software will return the cursor to the beginning prompt so that he or she can enter another medication for the case. When the user finishes entering medications for the case, he or she should press the **<Enter>** key to return to the *Anesthesia Data Entry Menu*.

### About the prompts

"ENTER MEDICATION/DOSE(MG)/ROUTE/TIME:" Respond to this prompt with the medication, dosage, route, and time given separated by slashes. If the software needs more specific information about the medication, the user will be prompted. In the example, the software reads "Valium" and then asks the user to select from the Valiums on file. A question mark can be entered in place of one of the categories in order to get help or more information. In the following example, a question mark was entered in place of the route. Then, in response to the question mark, the software offered a list of acceptable routes.

#### Example: Entering a Medication

Select Anesthesia Data Entry Menu Option: **M** Medications (Enter/Edit)

ENTER MEDICATION/DOSE (MG) /ROUTE/TIME: **VALIUM/5MG/?/7:50**

1 VALIUM 5MG N/F  
2 VALIUM DIAZEPAM 10MG S.T. N/F RESTRICTED TO  
ENT/ANESTHESIA/PSYCHIATRY/PARAPLEGICS  
3 VALIUM DIAZEPAM 2MG S.T. N/F RESTRICTED TO  
ENT/ANESTHESIA/PSYCHIATRY/PARAPLEGICS  
TYPE '^' TO STOP, OR  
CHOOSE 1-3: **1** (JAN 13, 1999 07:50)

Route entered is not one of the available choices.  
Please enter medication route again.

Choose from:

IV INTRAVENOUS  
T TOPICAL  
IR IRRIGATION  
IM INTRAMUSCULAR  
R RECTAL  
S SUBLINGUAL  
SC SUBCUTANEOUS  
IN INFILTRATE  
O OTHER  
P PREPUMP  
OR ORAL

ENTER ROUTE: **IV**

MEDICATION ENTERED ....

ENTER MEDICATION/DOSE (MG) /ROUTE/TIME:

## **Anesthesia Report**

**[SROARPT]**

Anesthesia staff uses the *Anesthesia Report* option to print all the anesthesia information entered for a case. When a hard copy of this report is made, space is provided for the Anesthetist's signature. This option is located on the *Anesthesia Menu* option. It can also be accessed from the *Operation Menu* option.

For more information, see the Anesthesia Report section in the Operation Menu section of this manual.



## Schedule Anesthesia Personnel

### [SRSCHDA]

Anesthesia staff uses the *Schedule Anesthesia Personnel* option to assign or change anesthesia personnel for surgery cases. The Scheduling Manager can also assign personnel to the selected case using other menu options.



This *Schedule Anesthesia Personnel* option is locked with the SROANES key and will not appear on the menu if the user does not have this key.

With this option, the user can enter an anesthesia technique and the names of the principal anesthetist and supervisor. When an operating room is selected, the software will present all cases scheduled for that room. After scheduling personnel for cases in one operating room, the user can do the same for other operating rooms without leaving this option. For convenience, the software will default to the anesthetist and anesthesiologist supervisor previously scheduled for that room.

### Example: Scheduling Anesthesia Personnel

```
Select Anesthesia Menu Option: S Schedule Anesthesia Personnel
Schedule Anesthesia Personnel for which Date ? 4/26 (APR 26,1999)
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR2
```

```
Scheduled Operations for OR2
```

```

Case # 145 Patient: SURPATIENT,NINE
From: 09:00 To: 12:00
CHOLECYSTECTOMY
```

```
Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,THREE TS
Anesthesiologist Supervisor: SURANESTHESIOLOGIST,TWO// <Enter>
```

```
Press <Enter> to continue, or '^' to quit <Enter>
```

```
Scheduled Operations for OR2
```

```

Case # 148 Patient: SURPATIENT,THREE
From: 13:00 To: 18:00
SHOULDER ARTHROPLASTY
```

```
Requested Anesthesia Technique: GENERAL// <Enter>
Principal Anesthetist: SURANESTHETIST,THREE// <Enter> TS
Anesthesiologist Supervisor: SURSURGEON,TWO// <Enter> DA
```

```
Press <Enter> to continue, or '^' to quit <Enter>
```

```
Would you like to continue with another operating room ? YES// <Enter>
```

```
Schedule Anesthesia Personnel for which Operating Room ? OR3
```

Scheduled Operations for OR3

---

Case # 136 Patient: SURPATIENT,FORTY  
From: 07:00 To: 10:30  
CHOLECYSECTOMY

Requested Anesthesia Technique: GENERAL// <Enter>  
Principal Anesthetist: **SURSURGEON,ONE** OS  
Anesthesiologist Supervisor: SURANESTHESIOLOGIST,TWO // <Enter>

Press <Enter> to continue, or '^' to quit <Enter>

Would you like to continue with another operating room ? YES// **Y**

Schedule Anesthesia Personnel for which Operating Room ? **OR1**

There are no cases scheduled for this operating room.

Press RETURN to continue <Enter>

Would you like to continue with another operating room ? YES// **N**

## Perioperative Occurrences Menu

### [SRO COMPLICATIONS MENU]

Surgeons use options within the *Perioperative Occurrences Menu* option to enter or edit occurrences that occur before, during, and/or after a surgical procedure. It is also possible to enter occurrences for a patient who did not have a surgical procedure performed. The user can enter more than one occurrence per patient.



This option is locked with the SROCOMP key.

Occurrences will be included on the Chief of Surgery's Morbidity & Mortality Reports.



---

Please review specific institution policy to determine what is considered an occurrence for any category.

---

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                                    |
|----------|------------------------------------------------|
| I        | <i>Intraoperative Occurrences (Enter/Edit)</i> |
| P        | <i>Postoperative Occurrences (Enter/Edit)</i>  |
| N        | <i>Non-Operative Occurrences (Enter/Edit)</i>  |
| U        | <i>Update Status of Returns Within 30 Days</i> |
| M        | <i>Morbidity &amp; Mortality Reports</i>       |

## Key Vocabulary

The following terms are used in this section.

| Term                      | Definition                                                         |
|---------------------------|--------------------------------------------------------------------|
| Intraoperative Occurrence | Occurrence that occurs during the procedure.                       |
| Postoperative Occurrence  | Occurrence that occurs after the procedure.                        |
| Non-Operative Occurrence  | Occurrence that develops before a surgical procedure is performed. |

## Intraoperative Occurrences (Enter/Edit)

### [SRO INTRAOP COMP]

The *Intraoperative Occurrences (Enter/Edit)* option is used to add information about an occurrence that occurs during the procedure. The user can also use this option to change the information. Occurrence information will be reflected in the Chief of Surgery's Morbidity & Mortality Report.

First, the user should select an operation. The software will then list any occurrences already entered for that operation. The user may edit a previously entered occurrence or can type the word **NEW** and press the **<Enter>** key to enter a new occurrence.

At the prompt "Enter a New Intraoperative Occurrence:" the user can enter two question marks (**??**) to get a list of categories. Be sure to enter a category for all occurrences to satisfy Surgery Central Office reporting needs.

### Example: Entering Intraoperative Occurrences

```
Select Perioperative Occurrences Menu Option: I Intraoperative Occurrences (Enter/Edit)
```

```
Select Patient: SURPATIENT, FIFTY 10-28-45 000459999
```

```
SURPATIENT, FIFTY 000-45-9999
```

1. 06-30-06 CHOLECYSTECTOMY (COMPLETED)
2. 03-10-07 HEMORRHOIDECTOMY (COMPLETED)

```
Select Operation: 1
```

```
SURPATIENT, FIFTY (000-45-9999) Case #213
JUN 30, 2006 CHOLECYSTECTOMY
```

-----  
There are no Intraoperative Occurrences entered for this case.

Enter a New Intraoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**  
Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:  
- intraoperatively: occurring while patient was in the operating room  
- postoperatively: occurring after patient left the operating room

Press RETURN to continue: **<Enter>**

SURPATIENT,FIFTY (000-45-9999) Case #213  
JUN 30,2006 CHOLECYSTECTOMY

---

1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Occurrence Comments:
- 

Select Occurrence Information: 4:5

SURPATIENT,FIFTY (000-45-9999)

---

Type of Treatment Instituted: CPR

Outcome to Date: ?

CHOOSE FROM:

- U UNRESOLVED
- I IMPROVED
- D DEATH
- W WORSE

Outcome to Date: I IMPROVED

SURPATIENT,FIFTY (000-45-9999) Case #213  
JUN 30,2006 CHOLECYSTECTOMY

---

1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted: CPR
  5. Outcome to Date: IMPROVED
  6. Occurrence Comments:
- 

Select Occurrence Information:

## Postoperative Occurrences (Enter/Edit)

### [SRO POSTOP COMP]

The *Postoperative Occurrences (Enter/Edit)* option is used to add information about an occurrence that occurs after the procedure. The user can also utilize this option to change the information. Occurrence information will be reflected in the Chief of Surgery's Morbidity & Mortality Report.

First, the user selects an operation. The software will then list any occurrences already entered for that operation. The user can choose to edit a previously entered occurrence or type the word **NEW** and press the **<Enter>** key to enter a new occurrence.

At the prompt "Enter a New Postoperative Complication:" the user can enter two question marks (**??**) to get a list of categories. Be sure to enter a category for all occurrences in order to satisfy Surgery Central Office reporting needs.

#### Example: Entering a Postoperative Occurrence

```
Select Perioperative Occurrences Menu Option: P Postoperative Occurrence (Enter/Edit)
```

```
Select Patient: SURPATIENT, SEVENTEEN 09-13-28 000455119
```

```
SURPATIENT, SEVENTEEN R. 000-45-5119
```

1. 04-18-07 CRANIOTOMY (COMPLETED)
2. 03-18-07 REPAIR INCARCERATED INGUINAL HERNIA (COMPLETED)

```
Select Operation: 2
```

```
SURPATIENT, SEVENTEEN (000-45-5119) Case #202
MAR 18, 2007 REPAIR INCARCERATED INGUINAL HERNIA
```

```

There are no Postoperative Occurrences entered for this case.
```

```
Enter a New Postoperative Occurrence: ACUTE RENAL FAILURE
```

```
VASQIP Definition (2011):
Indicate if the patient developed new renal failure requiring renal
replacement therapy or experienced an exacerbation of preoperative
renal failure requiring initiation of renal replacement therapy (not on
renal replacement therapy preoperatively) within 30 days
postoperatively. Renal replacement therapy is defined as venous to
venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis
[CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or
ultrafiltration.
```

```
TIP: If the patient refuses dialysis report as an occurrence because
he/she did require dialysis.
```

```
Press RETURN to continue: <Enter>
```

SURPATIENT, SEVENTEEN (000-45-5119) Case #202  
MAR 18, 2007 REPAIR INCARCERATED INGUINAL HERNIA

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code:
  4. Treatment Instituted:
  5. Outcome to Date:
  6. Date Noted:
  7. Occurrence Comments:
- 

Select Occurrence Information: **4:6**

SURPATIENT, SEVENTEEN (000-45-5119) Case #202  
MAR 18, 2007 REPAIR INCARCERATED INGUINAL HERNIA

---

Treatment Instituted: **ANTIBIOTICS**  
Outcome to Date: **I** IMPROVED  
Date/Time the Occurrence was Noted: **3/20** (MAR 20, 2007)

SURPATIENT, SEVENTEEN R. (000-45-5119) Case #202  
MAR 18, 2007 REPAIR INCARCERATED INGUINAL HERNIA

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code:
  4. Treatment Instituted: DIALYSIS
  5. Outcome to Date: IMPROVED
  6. Date Noted: 03/20/07
  7. Occurrence Comments:
- 

Select Occurrence Information:

## Non-Operative Occurrence (Enter/Edit)

### [SROCOMP]

The *Non-Operative Occurrence (Enter/Edit)* option is used to enter or edit occurrences that are not related to surgical procedures. A non-operative occurrence is an occurrence that develops before a surgical procedure is performed.

At the "Occurrence Category:" prompt, the user can enter two question marks (??) to get a list of categories. Be sure to enter a category for each occurrence in order to satisfy Surgery Central Office reporting needs.

#### Example: Entering a Non-Operative Occurrence

```
Select Perioperative Occurrences Menu Option: N Non-Operative Occurrences (Enter/Edit)
NOTE: You are about to enter an occurrence for a patient that has not had an
operation during this admission. If this patient has a surgical procedure
during the current admission, use the option to enter or edit intraoperative
and postoperative occurrences.

Select PATIENT NAME: SURPATIENT, SEVENTEEN 09-13-28 000455119

 SURPATIENT, SEVENTEEN
1. ENTER A NEW NON-OPERATIVE OCCURRENCE

Select Number: 1
Select the Date of Occurrence: 063007 (JUN 30, 2007)
Name of the Surgeon Treating the Complication: SURSURGEON, ONE
Name of the Attending Surgeon: SURSURGEON, TWO
Surgical Specialty: GENERAL (OR WHEN NOT DEFINED BELOW)
Select NON-OPERATIVE OCCURRENCES: SYSTEMIC SEPSIS
 Occurrence Category: SYSTEMIC SEPSIS
 Definition Revised (2014): 2. Sepsis is the systematic response to infection. Answer YES if
 both of the following
 criteria are met a) Clinical documentation of infection (such as
wound with purulent drainage, ruptured bowel with free air, etc.); or a positive culture from any
site thought to be causative; or specialized laboratory evidence of causative infection (such as
viral DNA in blood). AND b) The presence of two or more of the following systemic responses: -
Temperature > 38 degrees C or < 36 degrees C - HR > 90 beats/minute - RR > 20 breaths /minute or
PaCO2 < 32 mmHg - WBC > 12,000 cell/mm3, <4,000cells/mm3, or > 10% immature neutrophils
("bands") 3. Severe Sepsis/Septic Shock: Sepsis is considered severe when it is associated
with organ and/or circulatory dysfunction. Terminology such as Severe Sepsis/Septic
Shock/Refractory Septic Shock and Multiple Organ Dysfunction Syndrome (MODS) all fall into this
category. Answer YES if the definition of SEPSIS is present AND there is documented organ and/or
circulatory dysfunction defined by one or more of the following: - Areas of acutely mottled skin
not related to peripheral arterial disease - Capillary refilling requires three seconds or
longer not related to peripheral arterial disease - Urine output <0.5 mL/kg for at least one
hour, or renal replacement therapy - Lactate >2 mmol/L
 - Abrupt change in mental status
 - Abnormal EEG findings
 - Platelet count < 100,000 platelets/mL
 - Disseminated intravascular coagulation (DIC)
 - Acute lung injury or acute respiratory distress syndrome (ARDS) - New cardiac dysfunction as
defined by ECHO or direct measurement of the cardiac index
 - An arterial systolic blood pressure (SBP) of <=90 mm Hg or a mean arterial pressure (MAP) <=70
mm Hg for at least 1 hour despite adequate fluid resuscitation, adequate intravascular volume
status, or the need for vasopressors to maintain SBP >= 90 mm Hg or MAP >=70 mm Hg.
```



## Update Status of Returns Within 30 Days

### [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option will define a case as related or unrelated to another case. When a new surgical case is entered into the software, the user is asked whether it is related to any previous cases within the past 30 days. This option is designed to update that information.

The user should first enter the patient name and select a case. The software will list any cases that occurred within 30 days of the selected case and will indicate if the listed cases have been flagged as related or unrelated. At this point the user may update the status of the cases listed.

#### Example: Updating Status of Returns Within 30 days

Select Perioperative Occurrences Menu Option: **Update Status of Returns Within 30 Days**

Select Patient: **SURPATIENT, SIXTY**                      03-03-59                      000567821                      NO                      NO  
N-VETERAN (OTHER)

SURPATIENT, SIXTY    000-56-7821

1. 07-06-99    REPAIR INGUINAL HERNIA (COMPLETED)
2. 06-25-99    CHOLECYSTECTOMY, APPENDECTOMY (COMPLETED)
3. 06-23-99    CHOLEDOCHOTOMY (COMPLETED)
4. 04-10-98    CRANIOTOMY (COMPLETED)

Select Operation: **3**

SURPATIENT, SIXTY (000-56-7821)                      Case #62192                      RETURNS TO SURGERY  
JUN 23, 1999    CHOLEDOCHOTOMY

- 
1. 07/06/99    REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/99    CHOLECYSTECTOMY - UNRELATED

Select Number: **2**

SURPATIENT, SIXTY (000-56-7821)                      Case #62192                      RETURNS TO SURGERY  
JUN 23, 1999    CHOLEDOCHOTOMY

- 
2. 06/25/99    CHOLECYSTECTOMY - UNRELATED

This return to surgery is currently defined as UNRELATED to the case selected.  
Do you want to change this status ? NO// **Y**

SURPATIENT,SIXTY (000-56-7821)  
JUN 23,1999 CHOLEDOCHOTOMY

Case #62192

RETURNS TO SURGERY

- 
1. 07/06/99 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/99 CHOLECYSTECTOMY (- RELATED)
- 

Select Number:

## Morbidity & Mortality Reports

[SROMM]

The *Morbidity & Mortality Reports* option generates two reports: the Perioperative Occurrences Report and the Mortality Report. The Perioperative Occurrences Report includes all cases that have occurrences, both intraoperatively and postoperatively, and can be sorted by specialty, attending surgeon, or occurrence category. The Mortality Report includes all cases performed within the selected date range that had a death within 30 days after surgery, and sort by specialty within a date range. Each surgical specialty will begin on a separate page.

After the user enters the date range, the software will ask whether to generate both reports. If the user answers **NO**, the software will ask the user to select from the Perioperative Occurrences Report or the Mortality Report.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Printing the Perioperative Occurrences Report – Sorted by Specialty

```
Select Perioperative Occurrences Menu Option: M Morbidity & Mortality Reports
```

```
The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.
```

```
Do you want to generate both reports ? YES// N
```

1. Perioperative Occurrences Report
2. Mortality Report

```
Select Number: (1-2): 1
```

```
Print Report for:
```

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

```
Select Number: (1-3): 3
```

```
Start with Date: 7/1 (JUL 01, 2006)
```

```
End with Date: 7/31 (JUL 31, 2006)
```

```
Do you want to print all divisions? YES// <Enter>
```

```
Print report by
```

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

```
Select 1, 2 or 3: (1-3): 1// <Enter>
```

Do you want to print this report for all Surgical Specialties ? YES// **N**

Print the report for which Specialty ? **GENERAL** (OR WHEN NOT DEFINED BELOW)  
Select an Additional Specialty **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

.....*report follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| PATIENT<br>ID#<br>OPERATION DATE                          | ATTENDING SURGEON<br>PRINCIPAL OPERATION          | OCCURRENCE(S) - (DATE)<br>TREATMENT                     | OUTCOME |
|-----------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------|---------|
| =====                                                     |                                                   |                                                         |         |
| GENERAL (OR WHEN NOT DEFINED BELOW)                       |                                                   |                                                         |         |
| -----                                                     |                                                   |                                                         |         |
| SURPATIENT, TWELVE<br>000-41-8719<br>JUL 07, 2006@07:15   | SURSURGEON, THREE<br>REPAIR DIAPHRAGMATIC HERNIA  | MYOCARDIAL INFARCTION<br>ASPIRIN THERAPY                | I       |
|                                                           |                                                   | URINARY TRACT INFECTION * (07/09/06)<br>IV ANTBIOTICS   | I       |
| SURPATIENT, FOURTEEN<br>000-45-7212<br>JUL 31, 2006@09:00 | SURSURGEON, FIVE<br>CHOLECYSTECTOMY, APPENDECTOMY | SUPERFICIAL WOUND INFECTION * (08/02/06)<br>ANTIBIOTICS | I       |

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\*' Represents Postoperative Occurrences  
 -----

## Example 2: Printing the Perioperative Occurrences Report – Sorted by Attending Surgeon

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)  
End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

report follows

Print report by  
1. Surgical Specialty  
2. Attending Surgeon  
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **2**

Do you want to print this report for all Attending Surgeons ? YES//**N**

Print the report for which Attending Surgeon ? **SURGEON,ONE**

Select an Additional Attending Surgeon: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| PATIENT<br>ID#<br>OPERATION DATE                          | SURGICAL SPECIALTY<br>PRINCIPAL OPERATION                            | OCCURRENCE(S) - (DATE)<br>TREATMENT                     | OUTCOME |
|-----------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------|---------|
| =====                                                     |                                                                      |                                                         |         |
| ----- ATTENDING: SURGEON, ONE -----                       |                                                                      |                                                         |         |
| SURPATIENT, TWELVE<br>000-41-8719<br>JUL 07, 2006@07:15   | GENERAL (OR WHEN NOT DEFINED BELOW)<br>REPAIR DIAPHRAGMATIC HERNIA   | MYOCARDIAL INFARCTION<br>ASPIRIN THERAPY                | I       |
|                                                           |                                                                      | URINARY TRACT INFECTION * (07/09/06)<br>IV ANTBIOTICS   | I       |
| SURPATIENT, THREE<br>000-21-2453<br>JUL 22, 2006@10:00    | CARDIAC SURGERY<br>CABG                                              | REPEAT VENTILATOR SUPPORT W/IN 30 DAYS *                | I       |
| SURPATIENT, FOURTEEN<br>000-45-7212<br>JUL 31, 2006@09:00 | GENERAL (OR WHEN NOT DEFINED BELOW)<br>CHOLECYSTECTOMY, APPENDECTOMY | SUPERFICIAL WOUND INFECTION * (08/02/06)<br>ANTIBIOTICS | I       |

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\*' Represents Postoperative Occurrences  
 -----

### Example 3: Printing the Perioperative Occurrences Report – Sorted by Occurrence Category

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

report follows

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **3**

Do you want to print this report for all occurrence categories? YES// **NO**

Print the report for which Occurrence Category ? **ACUTE RENAL FAILURE**

Definition Revised (2011): Indicate if the patient developed new renal failure requiring renal replacement therapy or experienced an exacerbation of preoperative renal failure requiring initiation of renal replacement therapy (not on renal replacement therapy preoperatively) within 30 days postoperatively.

TIP: If the patient refuses dialysis report as an occurrence because he/she did require dialysis.

Select an Additional Occurrence Category: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**



MAYBERRY, NC  
SURGICAL SERVICE  
PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
FROM: JUN 1,2007 TO: JUN 30,2007

PAGE 1  
REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 22,2007

| PATIENT<br>ID#<br>OPERATION DATE | ATTENDING SURGEON<br>SURGICAL SPECIALTY<br>PRINCIPAL OPERATION | OCCURRENCE(S) - (DATE)<br>TREATMENT | OUTCOME |
|----------------------------------|----------------------------------------------------------------|-------------------------------------|---------|
|----------------------------------|----------------------------------------------------------------|-------------------------------------|---------|

=====

-----  
CATEGORY: ACUTE RENAL FAILURE  
-----

|                                                            |                                                                |                                 |   |
|------------------------------------------------------------|----------------------------------------------------------------|---------------------------------|---|
| SURPATIENT, SEVENTEEN<br>000-45-5119<br>JUN 18, 2007@07:15 | SURGEON, TWO<br>GENERAL<br>REPAIR INCARCERATED INGUINAL HERNIA | ACUTE RENAL FAILURE<br>DIALYSIS | I |
|------------------------------------------------------------|----------------------------------------------------------------|---------------------------------|---|

-----

OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
          '\*' Represents Postoperative Occurrences

-----

### Example 4: Printing the *Mortality Report*

Select Perioperative Occurrences Menu Option: **M** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **2**

Start with Date: **1/1/06** (JAN 01, 2006)

End with Date: **7/31/06** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

report follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 MORTALITY REPORT  
 FROM: JAN 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| OPERATION DATE            | PATIENT ID#                       | PRINCIPAL OPERATIVE PROCEDURE                        | DATE OF DEATH<br>AUTOPSY (Y/N) |
|---------------------------|-----------------------------------|------------------------------------------------------|--------------------------------|
| =====                     |                                   |                                                      |                                |
| OTORHINOLARYNGOLOGY (ENT) |                                   |                                                      |                                |
| -----                     |                                   |                                                      |                                |
| JAN 22, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | LARYNGOSCOPY, BRONCHOSCOPY, ESOPHAGOGASTROSCOPY      | FEB 09, 2006<br>NO             |
| JAN 27, 2006              | SURPATIENT,TWO<br>000-45-1982     | BRONCHOSCOPY                                         | FEB 26, 2006<br>NOT AVAILABLE  |
| JAN 29, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | BILATERAL NECK DISECTION, LARYNGECTOMY               | FEB 09, 2006<br>NO             |
| FEB 08, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | LIGATION LT INTERNAL JUGLAR , EXPLORATORY LAPARATOMY | FEB 09, 2006<br>NO             |
| FEB 19, 2006              | SURPATIENT,TEN<br>000-12-3456     | TRACH                                                | FEB 21, 2006<br>NO             |
| JUL 20, 2006              | SURPATIENT,FORTY<br>000-77-7777   | LARYNGOSCOPY W/ BX, ESOPHAGOSCOPY                    | NOV 01, 2006<br>NOT AVAILABLE  |

## Non-O.R. Procedures

[SRONOP]



The *Non-O.R. Procedures* option, located in the main *Surgery Menu* and locked with the SROPER key, is designed for documenting and reviewing Non-O.R. Procedures.

A Non-O.R. Procedure is any procedure not performed in an operating room, but which still involves surgical or anesthesia providers. Any procedures involving anesthesia providers will display on the Anesthesia AMIS Report.

The main options included in this menu are listed below. The first option, *Non-O.R.. Procedures (Enter Edit)*, contains options to enter or update cases. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                                  |
|----------|----------------------------------------------|
| E        | <i>Non-O.R.. Procedures (Enter/Edit)</i>     |
| A        | <i>Annual Report of Non-O.R.. Procedures</i> |
| R        | <i>Report of Non-O.R.. Procedures</i>        |

## Non-O.R. Procedures (Enter/Edit)

### [SRONOP-ENTER]

The *Non-O.R. Procedures (Enter/Edit)* option allows the user to enter, edit, or delete information related to a Non-O.R. Procedure. The editing feature branches to another submenu that allows the user to enter or edit anesthesia information for a procedure. To use one of the *Non-O.R. Procedures (Enter/Edit)* options, the user must first identify the patient on which he or she is working.

### Accessing the Non-O.R. Procedures Menu

When the *Non-O.R. Procedures (Enter/Edit)* option is selected, the user will be prompted to enter a patient name. The Surgery software will then list all non-O.R. procedures on record for the patient.

```
SURPATIENT, FIFTEEN 000-98-1234
1. APR 22, 2002 BRONCHOSCOPY
2. NEW PROCEDURE
Select Procedure: 1
```

The user can select from the procedure(s) listed or enter a new procedure. When selecting an existing procedure, the software will ask whether the user wants to 1) edit information for the case, or 2) delete the procedure, as follows.

```
SURPATIENT, FIFTEEN 000-98-1234
APR 22, 2002 BRONCHOSCOPY

Do you want to edit or delete this procedure ?
1. Edit
2. Delete
Select Number: 1// 1
```

If the user enters **2** to delete, the software will permanently remove the procedure from the records. On the other hand, if the user accepts the default answer, **1**, to edit the existing procedure, the software will display the *Non-O.R. Procedures (Enter/Edit)* menu option. The user will see the following options.

SURPATIENT, FIFTEEN (000-98-1234) Case #267260 - APR 22, 2002

E Edit Non-O.R. Procedure  
AI Anesthesia Information (Enter/Edit)  
AM Medications (Enter/Edit)  
AT Anesthesia Technique (Enter/Edit)  
PR Procedure Report (Non-O.R.)  
TR Tissue Examination Report  
I Non-OR Procedure Information

Select Non-O.R. Procedures (Enter/Edit) Option:

Three of these sub-options, the *Anesthesia Information (Enter/Edit)* option, the *Medications (Enter/Edit)* option, and the *Anesthesia Technique (Enter/Edit)* option, are the same as the sub-options of the same name on the *Anesthesia Menu* option.

## Edit Non-O.R. Procedure

### [SRONOP-EDIT]

The *Edit Non-O.R. Procedure* option on the *Non-O.R. Procedures* menu allows the user to enter or edit data on the selected procedure.

The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for this Non-O.R. Procedure case. If **NO** is entered into the DICTATED SUMMARY EXPECTED field, no alerts will be generated and no report information will be displayed. If **YES** is entered into the DICTATED SUMMARY EXPECTED field, an alert will be sent to the appropriate provider when the dictated summary is uploaded, informing him or her that the Procedure Summary is ready for signature.



---

The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for a Non-O.R. Procedure case.

---

#### Example: Setting the DICTATED SUMMARY EXPECTED field to YES

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR
```

```
E Edit Non-O.R. Procedure
AI Anesthesia Information (Enter/Edit)
AM Medications (Enter/Edit)
AT Anesthesia Technique
PR (Enter/Edit) Procedure Report
TR (Non-O.R.) Tissue Examination
I Report
```

```
Select Non-O.R. Procedures (Enter/Edit) Option: E Edit Non-O.R. Procedure
```

```
** NON-O.R. PROCEDURE ** CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3
```

```
1 DATE OF PROCEDURE: APR 22, 2002
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY
3 PLANNED PRIN PROCEDURE CODE:
4 MEDICAL SPECIALTY: GENERAL SURGERY
5 DICTATED SUMMARY EXPECTED:
6 HOSPITAL ADMISSION STATUS:
7 TIME PROCEDURE BEGAN:
8 TIME PROCEDURE ENDED:
9 PROVIDER: SURSURGEON,FIFTEEN
10 NON-OR LOCATION:
11 ASSOCIATED CLINIC:
12 PRINCIPAL DIAGNOSIS:
13 PLANNED PRIN DIAGNOSIS CODE:
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)
15 BRIEF CLIN HISTORY: (WORD PROCESSING)
```

```
Enter Screen Server Function: 5
Dictated Summary Expected: YES YES
```

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3

1 DATE OF PROCEDURE: APRIL 22, 2002  
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY  
3 PLANNED PRIN PROCEDURE CODE:  
4 MEDICAL SPECIALTY: GENERAL SURGERY  
5 DICTATED SUMMARY EXPECTED: YES  
6 HOSPITAL ADMISSION STATUS:  
7 TIME PROCEDURE BEGAN:  
8 TIME PROCEDURE ENDED:  
9 PROVIDER: SURSURGEON, FIFTEEN  
10 NON-OR LOCATION:  
11 ASSOCIATED CLINIC:  
12 PRINCIPAL DIAGNOSIS:  
13 PLANNED PRIN DIAGNOSIS CODE:  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 2 OF 3

1 OPERATIVE FINDINGS: (WORD PROCESSING)  
2 ATTEND PROVIDER:  
3 ATTENDING/RES SUP CODE:  
4 PRINC ANESTHETIST:  
5 ANESTHESIOLOGIST SUPVR:  
6 ANES CARE TIME BLOCK: (MULTIPLE)  
7 ANESTHESIA TECHNIQUE: (MULTIPLE)  
8 ANES SUPERVISE CODE:  
9 DIAGNOSTIC/THERAPEUTIC (Y/N) :  
10 ASA CLASS:  
11 OTHER PROCEDURES: (MULTIPLE)  
12 OTHER POSTOP DIAGS: (MULTIPLE)  
13 PROCEDURE OCCURRENCE: (MULTIPLE)  
14 SPECIMENS: (WORD PROCESSING)  
15 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 3 OF 3

1 CANCEL DATE:  
2 PRIMARY CANCEL REASON:

Enter Screen Server Function:



If the user wishes to edit information in the Procedure Report (Non-O.R.), the *Edit Non-O.R.. Procedure* option on the *Non-O.R.. Procedures* menu can be used.

### Example: Using the Edit Non-O.R. Procedure option

SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002

E Edit Non-O.R. Procedure  
AI Anesthesia Information (Enter/Edit)  
AM Medications (Enter/Edit)  
AT Anesthesia Technique (Enter/Edit)  
PR Procedure Report (Non-O.R.)  
TR Tissue Examination Report

Select Non-O.R. Procedures (Enter/Edit) Option: **E** Edit Non-O.R. Procedure

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3

1 DATE OF PROCEDURE: APR 22, 2002  
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY  
3 PLANNED PRIN PROCEDURE CODE:  
4 MEDICAL SPECIALTY: GENERAL SURGERY  
5 DICTATED SUMMARY EXPECTED: YES  
6 HOSPITAL ADMISSION STATUS:  
7 TIME PROCEDURE BEGAN: APR 22, 2002 AT 08:50  
8 TIME PROCEDURE ENDED: APR 22, 2002 AT 09:27  
9 PROVIDER: SURSURGEON,FIFTEEN  
10 NON-OR LOCATION:  
11 ASSOCIATED CLINIC:  
12 PRINCIPAL DIAGNOSIS:  
13 PLANNED PRIN DIAGNOSIS CODE:  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: **8**

Time Procedure Ended: APR 22,2002@09:27// 917 (APR 22, 2002@09:17)

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 1 OF 3

1 DATE OF PROCEDURE: APR 22, 2002  
2 PRINCIPAL PROCEDURE: BRONCHOSCOPY  
3 PLANNED PRIN PROCEDURE CODE:  
4 MEDICAL SPECIALTY: GENERAL SURGERY  
5 DICTATED SUMMARY EXPECTED: YES  
6 HOSPITAL ADMISSION STATUS:  
7 TIME PROCEDURE BEGAN: APR 22, 2002 AT 08:50  
8 TIME PROCEDURE ENDED: APR 22, 2002 AT 09:17  
9 PROVIDER: SURSURGEON,FIFTEEN  
10 NON-OR LOCATION:  
11 ASSOCIATED CLINIC:  
12 PRINCIPAL DIAGNOSIS:  
13 PLANNED PRIN DIAGNOSIS CODE:  
14 INDICATIONS FOR OPERATIONS: (WORD PROCESSING)  
15 BRIEF CLIN HISTORY: (WORD PROCESSING)

Enter Screen Server Function: **<Enter>**

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 2 OF 3

- 1 OPERATIVE FINDINGS: (WORD PROCESSING)
- 2 ATTEND PROVIDER:
- 3 ATTENDING CODE:
- 4 PRINC ANESTHETIST:
- 5 ANESTHESIOLOGIST SUPVR:
- 6 ANES CARE TIME BLOCK: (MULTIPLE)
- 7 ANESTHESIA TECHNIQUE: (MULTIPLE)
- 8 ANES SUPERVISE CODE:
- 9 DIAGNOSTIC/THERAPEUTIC (Y/N):
- 10 ASA CLASS:
- 11 OTHER PROCEDURES: (MULTIPLE)
- 12 OTHER POSTOP DIAGS: (MULTIPLE)
- 13 PROCEDURE OCCURRENCE: (MULTIPLE)
- 14 SPECIMENS: (WORD PROCESSING)
- 15 GENERAL COMMENTS: (WORD PROCESSING)

Enter Screen Server Function: <Enter>

\*\* NON-O.R. PROCEDURE \*\* CASE #267260 SURPATIENT,FIFTEEN PAGE 3 OF 3

- 1 CANCEL DATE:
- 2 PRIMARY CANCEL REASON:

Enter Screen Server Function: ^

## Procedure Report (Non-O.R.)

### [SR NON-OR REPORT]

The *Procedure Report (Non-O.R.)* option details operation information for the patient case selected. This report includes the Procedure Summary section. The Procedure Summary is dictated by the provider after completing the Non-O.R. procedure and then is electronically signed.

### **Prior to Signature**

The *Edit Non-O.R. Procedure* option on the *Non-O.R. Procedures* menu is used to enter the non-O.R. procedure data. The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for this non-O.R. procedure. This field is a required entry when creating a new non-O.R. procedure and may be edited using the *Edit Non-O.R. Procedure* option. Entering YES in this field allows a Procedure Summary to be uploaded and signed in TIU, making a Procedure Report (Non- O.R.) available for this procedure.



---

The DICTATED SUMMARY EXPECTED field is used to determine whether a dictated summary will be required for a Non-O.R. Procedure case.

---

After the Procedure Summary has been electronically signed, the Procedure Report (Non-O.R..) is viewable through CPRS. If the Procedure Summary has not been electronically signed, the following displays:

“\* \* A Non-O.R. Procedure Summary is not available. \* \*”



---

After the Procedure Summary is transcribed and uploaded into TIU, the TIU software sends an alert to the provider responsible for electronically signing the report. The provider can then sign using CPRS options or the List Manager.

---

## **After Electronic Signature**

After electronic signature, the report is available for viewing.

### **Example 1: Printing a Procedure (Non-O.R.) Report when the Procedure Summary has been signed**

SURPATIENT,ONE (000-44-7629) Case #267236 - FEB 13, 2002

Select Non-O.R. Procedures (Enter/Edit) Option: **PR** Procedure Report (Non-O.R.)

Do you want WORK copies or CHART copies? WORK// **<Enter>**

DEVICE: HOME// **[Select Print Device]**

.....*report follows*.....

-----  
SURPATIENT, ONE 000-44-7629

PROCEDURE REPORT  
-----

NOTE DATED: 02/13/2002 00:00 PROCEDURE REPORT

SUBJECT: Case #: 267236

PREOPERATIVE DIAGNOSIS: RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
AND FAILURE TO WEAN

POSTOPERATIVE DIAGNOSIS: SAME

PROCEDURE PERFORMED: OPEN TRACHEOSTOMY

PROVIDER: DR. SURSURGEON

ASSISTANT PROVIDER:

ANESTHESIA: GENERAL ENDOTRACHEAL ANESTHESIA

ESTIMATED BLOOD LOSS: MINIMAL

COMPLICATIONS: NONE

INDICATIONS FOR PROCEDURE: The patient is a sixty-four-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed. The patient subsequent to that has had a very rocky postoperative course, most significantly focusing around persistently spiking fevers with sources significant for an E-coli sinusitis as well as a Staphylococcus E-coli pneumonia with no evidence of bacteremia. As a result of all of this sepsis and persistent spiking fevers, the patient has had a pneumonia, the patient has had a rather difficult time weaning from the ventilator and because of the almost three week period since his last operation with persistent endotracheal tube in place, the patient was brought to the operating room for an open tracheostomy procedure.

DESCRIPTION OF PROCEDURE: After appropriate consent was obtained from the patient's next of kin and the risks and benefits were explained to her, the patient was then brought to the operating room where general endotracheal anesthesia was induced. The area was prepped and draped in the usual fashion with a towel roll under the patient's scapula and the neck extended.

A longitudinal incision of approximately 2 cm was made just below the cricoid cartilage. The strap muscles were taken down using Bovie electrocautery. The isthmus of the thyroid was clamped and tied off using 2-0 silk x two. Hemostasis was assured. The thyroid cartilage was carefully dissected directly onto it. The window in the third ring of the trachea was opened after placement of retraction sutures of 0 silk, The hatch was cut open using a hatch box shape. This opening was then dilated using the tracheal dilator. The endotracheal tube was pulled back. A #7 Tracheostomy tube was placed with ease. Breath sounds were assured. The patient was oxygenating well and the stay sutures were placed. The patient tolerated the procedure well. The skin was closed with 0 silk and trachea tip was applied. The patient tolerated the procedure well. The endotracheal tube was finally removed. He was brought to the Surgical Intensive Care Unit in stable, but critical condition.

Three Sursurgeon, M.D.

TS/jer:jw J#: 514 DD: 02-13-02 DT: 02-13-02

Signed by: /es/ THREE SURSURGEON  
02/13/2002 16:40

Enter RETURN to continue or '^' to exit: ^

# Tissue Examination Report

## [SROTRPT]

The *Tissue Examination Report* option is used to generate the Tissue Examination Report that contains information about cultures and specimens sent to the laboratory for a non-OR procedure.

This report prints in an 80-column format and can be viewed on the screen.

### Example: Tissue Examination Report

Select Non-O.R. Procedures (Enter/Edit) Option: **TR** Tissue Examination Report  
 DEVICE: **[Select Print Device]**

-----printout follows-----

-----  
 MEDICAL RECORD | TISSUE EXAMINATION  
 -----

Specimen Submitted By: Obtained: AUG 13, 2004  
 OR1, SURGERY CASE # 267260

Specimen(s): BIOPSY OF STOMACH LINING

Brief Clinical History:  
 The patient has had a pneumonia, and had a rather difficult time weaning from the ventilator and because of the almost three week period since his last operation with persistent endotracheal tube in place, the patient was brought to the operating room for an open tracheostomy procedure.

Operative Procedure(s):  
 OPEN TRACHEOSTOMY

Preoperative Diagnosis:  
 RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
 AND FAILURE TO WEAN

Operative Findings:

Postoperative Diagnosis: Signature and Title  
 FOREIGN BODY IN TRACHEA SURSURGEON, TWO

Attending Provider: SURSURGEON, ONE

#### PATHOLOGY REPORT

Name of Laboratory Accession Number(s)

Gross Description, Histologic Examination and Diagnosis

(Continue on reverse side)

-----  
 PATHOLOGIST'S SIGNATURE DATE:  
 -----  
 SURPATIENT, FIFTEEN (000-98-1234) Age: 64 SEX: MALE ID # 000-98-1234  
 ETHNICITY: NOT HISPANIC REGISTER NO.  
 RACE: WHITE, ASIAN  
 WARD: ROOM-BED:  
 -----  
 VAMC: MAYBERRY, NC REPLACEMENT FORM 515

Press RETURN to continue

## Non-OR Procedure Information

### [SR NON-OR INFO]

The *Non-OR Procedure Information* option displays information on the selected non-OR procedure, with the exception of the provider's dictated summary.

This report prints in an 80-column format and can be viewed on the screen.

#### Example: Non-OR Procedure Information Report

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002
Select Non-O.R. Procedures (Enter/Edit) Option: I Non-O.R. Procedure Information
DEVICE: HOME// [Select Print Device]
```

-----printout follows-----

```
SURPATIENT,FIFTEEN (000-98-1234) Age: 64 PAGE 1
NON-O.R. PROCEDURE - CASE #267260 Printed: AUG 13, 2004@14:40

```

Med. Specialty: PULMONARY, NON-TB Location: NON OR

Principal Diagnosis:  
FAILURE TO WEAN

Provider: SURSURGEON,TWO Patient Status: INPATIENT  
Attending/Res Sup Code: SURSURGEON,FIFTEEN  
Attending Code: LEVEL F: NON-OR PROCEDURE DONE IN THE OR, ATTENDING IDENTIFIED

Attend Anesth: N/A  
Anesthesia Supervisor Code: N/A  
Anesthetist: N/A

Anesthesia Technique(s): N/A

Proc Begin: AUG 13, 2004 09:00 Proc End: AUG 13, 2004 10:00

Procedure(s) Performed:  
Principal: OPEN TRACHEOSTOMY

Indications for Procedure:  
FOREIGN BODY IN TRACHEA.

Brief Clinical History:  
The patient is a sixty-four-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed.

Specimens: BIOPSY OF STOMACH LINING.

Dictated Summary Expected: YES

Enter RETURN to continue or '^' to exit:

## Annual Report of Non-O.R. Procedures

### [SRONOP-ANNUAL]

The *Annual Report of Non-O.R. Procedures* option generates the Annual Report of Non-O.R. Procedures. It displays the total number of non-O.R. procedures within the selected date range based on CPT code.

This report prints in an 80-column format and can be viewed on the screen.

#### Example: Annual Report of Non-O.R. Procedures

```
Select Non-O.R. Procedures Option: A Annual Report of Non-O.R. Procedures
```

```
Annual Report of Non-O.R. Procedures
```

```
Starting with Date: 3/2 (MAR 02, 1999)
Ending with Date: 3/30 (MAR 30, 1999)
```

```
Print the report on which Device: [Select Print Device]
```

.....*report follows*.....



ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

| CPT - PROCEDURE               | SPECIALTY | TOTAL |
|-------------------------------|-----------|-------|
| CARDIOLOGY                    |           |       |
| 92960 HEART ELECTROCONVERSION |           | 2     |

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

| CPT - PROCEDURE              | SPECIALTY | TOTAL |
|------------------------------|-----------|-------|
| GENERAL SURGERY              |           |       |
| 11404 REMOVAL OF SKIN LESION |           | 1     |

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

| CPT - PROCEDURE                 | SPECIALTY | TOTAL |
|---------------------------------|-----------|-------|
| GENERAL (ACUTE MEDICINE)        |           |       |
| 11423 REMOVAL OF SKIN LESION    |           | 1     |
| 64510 INJECTION FOR NERVE BLOCK |           | 1     |

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 2,1999 TO: MAR 30,1999

| CPT - PROCEDURE                 | SPECIALTY | TOTAL |
|---------------------------------|-----------|-------|
| PSYCHIATRY                      |           |       |
| 90870 ELECTROCONVULSIVE THERAPY |           | 3     |

Press RETURN to continue, or '^' to quit: <Enter>

ANNUAL REPORT OF NON-O.R. PROCEDURES  
 SUMMARY OF ALL SPECIALTIES  
 FROM: MAR 2,1999 TO: MAR 30,1999

|                                                      |                              |
|------------------------------------------------------|------------------------------|
| CARDIOLOGY                                           | TOTAL NON-O.R. PROCEDURES: 2 |
| GENERAL SURGERY                                      | TOTAL NON-O.R. PROCEDURES: 1 |
| GENERAL (ACUTE MEDICINE)                             | TOTAL NON-O.R. PROCEDURES: 2 |
| PSYCHIATRY                                           | TOTAL NON-O.R. PROCEDURES: 3 |
| TOTAL NON-O.R. PROCEDURES FOR THIS MEDICAL CENTER: 8 |                              |

Press RETURN to continue

## Report of Non-O.R. Procedures

### [SRONOR]

This report chronologically lists non-O.R. procedures, and can be sorted by specialty, provider, or location.

This report prints in a 132-column format and must be copied to a printer.

#### Example 1: Report of Non-O.R. Procedures by Specialty

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// **<Enter>**

Do you want to print the report for all Specialties ? YES// **N**

Print the Report for which Specialty ? **Cardiology**

This report is designed to use a 132 column format.

Print on Device: **[Select Print Device]**

.....*report follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE                          | PATIENT (ID#)                   | PROVIDER       | START TIME     |
|-------------------------------|---------------------------------|----------------|----------------|
| CASE #                        | LOCATION (IN/OUT-PAT STATUS)    | PROCEDURE (S)  | FINISH TIME    |
| =====                         |                                 |                |                |
| *** SPECIALTY: CARDIOLOGY *** |                                 |                |                |
| 03/02/92                      | SURPATIENT,TWELVE (000-41-8719) | SURSURGEON,TWO | 03/02/92 13:05 |
| 501                           | AMBULATORY SURGERY (OUTPATIENT) | CARDIOVERSION  | 03/02/92 14:10 |
| 03/13/92                      | SURPATIENT,SIXTY (000-56-7821)  | SURSURGEON,TWO | 03/13/92 14:00 |
| 500                           | ICU (INPATIENT)                 | CARDIOVERSION  | 03/13/92 14:25 |

## Example 2: Report of Non-O.R. Procedures by Provider

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 2// **<Enter>**

Do you want to print the report for all Providers ? YES// **N**

Print the Report for which Provider ? **SURSURGEON,SIXTEEN** SS

This report is designed to use a 132 column format.

Print on Device: **[Select Print Device]**

report follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                       | PATIENT (ID#)<br>LOCATION (IN/OUT-PAT STATUS)                        | SPECIALTY<br>PROCEDURE (S)              | START TIME<br>FINISH TIME        |
|--------------------------------------|----------------------------------------------------------------------|-----------------------------------------|----------------------------------|
| *** PROVIDER SURSURGEON, SIXTEEN *** |                                                                      |                                         |                                  |
| 03/12/92<br>195                      | SURPATIENT,TWO (000-45-1982)<br>PAC(U) - ANESTHESIA (INPATIENT)      | PSYCHIATRY<br>ELECTROCONVULSIVE THERAPY | 03/12/92 08:00<br>03/12/92 09:00 |
| 03/23/92<br>240                      | SURPATIENT,NINE (000-34-5555)<br>PAC(U) - ANESTHESIA (INPATIENT)     | PSYCHIATRY<br>ELECTROCONVULSIVE THERAPY | 03/23/92 08:10<br>03/23/92 08:40 |
| 03/25/92<br>266                      | SURPATIENT,FOURTEEN (000-45-7212)<br>PAC(U) - ANESTHESIA (INPATIENT) | PSYCHIATRY<br>ELECTROCONVULSIVE THERAPY | 03/12/92 09:30<br>03/12/92 10:15 |

### Example 3: Report of Non-O.R. Procedures by Location

Select Non-O.R. Procedures Option: **Report of Non-O.R. Procedures**

Report of Non-OR Procedures

Start with Date: 3/1 (MAR 01, 1999)

End with Date: 3/31 (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 2// **3 <Enter>**

Do you want to print the report for all Locations ? YES// **N**

Print the Report for which location ? **AMBULATORY SURGERY**

This report is designed to use a 132 column format.

Print the report on which Device: [Select Print Device]

report follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                       | PATIENT (ID#)<br>SPECIALTY (IN/OUT-PAT STATUS)                           | PROVIDER<br>PROCEDURE (S)                  | START TIME<br>FINISH TIME        |
|--------------------------------------|--------------------------------------------------------------------------|--------------------------------------------|----------------------------------|
| =====                                |                                                                          |                                            |                                  |
| *** LOCATION: AMBULATORY SURGERY *** |                                                                          |                                            |                                  |
| 03/02/92<br>201                      | SURPATIENT,TWELVE (000-41-8719)<br>CARDIOLOGY (OUTPATIENT)               | SURSURGEON,TWO<br>CARDIOVERSION            | 03/02/92 13:05<br>03/02/92 14:10 |
| 03/06/92<br>198                      | SURPATIENT,TWENTY (000-45-4886)<br>GENERAL (ACUTE MEDICINE) (OUTPATIENT) | SURSURGEON,FOUR<br>EXCISION OF SKIN LESION | 03/07/92 16:30<br>03/07/92 17:08 |
| 03/09/92<br>193                      | SURPATIENT,FIFTY (000-45-9999)<br>GENERAL (ACUTE MEDICINE) (OUTPATIENT)  | SURANESTHETIST,ONE<br>STELLATE NERVE BLOCK | 03/09/92 09:45<br>03/09/92 10:21 |
| 03/13/92<br>200                      | SURPATIENT,SIXTY (000-56-7821)<br>CARDIOLOGY (INPATIENT)                 | SURSURGEON,TWO<br>CARDIOVERSION            | 03/13/92 14:00<br>03/13/92 14:25 |
| 03/17/92<br>191                      | SURPATIENT,EIGHTEEN (000-22-3334)<br>GENERAL SURGERY (OUTPATIENT)        | SURSURGEON,FOUR<br>EXCISION OF SKIN LESION | 03/17/92 13:30<br>03/17/92 14:42 |

## Comments Option [SROMEN-COM]

Surgeons use the *Comments* option to respond to the GENERAL COMMENTS field for a surgical case or non-O.R. procedure. This option is designed to give surgeons an opportunity to directly add general comments after a case has been booked. The GENERAL COMMENTS field may already contain information added by the person booking the operation.

After selecting the patient case, the surgeon can add the general comments using the VA FileMan word- processing device, demonstrated below.

### Example: Enter General Comments

```
Select Surgery Menu Option: C Comments

Select Patient: SURPATIENT,THREE 08-15-42 000212453

1. 11/20/99 CAROTID ARTERY ENDARTERECTOMY (COMPLETED)
2. 11/20/99 AORTO CORONARY BYPASS GRAFT (CANCELLED)

Select Number: 1

General Comments:
Edit? NO// YES

==[WRAP]==[INSERT]=====< General Comments >=[Press <PF1>H for help]====
 Patient at high risk due to severe hypertension. Pre-operative
 evaluation recommended treatment by other than surgical means.
 This treatment, however, was unsuccessful necessitating surgery.
 Patient should be monitored closely & anesthesia time
 kept to a minimum.

Do you want to save changes? YES
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```



# Chapter Three: CPT/ICD Coding Menu

## [SRCODING MENU]

### Introduction

The Surgery *CPT/ICD Coding Menu* option was developed to help assure access to the most accurate source documentation and to provide a means for efficient coding entry and validation. It provides coders with special, limited access to the VistA Surgery package.

From the menu, coders have ready access to the Operation Report, which is dictated by the surgeon postoperatively and contains the most comprehensive and accurate description of the procedure(s) actually performed. Coders can also view the Nurse Intraoperative Report, which is often an important supplementary source of data.

Using the same menu, coders can add and edit procedures, CPT codes, diagnoses, and International Classification of Diseases (ICD) codes, without having to rely on a paper-based system. Options are available to assist surgery staff and others who perform coding validation, as are several commonly used reports.

The *Surgery CPT/ICD Coding Menu* contains the following options. To the left is the shortcut synonym the user can enter to select the option:

| Shortcut     | Option Name                                       |
|--------------|---------------------------------------------------|
| EDIT CPT/ICD | <i>Update/Verify Menu ...</i>                     |
| C            | <i>Cumulative Report of CPT Codes</i>             |
| A            | <i>Report of CPT Coding Accuracy</i>              |
| M            | <i>List Completed Cases Missing CPT Codes</i>     |
| L            | <i>List of Operations</i>                         |
| LS           | <i>List of Operations (by Surgical Specialty)</i> |
| U            | <i>List of Undictated Operations</i>              |
| D            | <i>Report of Daily Operating Room Activity</i>    |
| PS           | <i>PCE Filing Status Report</i>                   |
| R            | <i>Report of Non-O.R. Procedures</i>              |

## CPT/ICD Update/Verify Menu

### [SRCODING UPDATE/VERIFY MENU]



The *CPT/ICD Update/Verify Menu* is locked with the SR CODER security key. This option provides coding personnel with access to review and edit procedure and diagnosis information. It also provides access to the Operation Report and Nurse Intraoperative Report for operations and to the Procedure Report (Non-O.R.) for non-O.R. procedures.

The *CPT/ICD Update/Verify Menu* contains the following options. To the left is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                                    |
|----------|------------------------------------------------|
| UV       | <i>Update/Verify Procedure/Diagnosis Codes</i> |
| OR       | <i>Operation/Procedure Report</i>              |
| NR       | <i>Nurse Intraoperative Report</i>             |
| PI       | <i>Non-OR Procedure Information</i>            |

To access the *CPT/ICD Update/Verify Menu*, the user must first identify the patient and case. When the user selects **EDIT** for the *CPT/ICD Update/Verify Menu* from the *CPT/ICD Coding Menu*, the user will be prompted to enter a patient name. The software will then list all the cases on record for the patient, including any operations that are completed or are in progress and any non-O.R. procedures.

```
Select CPT/ICD Coding Menu Option: EDIT CPT/ICD Update/Verify Menu

Select Patient: SURPATIENT, TWELVE 02-12-28 000418719 YES S
C VETERAN

SURPATIENT, TWELVE 000-41-8719

1. 08-07-99 REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-24-99 CYSTOSCOPY (NON-OR PROCEDURE)
3. 02-18-03 TRACHEOSTOMY (COMPLETED)
4. 09-04-97 CHOLECYSTECTOMY (COMPLETED)
5. 09-28-95 INGUINAL HERNIA (COMPLETED)
6. 08-31-95 HIP REPLACEMENT (COMPLETED)

Select Case: 3

SURPATIENT, TWELVE (000-41-8719) Case #124 - FEB 18, 2003

UV Update/Verify Procedure/Diagnosis Codes
OR Operation/Procedure Report
NR Nurse Intraoperative Report
PI Non-OR Procedure Information

Select CPT/ICD Update/Verify Menu Option:
```

From this point, the user can select any of the *CPT/ICD Update/Verify Menu* options.

## Update/Verify Procedure/Diagnosis Codes

### [SRCODING EDIT]

The *Update/Verify Procedure/Diagnosis Codes* option allows the user to enter the final codes and associated information required for PCE upon completion of a Surgery case.



---

The procedure and diagnoses codes entered/edited through this option will be the coded information that is sent to the Patient Care Encounter (PCE) package. After the case is coded, the user will select to send the information to PCE.

---

When the user first edits a case through this option, the values will be pre-populated, using the values for planned codes entered by the nurse or surgeon. If there is no Planned Principal Procedure Code or no Principal Pre-op Diagnosis Code, then the Surgery software will prompt for the final CPT and ICD codes.

Because a case can have more than one procedure and/or diagnosis, the user can associate one or more diagnosis with each procedure. The Surgery software displays the diagnoses in the order in which the user entered them in the case. The user can then associate and reorder the relevant diagnoses to each procedure.

The user can also edit the service classifications for the Postoperative Diagnoses.

The following examples depict using the *Update/Verify Procedure/Diagnosis Codes* option to edit a Bronchoscopy, with no planned CPT or ICD codes entered by a clinician.

### Example: Entering Required Information

```
Select CPT/ICD Update/Verify Menu Option: UV Update/Verify Procedure/Diagnosis Codes
```

```
SURPATIENT,TWELVE (000-41-8719) Case #10062
UJUN 08, 2005 BRONCHOSCOPY
```

```

Surgery Procedure PCE/Billing Information:
```

```
1. Principal Postop Diagnosis Code: NOT ENTERED
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: NOT ENTERED
 Assoc. DX:
 NO Assoc. DX ENTERED
4. Other CPT Code: NOT ENTERED
```

```

The following information is required before continuing.
```

```
Principal Postop Diagnosis Code (ICD):934.0 934.0 FOREIGN BODY IN TRACHEA
...OK? Yes// (Yes) <Enter>
```

Because the patient has a service-connected status, the Surgery software displays a service-connected prompt:

```
SURPATIENT,TWELVE (000-41-8719) SC VETERAN

* * * Eligibility Information and Service Connected Conditions * * *

Primary Eligibility: SERVICE CONNECTED 50% TO 100%
Combat Vet: NO A/O Exp.: YES M/S Trauma: NO
ION Rad.: YES SWAC: NO H/N Cancer: NO
PROJ 112/SHAD: NO

 SC Percent: 50%
Rated Disabilities: NONE STATED

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): YES
Treatment related to Agent Orange Exposure (Y/N): YES
Treatment related to Ionizing Radiation Exposure (Y/N): YES
```

Note that when a Postop Diagnosis Code is entered, it is automatically associated to a Principal CPT code, even if a CPT code is not entered.

```
SURPATIENT,TWELVE (000-41-8719) Case #10062
JUN 08, 2005 BRONCHOSCOPY

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: NOT ENTERED
 Assoc. DX: 934.0 -FOREIGN BODY IN TRACHEA
4. Other CPT Code: NOT ENTERED

The following information is required before continuing.

Principal Procedure Code (CPT): 31622 DX BRONCHOSCOPE/WASH
BRONCHOSCOPY, RIGID OR FLEXIBLE, WITH OR WITHOUT FLUOROSCOPIC GUIDANCE;
DIAGNOSTIC, WITH OR WITHOUT CELL WASHING (SEPARATE PROCEDURE)
Modifier: <Enter>
```

```
SURPATIENT,TWELVE (000-41-8719) Case #10062
JUN 08, 2005 BRONCHOSCOPY

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 31622 DX BRONCHOSCOPE/WASH
 Assoc. DX: 934.0 FOREIGN BODY IN TRACHEA
4. Other CPT Code: NOT ENTERED

Enter number of item to edit (1-4):
```

Because all required information is now entered, the user can select to automatically send the information to PCE, or wait until other information is entered.

```
Is the coding of this case complete and ready to send to PCE? NO// <Enter>
```

### Example: Editing the Principal CPT Code

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
  2. Other Postop Diagnosis Code: NOT ENTERED
  3. Principal CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX: 934.0 FOREIGN BODY IN TRACHEA
  4. Other CPT Code: NOT ENTERED
- 

Enter number of item to edit (1-4): **3**

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Principal Procedure:

CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Modifiers: NOT ENTERED  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA

Select one of the following:

- 1 Update Principal Procedure CPT Code
- 2 Update Associated Diagnoses

Enter selection (1 or 2): 1// **1** Update Principal Procedure CPT Code

Principal Procedure Code (CPT): 31622// **31623** DX BRONCHOSCOPE/BRUSH  
BRONCHOSCOPY (RIGID OR FLEXIBLE); WITH BRUSHING OR PROTECTED BRUSHINGS

Modifier:  
The Diagnosis to Procedure Associations may no longer be correct.  
Delete all Principal Associated Diagnoses? N// **<Enter>** NO



Editing or deleting any diagnosis or procedures may cause any associated diagnoses to be incorrect; the software prompts the user to check any diagnosis to procedure associations. The user can select to delete all associated diagnoses, or keep all associations.

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Modifiers: NOT ENTERED  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA

Only the following ICD Diagnosis Codes can be associated:

1. 934.0-FOREIGN BODY IN TRACHEA

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **<Enter>**

### Example: Entering a New Other Procedure CPT Code

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
  2. Other Postop Diagnosis Code: NOT ENTERED
  3. Principal CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Assoc. DX: 934.0 FOREIGN BODY IN TRACHEA
  4. Other CPT Code: NOT ENTERED
- 

Enter number of item to edit (1-4): **4**

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Other Procedures:

1. Enter NEW Other Procedure

Enter selection: (1-1): **1**

Enter new OTHER PROCEDURE CPT code: **43200** ESOPHAGUS ENDOSCOPY  
ESOPHAGOSCOPY, RIGID OR FLEXIBLE; DIAGNOSTIC, WITH OR WITHOUT COLLECTION  
OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)  
Modifier: **<Enter>**

All procedures must be associated with a diagnosis; the Surgery software allows the user to associate any or all available diagnoses to a single procedure. If more than one diagnosis is available, then the user enters the associations sequentially for the association.

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Other Procedures:

1. CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Modifiers: NOT ENTERED  
Assoc. DX: NOT ENTERED
- 

Only the following ICD Diagnosis Codes can be associated:

1. 934.0-FOREIGN BODY IN TRACHEA

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **<Enter>**

SURPATIENT,TWELVE (000-41-8719) Case #10062  
JUN 08, 2005 BRONCHOSCOPY

---

Other Procedures:

1. CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHEA
2. Enter NEW Other Procedure Code

Enter selection: (1-2): **<Enter>**

SURPATIENT,TWELVE (000-41-8719)  
JUN 08, 2005 BRONCHOSCOPY

Case #10062

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
4. Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHE

-----  
Enter number of item to edit (1-4):

To edit service connected or environmental indicators, the user selects either the Principal Postop Diagnosis Code or the Other Postop Diagnosis Code. The Principal Postop Diagnosis Code and Other Postop Diagnosis Code fields indicate ICD-9 or ICD-10 codes.

### Example: Editing Service Connected/Environmental Indicators (SC/EIs)

PTFPATIENT,TEST MALE (000-00-1234) Case #33  
OCT 04, 2013 REMOVE FOOT

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD10): R44.0 Auditory hallucinations
2. Other Postop Diagnosis Code (ICD10): G20. Parkinson's disease
3. Principal CPT Code: 20838 REPLANTATION FOOT COMPLETE  
Assoc. DX(ICD10): R44.0-Auditory hallucination
4. Other CPT Code: NOT ENTERED

-----  
Enter number of item to edit (1-4): **1**

PTFPATIENT,TEST MALE (000-00-1234) Case #33  
OCT 04, 2013 REMOVE FOOT

-----  
Principal Postop Diagnosis:

ICD10 Code: R44.0 Auditory hallucinations  
SC:N

Select one of the following:

- 1 Update Principal Postop Diagnosis Code
- 2** Update Service Connected/Environmental Indicators only

Enter selection (1 or 2): 1// **1 Update Principal Postop Diagnosis Code**

Principal Postop Diagnosis Code (ICD10): R44.0// TRACHAE

The information displayed for this patient show Service Connected status of less than 50%, and the Agent Orange Exposure and Ionizing Radiation indicators associated with the diagnosis. The software gives the user the option to update all diagnoses with the same service-connected indicators simultaneously.



SURPATIENT,TWELVE (000-41-8719) SC VETERAN

\* \* \* Eligibility Information and Service Connected Conditions \* \* \*

Primary Eligibility: SC LESS THAN 50%  
Combat Vet: NO A/O Exp.: YES M/S Trauma: NO ION  
Rad.: YES SWAC: NO H/N Cancer: NO PROJ  
112/SHAD: NO

SC Percent: %  
Rated Disabilities: NONE STATED

---

Please supply the following required information about this operation:

Treatment related to Service Connected condition (Y/N): YES// <Enter>

Treatment related to Agent Orange Exposure (Y/N): NO

Treatment related to Ionizing Radiation Exposure (Y/N): YES

Update all 'OTHER POSTOP DIAGNOSIS' Eligibility and Service Connected Conditions with these values (Y/N)? NO// <Enter>

SURPATIENT,TWELVE (000-41-8719)  
JUN 08, 2005 BRONCHOSCOPY

Case #10062

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 31623 DX BRONCHOSCOPE/BRUSH  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHE
4. Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX: 934.0-FOREIGN BODY IN TRACHE

-----  
Enter number of item to edit (1-4):

The following examples depict using the *Update/Verify Procedure/Diagnosis Codes* option to edit a cardiac procedure (CABG), with clinician-entered Planned CPT and ICD codes.

Select CPT/ICD Update/Verify Menu Option: **UV** Update/Verify Procedure/Diagnosis Codes

**Example: Editing Final Codes and Sending the Case to PCE**

SURPATIENT, SEVENTEEN 000-45-5119  
 1. 07-15-05 CABG (COMPLETED)  
 2. 06-09-05 NASAL ENDOSCOPY (COMPLETED)

Select Case: **1**

Division: ALBANY (500)

SURPATIENT, SEVENTEEN (000-45-5119) Case #314 - JUL 15, 2005

UV Update/Verify Procedure/Diagnosis Codes  
 OR Operation/Procedure Report  
 NR Nurse Intraoperative Report  
 PI Non-OR Procedure Information

Select CPT/ICD Coding Menu Option: EDIT CPT/ICD Update/Verify Menu

Select Patient: **SURPATIENT, SEVENTEEN** 3-29-20 000455119 YES  
 SC VETERAN

Because the nurse or surgeon entered a Planned Principal CPT Code and a Preoperative Diagnosis Code, the corresponding fields pre-fill with those clinician-entered values when the user accesses the case through the *Update/Verify Procedure/Diagnosis Codes* option.

The user can either accept the codes that have been pre-operatively entered, or the user can edit the codes as necessary. In this example, the codes will be adjusted to accurately reflect the procedures by adding Other Postop Diagnosis Codes and Other CPT Codes.

SURPATIENT, SEVENTEEN (000-45-5119) Case #314  
 JUL 15, 2005 CABG

-----  
 Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: NOT ENTERED
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE  
 Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: NOT ENTERED

-----  
 Enter number of item to edit (1-4): **2**

```

SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Other Postop Diagnosis:

1. Enter NEW Other Postop Diagnosis Code

Enter selection: (1-1): 1

Enter new OTHER POSTOP DIAGNOSIS Code: 599.0 599.0 URIN TRACT INFECTION NOS
(w C/C)
...OK? Yes// <Enter> (Yes)

Please review and update procedure associations for this diagnosis.

Press Enter/Return key to continue <Enter>

```

The ICD Code fields below indicate ICD-9 or ICD-10 codes.

### Example: ICD-9 Code

```

SRPATIENTA,ONE (000-12-3456) Case #35706
JAN 01, 2012 RIGHT ARM PAIN

Other Postop Diagnosis:

1. ICD9 Code: 003.1 SALMONELLA SEPTICEMIA
2. ICD9 Code: 367.0 HYPERMETROPIA
3. Enter NEW Other Postop Diagnosis Code

Enter selection: (1-3): 1

```

Now the Other CPT Code will be entered.

```

SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE
 Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: NOT ENTERED

Enter number of item to edit (1-4): 4

```

```

SURPATIENT,SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Other Procedures:

1. Enter NEW Other Procedure Code

Enter selection: (1-1): 1

Enter new OTHER PROCEDURE CPT code: 33510 CABG, VEIN, SINGLE
CORONARY ARTERY BYPASS, VEIN ONLY; SINGLE CORONARY VENOUS GRAFT
Modifier: <Enter>

```

### Example: ICD-10 Code

SRPATIENTA, ONE (000-12-3456) Case #45731  
FEB 27, 2014 HEART TRANSPLANT

Other Postop Diagnosis:

1. ICD10 Code: E83.41 Hypermagnesemia
2. ICD10 Code: V72. 1XXD Passenger on bus injured in clsn w 2/3-whl mv momtraf, Subs
3. Enter NEW Other Postop Diagnosis Code  
Enter selection: (1-3): 1

SRPATIENTA, ONE (xxx-xx-xxxx) Case #45731  
FEB 27, 2014 HEART TRANSPLANT

Other Postop Diagnosis:

1. ICD10 Code: E83.41 Hypermagnesemia  
Select one of the following  
1 Update Other Postop Diagnosis Code  
2 Update Service Connected/Environmental Indicators only
- Enter selection (1 or 2): 1//

When additional diagnoses and procedure codes are entered, the user should review the procedure to diagnosis associations to ensure that the associations are correct. In this example, additional associations will be assigned.

SURPATIENT, SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Modifiers: NOT ENTERED  
Assoc. DX: NOT ENTERED

Only the following ICD Diagnosis Codes can be associated:

1. 402.01-HYP HEART DIS MALIGN WITH FAIL
2. 599.0-URIN TRACT INFECTION NOS

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **1,2**

SURPATIENT, SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
2. Enter NEW Other Procedure Code

Enter selection: (1-2): **<Enter>**

The Surgery case displays the updated values.

```
SURPATIENT, SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE
 Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: 33510 CABG, VEIN, SINGLE
 Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N

Enter number of item to edit (1-4): <Enter>
```

Because the coding for the case is completed, the user can select to stop editing the case and send the case to PCE.

```
Is the coding of this case complete and ready to send to PCE? NO// YES

Coding completed and sent to PCE.

Press Enter/Return key to continue
```



Prior to sending the case to PCE, the Surgery software checks to see if a specific code, 065.0

CRIMEAN HEMORRHAGIC FEV, is entered as a diagnosis code. If it is entered, the software prompts the user to make sure that the code is correct for the specified case. This check is added to prevent the inadvertent assignment of code 065.0 when "CHF" is entered for the Principal or Other ICD Diagnosis codes.

After the case has been sent to PCE, any changes made to the case through the Update/Verify Procedure/Diagnosis Codes option will be automatically sent to PCE.

### Example: Editing a Case After Sending to PCE

```
Select CPT/ICD Update/Verify Menu Option: UV Update/Verify Procedure/Diagnosis
Codes

SURPATIENT, SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Coding for this case has been completed and sent to PCE.

Are you sure you want to edit this case? NO// YES

SURPATIENT, SEVENTEEN (000-45-5119) Case #314
JUL 15, 2005 CABG

Surgery Procedure PCE/Billing Information:
```

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL  
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS  
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE  
    Assoc. DX: 402.01-HYP HEART DIS MALIGN  
4. Other CPT Code: 33510 CABG, VEIN, SINGLE  
    Assoc. DX: 402.01-HYP HEART DIS MALIGN      599.0-URIN TRACT INFECTION N

-----  
Enter number of item to edit (1-4): **4**

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
2. Enter NEW Other Procedure Code

Enter selection: (1-2): **1**  
SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33510 CABG, VEIN, SINGLE  
Modifiers: NOT ENTERED  
Assoc. DX: 402.01-HYP HEART DIS MALIGN  
599.0-URIN TRACT INFECTION N

Select one of the following:

- 1 Update Other Procedure CPT Code
- 2 Update Associated Diagnoses

Enter selection (1 or 2): 1// **<Enter>** Update Other Procedure CPT Code

Other Procedure CPT Code: 33510// **33517** CABG, ARTERY-VEIN, SINGLE  
CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S);  
SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL  
GRAFT)  
Modifier: **<Enter>**

The Diagnosis to Procedure Associations may no longer be correct.  
Delete all Other Associated Diagnoses? N// **Y** YES

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Modifiers: NOT ENTERED  
Assoc. DX: NOT ENTERED

-----  
Only the following ICD Diagnosis Codes can be associated:

1. 402.01-HYP HEART DIS MALIGN WITH FAIL
2. 599.0-URIN TRACT INFECTION NOS

Select the number(s) of the Diagnosis Code to associate to  
the procedure selected: 1// **1,2**

SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

-----  
Other Procedures:

1. CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N
2. Enter NEW Other Procedure Code

Enter selection: (1-2): **<Enter>**



SURPATIENT,SEVENTEEN (000-45-5119) Case #314  
JUL 15, 2005 CABG

---

Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code: 402.01 HYP HEART DIS MALIGN WITH FAIL
2. Other Postop Diagnosis Code: 599.0 URIN TRACT INFECTION NOS
3. Principal CPT Code: 33510 CABG, VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN
4. Other CPT Code: 33517 CABG, ARTERY-VEIN, SINGLE  
Assoc. DX: 402.01-HYP HEART DIS MALIGN 599.0-URIN TRACT INFECTION N

---

Enter number of item to edit (1-4): **<Enter>**

Coding completed and sent to PCE.

Press Enter/Return key to continue

## Operation/Procedure Report

### [SRCODING OP REPORT]

The *Operation/Procedure Report* option is used by the coders to print the Operation Report for an operation or the Procedure Report (Non-O.R.) for a non-O.R. procedure.

Any user may print this report, which prints in an 80-column format and can be viewed on the screen or copied to a printer.

#### Example 1: Operation Report

```
Select CPT/ICD Update/Verify Menu Option: OR Operation/Procedure Report
```

```
Do you want WORK copies or CHART copies? WORK// <Enter>
```

```
DEVICE: [Select Print Device]
```

.....*printout follows*.....

SURPATIENT, TEN 000-12-3456

OPERATION REPORT

NOTE DATED: 07/29/2003 15:15 OPERATION REPORT  
VISIT: 07/29/2003 15:15 SURGERY OF REPORT NON-COUNT  
SUBJECT: Case #: 73285

PREOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

POSTOPERATIVE DIAGNOSIS: Visually significant cataract, right eye

PROCEDURE: Phacoemulsification with intraocular lens placement, right eye

CLINICAL INDICATIONS: This 64-year-old gentleman complains of decreased vision in the right eye affecting his activities of daily living. Best corrected visual acuity is counting fingers at 6 feet, associated with a 2-3+ nuclear sclerotic and 4+ posterior subcapsular cataract in that eye.

ANESTHESIA: Local monitoring with topical Tetracaine and 1% preservative free Lidocaine.

DESCRIPTION OF THE PROCEDURE: After the risks, benefits and alternatives of the procedure were explained to the patient, informed consent was obtained. The patient's right eye was dilated with Phenylephrine, Mydriacyl and Ocufen. He was brought to the Operating Room and placed on anesthetic monitors. Topical Tetracaine was given. He was prepped and draped in the usual sterile fashion for eye surgery. A Lieberman lid speculum was placed.

A Supersharp was used to create a superior paracentesis port. The anterior chamber was irrigated with 1% preservative free Lidocaine. The anterior chamber was filled with Viscoelastic. The diamond groove maker and diamond keratome were used to create a clear corneal tunneled incision at the temporal limbus. The cystotome was used to initiate a continuous capsulorrhexis, which was then completed using Utrata forceps. Balanced salt solution was used to hydrodissect and hydrodelineate the lens.

Phacoemulsification was used to remove the lens nucleus and epinucleus in a non-stop horizontal chop fashion. Cortex was removed using irrigation and aspiration. The capsular bag was filled with Viscoelastic. The wound was enlarged with a 69 blade. An Alcon model MA60BM posterior chamber intraocular lens with a power of 24.0 diopters, serial #588502.064, was folded and inserted with the leading haptic placed into the bag. The trailing haptic was dialed into the bag with the Lester hook. The wound was hydrated. The anterior chamber was filled with balanced salt solution. The wound was tested and found to be self-sealing. Subconjunctival antibiotics were given, and an eye shield was placed. The patient was taken in good condition to the Recovery Room. There were no complications.

KJC/PSI  
DATE DICTATED: 07/29/03  
DATE TRANSCRIBED: 07/29/03  
JOB: 629095

Signed by: /es/ FOURTEEN SURSURGEON, M.D.  
07/30/2003 10:31

## Example 2: Procedure Report (Non-OR)

Select CPT/ICD Update/Verify Menu Option: **OR** Operation/Procedure Report  
DEVICE: [Select Print Device]

printout follows

-----  
SURPATIENT, ONE 000-44-7629

PROCEDURE REPORT  
-----

NOTE DATED: 02/13/2002 00:00 PROCEDURE REPORT

SUBJECT: Case #: 267236

PREOPERATIVE DIAGNOSIS: RESPIRATORY FAILURE, PROLONGED TRACHEAL INTUBATION  
AND FAILURE TO WEAN

POSTOPERATIVE DIAGNOSIS: SAME

PROCEDURE PERFORMED: OPEN TRACHEOSTOMY

SURGEON: DR. SURSURGEON

ASSISTANT SURGEON:

ANESTHESIA: GENERAL ENDOTRACHEAL ANESTHESIA

ESTIMATED BLOOD LOSS: MINIMAL

COMPLICATIONS: NONE

INDICATIONS FOR PROCEDURE: The patient is a forty-nine-year-old gentleman with a rather extensive past surgical history, mostly significant for status post esophagogastrectomy and presented to the hospital approximately three weeks ago with abdominal pain. Diagnostic evaluation consisted of an abdominal CT scan, liver function tests and right upper quadrant ultrasound, all of which were consistent with a diagnosis of acalculus cholecystitis. Because of these findings, the patient was brought to the operating room approximately three weeks ago where an open cholecystectomy was performed. The patient subsequent to that has had a very rocky postoperative course, most significantly focusing around persistently spiking fevers with sources significant for an E-coli sinusitis as well as a Staphylococcus E-coli pneumonia with no evidence of bacteremia. As a result of all of this sepsis and persistent spiking fevers, the patient has had a pneumonia, the patient has had a rather difficult time weaning from the ventilator and because of the almost three week period since his last operation with persistent endotracheal tube in place, the patient was brought to the operating room for an open tracheostomy procedure.

DESCRIPTION OF PROCEDURE: After appropriate consent was obtained from the patient's next of kin and the risks and benefits were explained to her, the patient was then brought to the operating room where general endotracheal anesthesia was induced. The area was prepped and draped in the usual fashion with a towel roll under the patient's scapula and the neck extended.

A longitudinal incision of approximately 2 cm was made just below the cricoid cartilage. The strap muscles were taken down using Bovie electrocautery. The isthmus of the thyroid was clamped and tied off using 2-0 silk x two. Hemostasis was assured. The thyroid cartilage was carefully dissected directly onto it. The window in the third ring of the trachea was opened after placement of retraction sutures of 0 silk, The hatch was cut open using a hatch box shape. This opening was then dilated using the tracheal dilator. The endotracheal tube was pulled back. A #7 Tracheostomy tube was placed with ease. Breath sounds were assured. The patient was oxygenating well and the stay sutures were placed. The patient tolerated the procedure well. The skin was closed with 0 silk and trachea tip was applied. The patient tolerated the procedure well. The endotracheal tube was finally removed. He was brought to the Surgical Intensive Care Unit in stable, but critical condition.

Three Sursurgeon, M.D.

TS/jer:jw J#: 514 DD: 02-13-02 DT: 02-13-02

Signed by: /es/ THREE SURSURGEON  
02/13/2002 16:40

Enter RETURN to continue or '^' to exit: ^

## Nurse Intraoperative Report

### [SRCODING NURSE REPORT]

The *Nurse Intraoperative Report* option is used by the coders to print the Nurse Intraoperative Report for an operation. This report is not available for non-O.R. procedures.

This report prints in an 80-column format and can be viewed on the screen or copied to a printer.

In the example below, at the time of printing the report, the Surgery Site Parameter "NURSE INTRAOP REPORT" was set to "PRINT TITLES WITH INFO ONLY" so only populated fields are displayed.

#### Example: Nurse Intraoperative Report

```
Select CPT/ICD Update/Verify Menu Option: NR Nurse Intraoperative Report
Do you want WORK copies or CHART copies? WORK// <Enter>
DEVICE: HOME// [Select Print Device]
```

-----*printout follows*-----

-----  
SURPATIENT,TEN 000-12-3456

NURSE INTRAOPERATIVE REPORT  
-----

NOTE DATED: 07/12/2024 08:00 NURSE INTRAOPERATIVE REPORT

VISIT: 07/12/2024 08:00 BO OR1

SUBJECT: Case #: 267226

Operating Room: BO OR1

Surgical Priority: ELECTIVE

Patient in Hold: JUL 12, 2024 07:30 Patient in OR: JUL 12, 2024 08:00

Operation Begin: JUL 12, 2024 08:58 Operation End: JUL 12, 2024 12:10

Surgeon in OR: JUL 12, 2024 07:45 Patient Out OR: JUL 12, 2024 12:45

Major Operations Performed:

Primary: MVR

Robotic Assistance (Y/N): NO

Wound Classification: CLEAN/CONTAMINATED

Operation Disposition: ICU

Discharged Via: ICU BED

Primary Surgeon: SURSURGEON,THREE

First Assist: SURSURGEON,FOUR

Attending Surgeon: SURSURGEON,THREE

Second Assist: N/A

Anesthetist: SURANESTHETIST,SEVEN

Assistant Anesth: N/A

OR Support Personnel:

Scrubbed

N/A

Circulating

N/A

Preop Mood: ANXIOUS

Preop Consc: ALERT-ORIENTED

Preop Skin Integ: INTACT

Preop Converse: N/A

--- Time Out Checklist ---

Confirm Correct Patient Identity: YES

Confirm Procedure To Be Performed: YES

Confirm Site of the Procedure, Including Laterality: YES

Confirm Valid Consent: YES, i-MED

Confirm Patient Position: YES

Confirm Procedure Site has been Marked Appropriately and that the Site of the

Mark is Visible After Prep and Draping: YES

Pertinent Medical Images Have Been Confirmed: YES

Correct Medical Implant(s) is Available: YES

Availability of Special Equipment: YES

Appropriate Antibiotic Prophylaxis: NO

Appropriate Deep Vein Thrombosis Prophylaxis: YES

Blood Availability: YES

Checklist Comment:

ANTIBIOTICS NOT NECESSARY

Time-Out Document Completed By: SURNURSE,FIVE

Time-Out Completed: JUL 12, 2024@08:00

Skin Prep By: NURSE,ELEVEN

Skin Prep Agent: POVIDONE IODINE

Preop Surgical Site Hair Removal by: NURSE,EIGHT

Surgical Site Hair Removal Method: CLIPPER

Hair Removal Comments: NO COMMENTS ENTERED

Surgery Position(s):

SUPINE

Placed: N/A

Restraints and Position Aids:

SAFETY STRAP

Applied By: N/A

Electrocautery Unit: DAISY:18%

ESU Coagulation Range: N/A

ESU Cutting Range: N/A

Electroground Position(s): N/A

Anesthesia Technique(s):

GENERAL

Tubes and Drains:

#16FOLEY, #18NGTUBE, #36 &2 #32RA CHEST TUBES

Possible Item Retention: \* NOT ENTERED \*  
Sponge Final Count Correct: YES  
Sharps Final Count Correct: YES  
Instrument Final Count Correct: YES  
Wound Sweep: \* NOT ENTERED \*  
Wound Sweep Comment: NO COMMENTS ENTERED  
Intra-Operative X-Ray: \* NOT ENTERED \*  
Intra-Operative X-Ray Comment: NO COMMENTS ENTERED  
Counter: SURNURSE,FOUR  
Counts Verified By: SURNURSE,FIVE

Dressing: DSD, PAPER TAPE, MEPORE

Packing: NONE

Transplant Information:

Organ to be Transplanted: \* NOT ENTERED \*  
UNOS Identification Number of Donor:  
Donor Serology Hepatitis C virus (HCV): \* NOT ENTERED \*  
Donor Serology Hepatitis B Virus (HBV): \* NOT ENTERED \*  
Donor Serology Cytomegalovirus (CMV): \* NOT ENTERED \*  
Donor Serology HIV: \* NOT ENTERED \*  
Donor ABO Type: \* NOT ENTERED \*  
Recipient ABO Type: \* NOT ENTERED \*  
Blood Bank Verification of ABO Type: \* NOT ENTERED \*  
Blood Bank ABO Verification Comments:  
Date/Time of Blood Bank ABO Verification: \* NOT ENTERED \*  
OR Verification of ABO Type: \* NOT ENTERED \*  
OR ABO Verification Comments:  
Date/Time OR ABO Verification: \* NOT ENTERED \*  
Surgeon Performing UNET Verification: \* NOT ENTERED \*  
UNET Verification by Surgeon: \* NOT ENTERED \*  
Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Anesthesia: \* NOT ENTERED \*  
Surgeon Verifying Organ Prior to Donor Anesthesia: \* NOT ENTERED \*  
Donor Organ Verification Prior to Anesthesia: \* NOT ENTERED \*  
Organ Verification Prior to Transplant: \* NOT ENTERED \*  
Surgeon Verifying the Organ Prior to Transplant: \* NOT ENTERED \*  
Donor Vessel Usage: \* NOT ENTERED \*  
Donor Vessel Disposition if not used:  
Donor Vessel UNOS ID:

---

The Transplant Information section will only appear for:

1) Transplant cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 32851, 32852, 32853, 32854, 33935, 33945, 44135, 44136, 47135, 47136, 48160, 48554, 50360, 50365

2) Donor cases, where PLANNED PRIN PROCEDURE CODE is set to one of the following CPT codes: 44133, 47140, 47141, 47142, 48550, 50320, 50547

---



Immediate Use Steam Sterilization

Episodes: Contamination: 0  
SPS Processing/OR Management Issues:  
0 Emergency Case: 0  
No Better Option: 0  
Loaner or Short Notice Instrument: 0  
Decontamination of Instruments Contaminated During the Case: 0

Nursing Care Comments: NO COMMENTS ENTERED

Signed by: /es/ FIVE SURNURSE  
07/13/2024 10:41



## Non-OR Procedure Information

### [SR NON-OR INFO]

The *Non-OR Procedure Information* option displays information on the selected non-OR procedure, with the exception of the provider's dictated summary.

This report prints in an 80-column format and can be viewed on the screen.

#### Example: Non-OR Procedure Information

```
SURPATIENT,FIFTEEN (000-98-1234) Case #267260 - APR 22,2002
```

```
UV Update/Verify Procedure/Diagnosis Codes
OR Operation/Procedure Report
NR Nurse Intraoperative Report
PI Non-OR Procedure Information
```

```
Select CPT/ICD Update/Verify Menu Option: I Non-O.R. Procedure Information
```

```
DEVICE: HOME// [Select Print Device]
```

-----printout follows-----

```
SURPATIENT,FIFTEEN (000-98-1234) Age: 60 PAGE 1
NON-O.R. PROCEDURE - CASE #267260 Printed: AUG 04, 2004@14:40
```

```
Med. Specialty: GENERAL Location: NON OR
```

```
Principal Diagnosis: LARYNGEAL/TRACHEAL BURN
```

```
Provider: SURSURGEON,FIFTEEN Patient Status: NOT ENTERED
Attending:
Attending Code:
```

```
Attend Anesth: N/A
Anesthesia Supervisor Code: N/A
Anesthetist: N/A
```

```
Anesthesia Technique(s): N/A
```

```
Proc Begin: JAN 14, 2004 08:00 Proc End: JAN 14, 2004 09:00
```

```
Procedure(s) Performed:
Principal: BRONCHOSCOPY
```

```
Dictated Summary Expected: YES
```

```
Enter RETURN to continue or '^' to exit:
```

## Cumulative Report of CPT Codes [SROACCT]

The *Cumulative Report of CPT Codes* option counts and reports the number of times a procedure was performed (based on CPT codes) during a specified date range. There is also a column showing how many times it was in the Other Operative Procedure category.

After the user enters the date range, the software will ask if the user wants the Cumulative Report of CPT Codes to include only operating room surgical procedures, non-O.R. procedures, or both.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Print the Cumulative Report of CPT Codes for only OR Surgical Procedures

```
Select CPT/ICD Coding Menu Option: C Cumulative Report of CPT Codes
```

```
Cumulative Report of CPT Codes
```

```
Start with Date: 3/28 (MAR 28, 1999)
```

```
End with Date: 4/3 (APR 03, 1999)
```

```
Include which cases on the Cumulative Report of CPT Codes ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

```
Select Number: 1// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: MAR 28,1999 TO: APR 3,1999

REVIEWED BY  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

| CPT CODE - SHORT DESCRIPTION       | TOTAL PROCEDURES | TOTAL PRINCIPAL PROCEDURES | TOTAL OTHER PROCEDURES |
|------------------------------------|------------------|----------------------------|------------------------|
| 10060 DRAINAGE OF SKIN ABSCESS     | 1                | 1                          | 0                      |
| 11440 REMOVAL OF SKIN LESION       | 1                | 1                          | 0                      |
| 11441 REMOVAL OF SKIN LESION       | 4                | 4                          | 0                      |
| 11641 REMOVAL OF SKIN LESION       | 4                | 2                          | 2                      |
| 24075 REMOVE ARM/ELBOW LESION      | 1                | 1                          | 0                      |
| 26989 HAND/FINGER SURGERY          | 1                | 1                          | 0                      |
| 30520 REPAIR OF NASAL SEPTUM       | 1                | 1                          | 0                      |
| 31231 NASAL ENDOSCOPY, DX          | 1                | 0                          | 1                      |
| 45315 PROCTOSIGMOIDOSCOPY          | 1                | 0                          | 1                      |
| 45330 SIGMOIDOSCOPY, DIAGNOSTIC    | 7                | 7                          | 0                      |
| 45333 SIGMOIDOSCOPY & POLYPECTOMY  | 1                | 1                          | 0                      |
| 45378 DIAGNOSTIC COLONOSCOPY       | 2                | 2                          | 0                      |
| 45385 COLONOSCOPY, LESION REMOVAL  | 3                | 3                          | 0                      |
| 47600 REMOVAL OF GALLBLADDER       | 1                | 0                          | 1                      |
| 49000 EXPLORATION OF ABDOMEN       | 1                | 1                          | 0                      |
| 49505 REPAIR INGUINAL HERNIA       | 2                | 1                          | 1                      |
| 66984 REMOVE CATARACT, INSERT LENS | 4                | 3                          | 1                      |
| 68801 DILATE TEAR DUCT OPENING     | 1                | 1                          | 0                      |

## Example 2: Print the Cumulative Report of CPT Codes for only Non-OR Procedures

Select CPT/ICD Coding Menu Option: **C** Cumulative Report of CPT Codes

Cumulative Report of CPT Codes

Start with Date: **7 1 99** (JUL 01, 1999)

End with Date: **12 31 99** (DEC 31, 1999)

Include which cases on the Cumulative Report of CPT Codes ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures.

Select Number: 1// **2**

This report is designed to use a 132 column format.

Select Device: [**Select Print Device**]

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: JUL 1,1999 TO: DEC 31,1999

REVIEWED BY  
 DATE REVIEWED:

NON-O.R. PROCEDURES

| CPT CODE - SHORT DESCRIPTION      | TOTAL PROCEDURES | TOTAL PRINCIPAL PROCEDURES | TOTAL OTHER PROCEDURES |
|-----------------------------------|------------------|----------------------------|------------------------|
| 10060 DRAINAGE OF SKIN ABSCESS    | 2                | 2                          | 0                      |
| 10061 DRAINAGE OF SKIN ABSCESS    | 1                | 1                          | 0                      |
| 11040 DEBRIDE SKIN PARTIAL        | 8                | 8                          | 0                      |
| 11042 DEBRIDE SKIN/TISSUE         | 1                | 1                          | 0                      |
| 11100 BIOPSY OF SKIN LESION       | 11               | 11                         | 0                      |
| 11402 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11420 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11620 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11640 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11730 REMOVAL OF NAIL PLATE       | 1                | 1                          | 0                      |
| 11750 REMOVAL OF NAIL BED         | 1                | 1                          | 0                      |
| 12001 REPAIR SUPERFICIAL WOUND(S) | 3                | 3                          | 0                      |
| 12011 REPAIR SUPERFICIAL WOUND(S) | 2                | 2                          | 0                      |
| 14060 SKIN TISSUE REARRANGEMENT   | 1                | 1                          | 0                      |
| 15782 ABRASION TREATMENT OF SKIN  | 1                | 1                          | 0                      |
| 17340 CRYOTHERAPY OF SKIN         | 1                | 1                          | 0                      |
| 20550 INJ TENDON/LIGAMENT/CYST    | 23               | 23                         | 0                      |
| 29799 CASTING/STRAPPING PROCEDURE | 1                | 1                          | 0                      |
| 46083 INCISE EXTERNAL HEMORRHOID  | 2                | 2                          | 0                      |

## Report of CPT Coding Accuracy

The Report of CPT Coding Accuracy lists cases sorted by the CPT code used in the PRINCIPAL PROCEDURES field and OTHER OPERATIVE PROCEDURES field entered by the coder. This option is designed to help check the accuracy of the coding procedures.

### About the prompts

"Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ?" The user should reply **NO** to this prompt to produce the report for only one CPT code. The user will then be prompted to enter the CPT code or category.

"Do you want to sort the Report of CPT Coding Accuracy by Surgical Specialty ?" The user should press the **<Enter>** key if he or she wants to sort the report by specialty. Enter **NO** to sort the report by date only.

"Do you want to print the Report to Check Coding Accuracy for all Surgical Specialties ?" The user can enter the code or name of the surgical service he or she wants the report to be based on. Or, the user can press the **<Enter>** key to print the report for all surgical specialties.

### **Example 1: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Surgical Specialty**

```
Select CPT/ICD Coding Menu Option: A Report of CPT Coding Accuracy
```

```
Report to Check CPT Coding Accuracy
```

```
Start with Date: 10 8 04 (OCT 08, 2004)
```

```
End with Date: 10 8 04 (OCT 08, 2004)
```

```
Print the Report of CPT Coding Accuracy for which cases ?
```

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

```
Select Number: 1// <Enter>
```

```
Do you want to print the Report of CPT Coding Accuracy for all
CPT Codes ? YES// <Enter>
```

```
Do you want to sort the Report of CPT Coding Accuracy by
Surgical Specialty ? YES// <Enter>
```

```
Do you want to print the Report to Check Coding Accuracy for all
Surgical Specialties ? YES// NO
```

```
Print the Coding Accuracy Report for which Surgical Specialty ? 50 GENERA
L(OR WHEN NOT DEFINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50
```

```
This report is designed to use a 132 column format.
```

```
Select Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
 FROM: OCT 8,2004 TO: OCT 8,2004

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                               | PATIENT<br>ID#                     | PROCEDURES                                             | SURGEON/PROVIDER<br>ATTEND SURG/PROV    |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|--------------------------------------------------------|-----------------------------------------|
| 47600 REMOVAL OF GALLBLADDER<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: CHOLECYSTECTOMY;                                                  |                                    |                                                        |                                         |
| 10/08/04 07:00<br>63072                                                                                                                | SURPATIENT,EIGHTEEN<br>000-22-3334 | CHOLECYSTECTOMY                                        | SURSURGEON, TWO<br>SURSURGEON, FOUR     |
| CPT Codes: 47600-22                                                                                                                    |                                    |                                                        |                                         |
| 47605 REMOVAL OF GALLBLADDER<br>OTHER PROCEDURES<br>DESCRIPTION: CHOLECYSTECTOMY;<br>WITH CHOLANGIOGRAPHY                              |                                    |                                                        |                                         |
| 10/08/04 10:00<br>63077                                                                                                                | SURPATIENT, TWELVE<br>000-41-8719  | INGUINAL HERNIA , OTHER OPERATIONS:<br>CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, FOUR    |
| CPT Codes: 49521, 47605-22                                                                                                             |                                    |                                                        |                                         |
| 49505 REPAIR INGUINAL HERNIA<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: REPAIR INITIAL INGUINAL HERNIA, AGE 5 YEARS OR OVER;<br>REDUCIBLE |                                    |                                                        |                                         |
| 10/08/04 06:00<br>63071                                                                                                                | SURPATIENT, FOUR<br>000-45-7212    | INGUINAL HERNIA                                        | SURSURGEON, FOUR<br>SURSURGEON, SIXTEEN |
| CPT Codes: 49505                                                                                                                       |                                    |                                                        |                                         |

## Example 2: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Date

Select CPT/ICD Coding Menu Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **10 1 04** (OCT 01, 2004)

End with Date: **10 7 04** (OCT 07, 2004)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **<Enter>**

Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// **<Enter>**

Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// **N**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

printout follows



MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FROM: OCT 1,2004 TO: OCT 7,2004

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                               | PATIENT<br>ID#<br>SPECIALTY                                                 | PROCEDURES                              | SURGEON/PROVIDER<br>ATTEND SURG/PROV      |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|
| =====<br>31365 REMOVAL OF LARYNX<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: LARYNGECTOMY;<br>TOTAL, WITH RADICAL NECK DISSECTION<br>===== |                                                                             |                                         |                                           |
| 10/03/04 07:00<br>63059                                                                                                                | SURPATIENT,NINETEEN<br>000-28-7354<br>THORACIC SURGERY (INC. CARDIAC SURG.) | PULMONARY LOBECTOMY                     | SURSURGEON, SEVENTEEN<br>SURSURGEON, FOUR |
| CPT Codes: 31365                                                                                                                       |                                                                             |                                         |                                           |
| =====<br>32440 REMOVAL OF LUNG<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: REMOVAL OF LUNG, TOTAL PNEUMONECTOMY;<br>=====                  |                                                                             |                                         |                                           |
| 10/03/04 10:00<br>63060                                                                                                                | SURPATIENT,TWENTY<br>000-45-4886<br>THORACIC SURGERY (INC. CARDIAC SURG.)   | PULMONARY LOBECTOMY<br>CPT Codes: 32440 | SURSURGEON, FOUR<br>SURSURGEON, FOUR      |
| 10/04/04 06:00<br>63069                                                                                                                | SURPATIENT,TEN<br>000-12-3456<br>THORACIC SURGERY (INC. CARDIAC SURG.)      | PULMONARY LOBECTOMY                     | SURSURGEON, TWO<br>SURSURGEON, TWO        |
| CPT Codes: 32440                                                                                                                       |                                                                             |                                         |                                           |
| =====                                                                                                                                  |                                                                             |                                         |                                           |

### Example 3: Print the Report of CPT Coding Accuracy for Non-OR Procedures, sorted by CPT Code and Medical Specialty

Select CPT/ICD Coding Menu Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **1 1 05** (JAN 01, 2005)

End with Date: **8 31 05** (AUG 31, 2005)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **2**

Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ? YES// **N**

Print the Coding Accuracy Report for which CPT Code ? **92960**

HEART ELECTROCONVERSION  
CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF  
ARRHYTHMIA, EXTERNAL

Do you want to sort the Report of CPT Coding Accuracy by Medical Specialty ? YES// **<Enter>**

Do you want to print the Report to Check Coding Accuracy for all Medical Specialties ? YES// **N**

Print the Coding Accuracy Report for which Medical Specialty ? **MEDICINE**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR MEDICINE  
 FROM: JAN 1,2005 TO: AUG 31,2005

REVIEWED BY:  
 DATE REVIEWED:

NON-O.R. PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                                                         | PATIENT<br>ID#                       | PROCEDURES                            | SURGEON/PROVIDER<br>ATTEND SURG/PROV |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|
| =====<br>92960 HEART ELECTROCONVERSION<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: CARIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF<br>ARRHYTHMIA, EXTERNAL<br>===== |                                      |                                       |                                      |
| 01/24/05<br>15499                                                                                                                                                | SURPATIENT, SEVENTEEN<br>000-45-5119 | CARDIOVERSION<br><br>CPT Codes: 92690 | SURSURGEON, TWO<br>SURSURGEON, TWO   |
| 02/09/05<br>15701                                                                                                                                                | SURPATIENT, NINE<br>000-34-5555      | CARDIOVERSION<br><br>CPT Codes: 92960 | SURSURGEON, ONE<br>SURSURGEON, TWO   |
| 03/29/05<br>15912                                                                                                                                                | SURPATIENT, FIFTEEN<br>000-98-1234   | CARDIOVERSION<br><br>CPT Codes: 92960 | SURSURGEON, THREE                    |
| 08/04/05<br>16669                                                                                                                                                | SURPATIENT, SIX<br>000-09-8797       | CARDIOVERSION<br><br>CPT Codes: 92960 | SURSURGEON, TWO<br>SURSURGEON, FOUR  |
| 08/25/05<br>16828                                                                                                                                                | SURPATIENT, TWO<br>000-45-1982       | CARDIOVERSION<br><br>CPT Codes: 92960 | SURSURGEON, TWO<br>SURSURGEON, TWO   |

# List Completed Cases Missing CPT Codes

## [SRSCPT]

The *List Completed Cases Missing CPT Codes* option generates a report of completed cases that are missing the Principal CPT code for a specified date range. Only procedures that have CPT codes will be counted on the Annual Report of Surgical Procedures.

After the user enters the date range, the software will ask whether the user wants the Cumulative Report of CPT Codes to include: 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

This report is in an 80-column format and can be viewed on the screen.

### Example: List Completed Cases Missing CPT Codes

```
Select CPT/ICD Coding Menu Option: M List Completed Cases Missing CPT Codes

Print list of Completed Cases Missing CPT Codes for

1. OR Surgical Procedures.
2. Non-OR Procedures.
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// 1
Do you want the list for all Surgical Specialties ? YES// <Enter>

Start with Date: 2/1 (FEB 01, 2005)
End with Date: 4/30 (APR 30, 2005)

Print the List of Cases Missing CPT codes to which Printer ? [Select Print Device]
.....printout follows.....
```

MAYBERRY, NC  
 Completed Cases Missing CPT Codes  
 O.R. Surgical Procedures  
 From: FEB 1,2005 To: APR 30,2005  
 Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

| Operation Date<br>Case # | Patient (ID#)                                                                                                                                                                                                                                                                        | Surgeon/Provider     |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| FEB 01, 2005<br>53708    | SURPATIENT,TWO (000-45-1982)<br>* EXC LEFT PREAURICULAR LESION                                                                                                                                                                                                                       | SURSURGEON,TWO       |
| FEB 08, 2005<br>53747    | SURPATIENT,FIVE (000-58-7963)<br>* EXCISION LESIONS SCALP<br>* N/A (CPT: MISSING)                                                                                                                                                                                                    | SURSURGEON,ONE       |
| MAR 12, 2005<br>53973    | SURPATIENT,SEVEN (000-84-0987)<br>* COLONOSCOPY                                                                                                                                                                                                                                      | SURSURGEON,TWO       |
| MAR 23, 2005<br>54030    | SURPATIENT,FORTYONE (000-43-2109)<br>* COLONOSCOPY/ATTEMPTED                                                                                                                                                                                                                         | SURSURGEON,ONE       |
| APR 27, 2005<br>54325    | SURPATIENT,THIRTY (000-82-9472)<br>* EXCISION RT FOREARM LESIONS<br>* EXC LESION, RT EAR<br>* EXC LESION, RT FOREHEAD<br>* EXC LESION RT SCALP<br>* RXC LESION, NOSE<br>* EXC LESION, LEFT EAR<br>* EXC LESION, LEFT FOREARM<br>* EXC LESION, TOP OF HEAD<br>* EXC LESION, LEFT NECK | SURSURGEON,SEVENTEEN |

## List of Operations

### [SROPLIST]

The List of Operations report contains general information for completed cases within a specified date range. It sorts the cases by date and includes the procedure(s), surgical service, length of actual operation, surgeons, and anesthesia technique. This report also includes aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

#### Example: List of Operations

```
Select CPT/ICD Coding Menu Option: L List of Operations
```

```
List of Operations
```

```
Start with Date: 10/8 (OCT 08, 1999)
```

```
End with Date: 10/8 (OCT 08, 1999)
```

```
This report is designed to use a 132 column format.
```

```
Print to device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS  
 FROM: OCT 8,1999 TO: OCT 8,1999

PAGE 1

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: OCT 20,1999

| DATE<br>CASE #    | PATIENT<br>ID#<br>PRIORITY                               | SERVICE<br>OPERATION(S)                                                 | PRIMARY SURGEON<br>1ST ASSISTANT<br>2ND ASSISTANT          | ANESTHESIA TECH                 |
|-------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------|---------------------------------|
| 10/08/99<br>63071 | SURPATIENT, FOUR<br>000-45-7212<br>ELECTIVE              | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 50 MIN.     |
| 10/08/99<br>63072 | SURPATIENT, EIGHTEEN<br>000-22-3334<br>ELECTIVE          | GENERAL (OR WHEN NOT DEFINED BELOW)<br>CHOLECYSTECTOMY                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                        | GENERAL<br>OP TIME: 50 MIN.     |
| 10/08/99<br>63073 | SURPATIENT, FIFTYONE<br>000-23-3221<br>URGENT, ADD TODAY | OPHTHALMOLOGY<br>INTRAOCULAR LENS, CHOLECYSTECTOMY                      | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, FOUR  | SPINAL<br>OP TIME: 50 MIN.      |
| 10/08/99<br>63074 | SURPATIENT, FIVE<br>000-58-7963<br>ELECTIVE              | GENERAL (OR WHEN NOT DEFINED BELOW)<br>HIP REPLACEMENT                  | SURSURGEON, FOUR<br>SURSURGEON, FOUR<br>SURSURGEON, FIVE   | NOT ENTERED<br>OP TIME: 50 MIN. |
| 10/08/99<br>63075 | SURPATIENT, SIX<br>000-09-8797<br>ELECTIVE               | GENERAL (OR WHEN NOT DEFINED BELOW)<br>PULMONARY LOBECTOMY              | SURSURGEON, TWO<br>SURSURGEON, THREE<br>SURSURGEON, TWO    | NOT ENTERED<br>OP TIME: 45 MIN. |
| 10/08/99<br>63077 | SURPATIENT, TWELVE<br>000-41-8719<br>ELECTIVE            | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INGUINAL HERNIA, CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, THREE | GENERAL<br>OP TIME: 63 MIN.     |
| 10/08/99<br>63076 | SURPATIENT, FOURTEEN<br>000-45-7212<br>ELECTIVE          | UROLOGY<br>TURP                                                         | SURSURGEON, TWO<br>SURSURGEON, FOUR<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 45 MIN.     |

TOTAL CASES: 7

## List of Operations (by Surgical Specialty) [SROPLIST1]

The List of Operations (by Surgical Specialty) report contains general information for completed cases within a selected date range. It sorts the cases by surgical specialty and case number.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all specialties or a selected specialty.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations by Surgical Specialty

Select CPT/ICD Coding Menu Option: **LS** List of Operations (by Surgical Specialty)

List of Operations sorted by Surgical Specialty

Start with Date: **10/4** (OCT 04, 1999)

End with Date: **10/8** (OCT 08, 1999)

Do you want to print the report for all Specialties ? YES// **N**

Print the report for which Surgical Specialty ? **GENERAL** (OR WHEN NOT DEFINED BELOW)

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

*printout follows*

---



MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SERVICE  
 FROM: OCT 4,1999 TO: OCT 8,1999

PAGE 1

DATE REVIEWED:  
 REVIEWED BY:  
 DATE PRINTED: SEP 20,1999

| DATE<br>CASE #                         | PATIENT<br>ID#<br>PRIORITY                      | OPERATION(S)                     | PRIMARY SURGEON<br>FIRST ASSISTANT<br>SECOND ASSISTANT     | ANESTHESIA<br>TECHNIQUE     |
|----------------------------------------|-------------------------------------------------|----------------------------------|------------------------------------------------------------|-----------------------------|
| =====                                  |                                                 |                                  |                                                            |                             |
| *GENERAL (OR WHEN NOT DEFINED BELOW) * |                                                 |                                  |                                                            |                             |
| 10/04/99<br>63066                      | SURPATIENT, THREE<br>000-21-2453<br>STANDBY     | INGUINAL HERNIA                  | SURSURGEON, THREE<br>SURSURGEON, TWO<br>SURSURGEON, ONE    | GENERAL<br>OP TIME: 40 MIN. |
| 10/04/99<br>63067                      | SURPATIENT, EIGHT<br>000-37-0555<br>ELECTIVE    | INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 50 MIN. |
| 10/04/99<br>63068                      | SURPATIENT, ONE<br>000-44-7629<br>ELECTIVE      | INGUINAL HERNIA                  | SURSURGEON, THREE<br>SURSURGEON, ONE<br>SURSURGEON, TWO    | GENERAL<br>OP TIME: 45 MIN. |
| 10/07/99<br>63070                      | SURPATIENT, SIXTY<br>000-56-7821<br>ELECTIVE    | INGUINAL HERNIA                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                        | GENERAL<br>OP TIME: 45 MIN. |
| 10/08/99<br>63071                      | SURPATIENT, FOUR<br>000-17-0555<br>ELECTIVE     | INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 50 MIN. |
| 10/08/99<br>63072                      | SURPATIENT, EIGHTEEN<br>000-22-3334<br>ELECTIVE | CHOLECYSTECTOMY                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                        | GENERAL<br>OP TIME: 50 MIN. |
| 10/08/99<br>63077                      | SURPATIENT, TWELVE<br>000-41-8719<br>ELECTIVE   | INGUINAL HERNIA, CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, THREE | GENERAL<br>OP TIME: 63 MIN. |

TOTAL GENERAL (OR WHEN NOT DEFINED BELOW) : 7

## Report of Daily Operating Room Activity [SROPACT]

The *Report of Daily Operating Room Activity* option generates a report listing cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print the Report of Daily Operating Room Activity

```
Select CPT/ICD Coding Menu Option: D Report of Daily Operating Room Activity
```

```
Print the Report of Daily Activity for which Date ? 3/9 (MAR 09, 1999)
```

```
This report will include all cases started between MAR 9, 1999 at 6:00 AM
and MAR 10, 1999 at 5:59 AM.
```

```
Do you want to print all divisions? YES// <Enter>
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: MAR 09, 1999

| PATIENT<br>ID #<br>WARD | AGE | TIME IN OR<br>TIME OUT OR<br>CASE NUMBER | POSTOPERATIVE DIAGNOSIS<br>PROCEDURE (S) | ANESTHESIOLOGIST<br>PRIN. ANESTHETIST | SURGEON<br>FIRST ASST.<br>ATT SURGEON |
|-------------------------|-----|------------------------------------------|------------------------------------------|---------------------------------------|---------------------------------------|
|-------------------------|-----|------------------------------------------|------------------------------------------|---------------------------------------|---------------------------------------|

OPERATING ROOM: OR1

|                                                    |    |                                   |                                    |                                             |                                                 |
|----------------------------------------------------|----|-----------------------------------|------------------------------------|---------------------------------------------|-------------------------------------------------|
| SURPATIENT, TWELVE<br>000-41-8719<br>1 NORTH 161-1 | 61 | 03/09 08:00<br>03/09 09:10<br>194 | INGUINAL HERNIA<br>INGUINAL HERNIA | SURANESTHESIOLOGIST, O<br>SURANESTHETIST, F | SURSURGEON, E<br>SURSURGEON, O<br>SURSURGEON, T |
|----------------------------------------------------|----|-----------------------------------|------------------------------------|---------------------------------------------|-------------------------------------------------|

OPERATING ROOM: OR3

|                                               |    |                                   |                                                                |                                             |                                                 |
|-----------------------------------------------|----|-----------------------------------|----------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|
| SURPATIENT, NINE<br>000-34-5555<br>OUTPATIENT | 48 | 03/09 09:15<br>03/09 12:40<br>187 | CHOLECYSTITIS<br>CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | SURANESTHESIOLOGIST, T<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, F<br>SURSURGEON, T |
|-----------------------------------------------|----|-----------------------------------|----------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|

OPERATING ROOM: OR5

|                                                |    |                                   |                                                                   |                                             |                                                 |
|------------------------------------------------|----|-----------------------------------|-------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|
| SURPATIENT, SIX<br>000-09-8797<br>1 WEST 101-1 | 50 | 03/09 19:56<br>03/09 21:05<br>188 | APPENDICITIS<br>APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY, CRAIN | SURANESTHESIOLOGIST, T<br>SURANESTHETIST, F | SURSURGEON, S<br>SURSURGEON, F<br>SURSURGEON, F |
|------------------------------------------------|----|-----------------------------------|-------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|

## **PCE Filing Status Report**

### **[SRO PCE STATUS]**

The *PCE Filing Status Report* option provides a report of the Patient Care Encounter (PCE) filing status of completed cases performed during the selected date range in accordance with the site parameter controlling PCE updates. If this site parameter is turned off, the report will show no cases. The report may be printed for O.R. surgical cases, non-O.R. procedures or both. The report may also be printed for all specialties or for a single specialty only.

This report is intended to be used as a tool in the review of Surgery case information that is passed to PCE. The report uses 2 status categories:

- (1) FILED - This status indicates that case information has already been filed with PCE.
- (2) NOT FILED - This status indicates that the case information has not been filed with PCE. The case may or may not be missing information needed to file with PCE.

Two forms of the report are available: the short and the long forms. The short form uses an 80-column format and does not include surgeon/provider, attending, principal post-op diagnosis, and CPT and ICD code information. The totals printed at the end will show only the total cases for each status.

The long form uses a 132-column format and prints case information including the surgeon/provider, the attending, the specialty, the principal post-op diagnosis, and the principal procedure. If the PCE filing status is FILED, the CPT codes and ICD diagnosis codes will be printed. If the filing status is NOT FILED, information fields needed for PCE filing that do not contain data will be printed. At the end of the report, the number of cases in each PCE filing status will be printed, plus the number of CPT and ICD codes for cases with a status of FILED.

The PCE Filing Status report will display missing clinical indicator data information, per encounter. This indicates to the user what information is missing. The report displays CPT codes that do not have an associated diagnostic code, and textual diagnoses that do not have a corresponding ICD diagnosis code.

## Example 1: PCE Filing Status Report (Short Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report

### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **<Enter>**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

.....*printout follows*.....

ALBANY  
PCE FILING STATUS REPORT PAGE 1  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@10:40

| DATE OF OPERATION<br>CASE # | PATIENT NAME<br>SPECIALTY<br>PRINCIPAL PROCEDURE  | PATIENT ID (AGE) | FILING STATUS<br>SCHED STATUS |
|-----------------------------|---------------------------------------------------|------------------|-------------------------------|
| JUN 8,2005@07:00<br>277     | SURPATIENT,TWELVE<br>GENERAL (OR WHEN NOT<br>TURP | 045-14-6822 (80) | NOT FILED<br><NONE>           |

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

|                          |                                                                    |                   |                 |
|--------------------------|--------------------------------------------------------------------|-------------------|-----------------|
| JUN 10,2005@07:00<br>292 | SURPATIENT,NINETYONE<br>GENERAL (OR WHEN NOT<br>APPENDECTOMY       | 604-06-1451P (53) | FILED<br><NONE> |
| JUN 10,2005@10:00<br>295 | SURPATIENT,FORTYONE<br>GENERAL (OR WHEN NOT<br>REMOVE THYROID CYST | 104-04-0550P (55) | FILED<br><NONE> |

FILED: 2  
NOT FILED: 1  
-----  
TOTAL CASES: 3

## Example 2: PCE Filing Status Report (Long Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report

### Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL (OR WHEN NOT DEFINED BELOW) GENERAL (  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **LONG**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

printout follows

ALBANY  
PCE FILING STATUS REPORT  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@08:19

| DATE OF OPERATION<br>CASE # | PATIENT NAME<br>PATIENT ID (AGE)<br>PRINCIPAL PROCEDURE | SURGEON<br>ATTENDING | SPECIALTY<br>PRINCIPAL POST-OP DIAGNOSIS | PCE FILING STATUS<br>SCHED STATUS |
|-----------------------------|---------------------------------------------------------|----------------------|------------------------------------------|-----------------------------------|
|-----------------------------|---------------------------------------------------------|----------------------|------------------------------------------|-----------------------------------|

|                         |                                               |                                  |                                              |                     |
|-------------------------|-----------------------------------------------|----------------------------------|----------------------------------------------|---------------------|
| JUN 8,2005@07:00<br>277 | SURPATIENT,TWELVE<br>000-41-8719 (80)<br>TURP | SURSURGEON,ONE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>TURPY | NOT FILED<br><NONE> |
|-------------------------|-----------------------------------------------|----------------------------------|----------------------------------------------|---------------------|

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

|                         |                                                         |                                    |                                                         |                     |
|-------------------------|---------------------------------------------------------|------------------------------------|---------------------------------------------------------|---------------------|
| JUN 9,2005@15:00<br>280 | SURPATIENT,FIFTEEN<br>000-98-1234 (60)<br>HERNIA REPAIR | SURSURGEON,THREE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>HERNIA, INGUINAL | NOT FILED<br><NONE> |
|-------------------------|---------------------------------------------------------|------------------------------------|---------------------------------------------------------|---------------------|

Missing Information:

1. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE
2. OTHER PROCEDURE CPT MISSING ASSOCIATED DIAGNOSIS ICD CODE

|                          |                                                          |                                  |                                                    |                 |
|--------------------------|----------------------------------------------------------|----------------------------------|----------------------------------------------------|-----------------|
| JUN 10,2005@07:00<br>292 | SURPATIENT,NINETYONE<br>000-06-1451 (53)<br>APPENDECTOMY | SURSURGEON,ONE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>NOT ENTERED | FILED<br><NONE> |
|--------------------------|----------------------------------------------------------|----------------------------------|----------------------------------------------------|-----------------|

CPT Code: 44950 APPENDECTOMY

ICD Diagnosis Code: 540.1 ABSCESS OF APPENDIX  
ICD Diagnosis Code: 560.31 GALLSTONE ILEUS

|                          |                                                                |                                      |                                                     |                 |
|--------------------------|----------------------------------------------------------------|--------------------------------------|-----------------------------------------------------|-----------------|
| JUN 10,2005@10:00<br>295 | SURPATIENT,FORTYONE<br>000-04-0550 (55)<br>REMOVE THYROID CYST | SURSURGEON,THREE<br>SURSURGEON,THREE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>THYROID CYST | FILED<br><NONE> |
|--------------------------|----------------------------------------------------------------|--------------------------------------|-----------------------------------------------------|-----------------|

CPT Code: 60200 REMOVE THYROID LESION

ICD Diagnosis Code: 246.2 CYST OF THYROID

|            | CPT<br>CASES | ICD<br>CODES | ICD<br>CODES |
|------------|--------------|--------------|--------------|
| FILED:     | 2            | 2            | 2            |
| NOT FILED: | 2            |              |              |
| TOTAL:     | 3            | 2            | 2            |



# Report of Non-O.R. Procedures

## [SRONOR]

The *Report of Non-O.R. Procedures* option chronologically lists non-O.R. procedures sorted by surgical specialty or surgeon. This report can be sorted by specialty, provider, or location.

This report prints in a 132-column format and must be copied to a printer.

### Example 1: Report of Non-O.R. Procedures by Specialty

Select CPT/ICD Coding Menu Option: **R** Report of Non-O.R. Procedures

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// **<Enter>**

Do you want to print the report for all Specialties ? YES// **N**

Print the Report for which Specialty ? **CARDIOLOGY**

This report is designed to use a 132 column format.

Print on Device: [Select Print Device]

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                | PATIENT (ID#)<br>LOCATION (IN/OUT-PAT STATUS)                       | PROVIDER<br>PRINCIPAL ANESTHETIST<br>ANESTHESIOLOGIST SUPERVISOR<br>PROCEDURE (S)      | START TIME<br>FINISH TIME        |
|-------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------|
| =====                         |                                                                     |                                                                                        |                                  |
| *** SPECIALTY: CARDIOLOGY *** |                                                                     |                                                                                        |                                  |
| 03/02/99<br>501               | SURPATIENT, TWELVE (000-41-8719)<br>AMBULATORY SURGERY (OUTPATIENT) | SURSURGEON, TWO<br><b>SURANESTHETIST, TWO</b><br>SURANESTHETIST, ONE<br>CARDIOVERSION  | 03/02/99 13:05<br>03/02/99 14:10 |
| 03/13/99<br>500               | SURPATIENT, SIXTY (000-56-7821)<br>ICU (INPATIENT)                  | SURSURGEON, TWO<br><b>SURANESTHETIST, FOUR</b><br>SURANESTHETIST, ONE<br>CARDIOVERSION | 03/13/99 14:00<br>03/13/99 14:25 |

## Example 2: Report of Non-O.R. Procedures by Provider

Select CPT/ICD Coding Menu Option: **R** Report of Non-O.R. Procedures

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// **2**

Do you want to print the report for all Providers ? YES// **N**

Print the Report for which Provider ? **SURSURGEON, SIXTEEN**

This report is designed to use a 132 column format.

Print on Device: [**Select Print Device**]

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                       | PATIENT (ID#)<br>LOCATION (IN/OUT-PAT STATUS)                        | SPECIALTY<br>PRINCIPAL ANESTHETIST<br>ANESTHESIOLOGIST SUPERVISOR<br>PROCEDURE(S)   | START TIME<br>FINISH TIME        |
|--------------------------------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------|
| =====                                |                                                                      |                                                                                     |                                  |
| *** PROVIDER SURSURGEON, SIXTEEN *** |                                                                      |                                                                                     |                                  |
| 03/12/99<br>195                      | SURPATIENT,TWO (000-45-1982)<br>PAC(U) - ANESTHESIA (INPATIENT)      | PSYCHIATRY<br>SURANESTHETIST,TWO<br>SURANESTHETIST,ONE<br>ELECTROCONVULSIVE THERAPY | 03/12/99 08:00<br>03/12/99 09:00 |
| 03/23/99<br>240                      | SURPATIENT,NINE (000-34-5555)<br>PAC(U) - ANESTHESIA (INPATIENT)     | PSYCHIATRY<br>SURANESTHETIST,SIX<br>SURANESTHETIST,ONE<br>ELECTROCONVULSIVE THERAPY | 03/23/99 08:10<br>03/23/99 08:40 |
| 03/25/99<br>266                      | SURPATIENT,FOURTEEN (000-45-7212)<br>PAC(U) - ANESTHESIA (INPATIENT) | PSYCHIATRY<br>SURANESTHETIST,TWO<br>SURANESTHETIST,ONE<br>ELECTROCONVULSIVE THERAPY | 03/12/99 09:30<br>03/12/99 10:15 |

### Example 3: Report of Non-O.R. Procedures by Location

Select CPT/ICD Coding Menu Option: **R** Report of Non-O.R. Procedures

Report of Non-OR Procedures

Start with Date: **3/1** (MAR 01, 1999)

End with Date: **3/31** (MAR 31, 1999)

How do you want the report sorted ?

1. By Specialty
2. By Provider
3. By Location

Select Number: 1// **3**

Do you want to print the report for all Locations ? YES// **N**

Print the Report for which Location ? **AMBULATORY** SURGERY

This report is designed to use a 132 column format.

Print on Device: [*Select Print Device*]

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF NON-O.R. PROCEDURES  
 FROM: MAR 1,1999 TO: MAR 31,1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                       | PATIENT (ID#)<br>SPECIALTY (IN/OUT-PAT STATUS)                           | PROVIDER<br>PRINCIPAL ANESTHETIST<br>ANESTHESIOLOGIST SUPERVISOR<br>PROCEDURE (S)         | START TIME<br>FINISH TIME        |
|--------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------|
| =====                                |                                                                          |                                                                                           |                                  |
| *** LOCATION: AMBULATORY SURGERY *** |                                                                          |                                                                                           |                                  |
| 03/02/99<br>201                      | SURPATIENT,TWELVE (000-41-8719)<br>CARDIOLOGY (OUTPATIENT)               | SURSURGEON,TWO<br>SURANESTHETIST,FOUR<br>SURANESTHETIST,ONE<br>CARDIOVERSION              | 03/02/99 13:05<br>03/02/99 14:10 |
| 03/06/99<br>198                      | SURPATIENT,TWENTY (000-45-4886)<br>GENERAL (ACUTE MEDICINE) (OUTPATIENT) | SURSURGEON,FOUR<br>SURANESTHETIST,FIVE<br>SURANESTHETIST,ONE<br>EXCISION OF SKIN LESION   | 03/07/99 16:30<br>03/07/99 17:08 |
| 03/09/99<br>193                      | SURPATIENT,FIFTY (000-45-9999)<br>GENERAL (ACUTE MEDICINE) (OUTPATIENT)  | SURANESTHETIST,ONE<br>SURANESTHETIST,FIVE<br>SURANESTHETIST,SEVEN<br>STELLATE NERVE BLOCK | 03/09/99 09:45<br>03/09/99 10:21 |
| 03/13/99<br>200                      | SURPATIENT,SIXTY (000-56-7821)<br>CARDIOLOGY (INPATIENT)                 | SURSURGEON,TWO<br>SURANESTHETIST,TWO<br>SURANESTHETIST,ONE<br>CARDIOVERSION               | 03/13/99 14:00<br>03/13/99 14:25 |
| 03/17/99<br>194                      | SURPATIENT,EIGHTEEN (000-22-3334)<br>GENERAL SURGERY (OUTPATIENT)        | SURSURGEON,FOUR<br>SURANESTHETIST,SIX<br>SURANESTHETIST,SEVEN<br>EXCISION OF SKIN LESION  | 03/17/99 13:30<br>03/17/99 14:42 |

# Chapter Four: Generating Surgical Reports

## Introduction

The Surgery package integrates clinical and patient data to provide a variety of reports for Surgery Service management. This chapter describes reports that are generated for Surgical Service staff. Among the reports generated are the Annual Report of Surgical Procedures, Anesthesia AMIS, Attending Surgeons Report, and Nurse Staffing Report.

## Exiting an Option or the System

The user can enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to stop the line of questioning and return to the previous level in the option. The user should continue entering up-arrows to completely exit the system.

## Option Overview

The main options included in this chapter are listed below. The *Surgery Reports* menu contains submenus. To the left of the option name is the shortcut synonym the user can enter to select the option. A restricted option (such as the *Surgery Reports* menu) will not display if the user does not have security clearance for that option.

| Shortcut | Option Name                      |
|----------|----------------------------------|
| SR       | <i>Surgery Reports</i>           |
| L        | <i>Laboratory Interim Report</i> |

## Surgery Reports

### [SRORPTS]

The Chief of Surgery and staff members use the *Surgery Reports* menu to select various reports for the Surgical Service. Among the reports generated are the Annual Report of Surgical Procedures, Anesthesia AMIS, Attending Surgeons Report, and Nurse Staffing Report.



This menu is locked with the SROREP key.

All of the menu items below contain sub-options. To the left of the menu name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                     |
|----------|---------------------------------|
| M        | <i>Management Reports</i>       |
| S        | <i>Surgery Staffing Reports</i> |
| A        | <i>Anesthesia Reports</i>       |
| CPT      | <i>CPT Code Reports</i>         |



## Management Reports

### [SR MANAGE REPORTS]

The *Management Reports* menu provides access to several *Management Reports* options. These options generate reports on completed cases, meaning cases that have an entry for the TIME PAT OUT OR field.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                                              |
|----------|----------------------------------------------------------|
| S        | <i>Schedule of Operations</i>                            |
| A        | <i>Annual Report of Surgical Procedures</i>              |
| L        | <i>List of Operations</i>                                |
| LD       | <i>List of Operations (by Postoperative Disposition)</i> |
| LS       | <i>List of Operations (by Surgical Specialty)</i>        |
| LP       | <i>List of Operations (by Surgical Priority)</i>         |
| P        | <i>Report of Surgical Priorities</i>                     |
| U        | <i>List of Undictated Operations</i>                     |
| D        | <i>Report of Daily Operating Room Activity</i>           |
| PS       | <i>PCE Filing Status Report</i>                          |
| NOX      | <i>Outpatient Encounters Not Transmitted to NPCD</i>     |

## Schedule of Operations [SROSCH]

The *Schedule of Operations* option generates the Operating Room Schedule used by the operating room nurses, surgeons, anesthesiologists, and other hospital services. The report lists operations and patients scheduled for a particular date. It sorts by operating room and includes the procedure(s), blood products requested, and any preoperative x-rays requested. The schedule also provides anesthesia information and surgeon names.

This report can be printed on multiple printers simultaneously. Use the options included within the *Surgery Package Management Menu* option to enter the name of all printers on which the schedule will print.

This report has a 132-column format and is designed to be copied to a printer with wide paper.

### Example: Print Schedule of Operations

```
Select Management Reports Option: S Schedule of Operations
Print Schedule of Operations for which date ? 9/8 (SEP 08, 1999)

Do you want to print the schedule at all locations? NO// <Enter>

Print the long form or the short form? SHORT// <Enter>

This report is designed to use a 132 column format.

Print the Report on which device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 SCHEDULE OF OPERATIONS  
 FOR: SEP 08, 1999

PRINTED: SEP 07, 1999 11:12

SIGNATURE OF CHIEF: DR. MOE HOWARD

| PATIENT ID# | AGE | DISPOSITION START TIME<br>END TIME | PREOPERATIVE DIAGNOSIS<br>OPERATION(S) | REQ ANESTHESIA<br>ANESTHESIOLOGIST<br>PRIN. ANESTHETIST | PRIMARY SURGEON<br>FIRST ASST.<br>ATT SURGEON |
|-------------|-----|------------------------------------|----------------------------------------|---------------------------------------------------------|-----------------------------------------------|
|-------------|-----|------------------------------------|----------------------------------------|---------------------------------------------------------|-----------------------------------------------|

OPERATING ROOM: OR1

|                                                                |    |                        |                                               |                                                        |                                                 |
|----------------------------------------------------------------|----|------------------------|-----------------------------------------------|--------------------------------------------------------|-------------------------------------------------|
| SURPATIENT, ONE<br>000-44-7629<br>TO BE ADMITTED<br>Case # 143 | 46 | WARD<br>07:30<br>09:30 | CARPAL TUNNEL SYNDROME<br>REVISE MEDIAN NERVE | GENERAL<br>SURANESTHESIOLOGIST, O<br>SURANESTHETIST, T | SURSURGEON, O<br>SURSURGEON, F<br>SURSURGEON, O |
|----------------------------------------------------------------|----|------------------------|-----------------------------------------------|--------------------------------------------------------|-------------------------------------------------|

PREOPERATIVE XRAYs: CARPAL TUNNEL, R WRIST

OPERATING ROOM: OR2

|                                                                 |    |                        |                                   |                                                        |                                                 |
|-----------------------------------------------------------------|----|------------------------|-----------------------------------|--------------------------------------------------------|-------------------------------------------------|
| SURPATIENT, FOURTEEN<br>000-45-7212<br>HICU 212-B<br>Case # 141 | 48 | WARD<br>06:30<br>08:00 | CHOLELITHIASIS<br>CHOLECYSTECTOMY | GENERAL<br>SURANESTHESIOLOGIST, F<br>SURANESTHETIST, O | SURSURGEON, O<br>SURSURGEON, T<br>SURSURGEON, O |
|-----------------------------------------------------------------|----|------------------------|-----------------------------------|--------------------------------------------------------|-------------------------------------------------|

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS  
 PREOPERATIVE XRAYs: ABDOMIN

|                                                                   |    |                        |                                                           |                                                        |                                                 |
|-------------------------------------------------------------------|----|------------------------|-----------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|
| SURPATIENT, TWELVE<br>000-41-8719<br>TO BE ADMITTED<br>Case # 142 | 60 | WARD<br>08:00<br>09:30 | ACUTE DIAPHRAGMATIC HERNIA<br>REPAIR DIAPHRAGMATIC HERNIA | GENERAL<br>SURANESTHESIOLOGIST, T<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, O<br>SURSURGEON, T |
|-------------------------------------------------------------------|----|------------------------|-----------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|

REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - 2 UNITS  
 PREOPERATIVE XRAYs: ABDOMEN

|                                                                   |    |                        |                                                          |                                                        |                                                 |
|-------------------------------------------------------------------|----|------------------------|----------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|
| SURPATIENT, THIRTY<br>000-82-9472<br>TO BE ADMITTED<br>Case # 150 | 48 | WARD<br>11:15<br>16:00 | CAROTID ARTERY STENOSIS<br>CAROTID ARTERY ENDARTERECTOMY | GENERAL<br>SURANESTHESIOLOGIST, T<br>SURANESTHETIST, F | SURSURGEON, O<br>SURSURGEON, F<br>SURSURGEON, O |
|-------------------------------------------------------------------|----|------------------------|----------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|

\*\* Concurrent Case #157 AORTO CORONARY BYPASS GRAFT  
 REQUESTED BLOOD COMPONENTS: TYPE & CROSSMATCH  
 CPDA-1 RED BLOOD CELLS - UNITS NOT ENTERED  
 CPDA-1 WHOLE BLOOD - 2 UNITS  
 PREOPERATIVE XRAYs: DOPPLER STUDIES

|                                                                   |    |                        |                                                        |                                                        |                                                 |
|-------------------------------------------------------------------|----|------------------------|--------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|
| SURPATIENT, THIRTY<br>000-82-9472<br>TO BE ADMITTED<br>Case # 157 | 48 | WARD<br>11:15<br>16:00 | CORONARY ARTERY DISEASE<br>AORTO CORONARY BYPASS GRAFT | GENERAL<br>SURANESTHESIOLOGIST, O<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, F<br>SURSURGEON, T |
|-------------------------------------------------------------------|----|------------------------|--------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------|

\*\* Concurrent Case #150 CAROTID ARTERY ENDARTERECTOMY

TOTAL CASES SCHEDULED: 5

## Annual Report of Surgical Procedures [SROARSP]

The *Annual Report of Surgical Procedures* option is used to generate the Annual Report of Surgical Procedures required by VA Central Office. This report counts the number of times a procedure was performed, based on the CPT code entry, within a surgical specialty.

The report includes only cases that have not been cancelled and that have an entry for the TIME PAT OUT OR field. Procedures without CPT codes are not included in this report.

This report can be generated for any date range, not only annually.

The report has a 132-column format and is designed to be copied to a printer.

### Example: Annual Report of Surgical Procedures

```
Select Management Reports Option: A Annual Report of Surgical Procedures
Annual Report of Surgical Procedures

Start with Date: 9/1 (SEP 01, 2001)
End with Date: 9/30 (SEP 30, 2001)

Do you want to print the Annual Report of Surgical Procedures for all Surgical Specialties?
YES// <Enter>

This report is designed to use a 132 column format, and must be run on a printer.

Select Printer: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 ANNUAL REPORT OF SURGICAL PROCEDURES  
 FROM: SEP 1,2001 TO: SEP 30,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: OCT 20,2001

| CPT CODE - OPERATION                              | TOTAL | MAJOR |          | TOTAL | MINOR |          | TOTAL |
|---------------------------------------------------|-------|-------|----------|-------|-------|----------|-------|
|                                                   |       | STAFF | RESIDENT |       | STAFF | RESIDENT |       |
| -----<br>NEUROSURGERY<br>-----                    |       |       |          |       |       |          |       |
| 61304 OPEN SKULL FOR EXPLORATION                  | 1     | 1     | 0        | 1     | 0     | 0        | 0     |
| 61680 INTRACRANIAL VESSEL SURGERY                 | 1     | 0     | 0        | 0     | 1     | 0        | 1     |
| -----                                             |       |       |          |       |       |          |       |
| TOTALS FOR NEUROSURGERY:                          | 2     | 1     | 0        | 1     | 1     | 0        | 1     |
| -----                                             |       |       |          |       |       |          |       |
| ORTHOPEDECS<br>-----                              |       |       |          |       |       |          |       |
| 27130 TOTAL HIP REPLACEMENT                       | 2     | 0     | 0        | 0     | 1     | 1        | 2     |
| 27236 REPAIR OF THIGH FRACTURE                    | 1     | 0     | 0        | 0     | 0     | 1        | 1     |
| -----                                             |       |       |          |       |       |          |       |
| TOTALS FOR ORTHOPEDECS:                           | 3     | 0     | 0        | 0     | 1     | 2        | 3     |
| -----                                             |       |       |          |       |       |          |       |
| OTORHINOLARYNGOLOGY (ENT)<br>-----                |       |       |          |       |       |          |       |
| 31365 REMOVAL OF LARYNX                           | 2     | 0     | 0        | 0     | 2     | 0        | 2     |
| -----                                             |       |       |          |       |       |          |       |
| TOTALS FOR OTORHINOLARYNGOLOGY (ENT):             | 2     | 0     | 0        | 0     | 2     | 0        | 2     |
| -----                                             |       |       |          |       |       |          |       |
| THORACIC SURGERY (INC. CARDIAC SURG.)<br>-----    |       |       |          |       |       |          |       |
| 32480 PARTIAL REMOVAL OF LUNG                     | 2     | 0     | 0        | 0     | 1     | 1        | 2     |
| 32500 PARTIAL REMOVAL OF LUNG                     | 1     | 0     | 0        | 0     | 1     | 0        | 1     |
| 33510 CABG, VEIN, SINGLE                          | 1     | 0     | 0        | 0     | 0     | 1        | 1     |
| -----                                             |       |       |          |       |       |          |       |
| TOTALS FOR THORACIC SURGERY (INC. CARDIAC SURG.): | 4     | 0     | 0        | 0     | 2     | 2        | 4     |
| -----                                             |       |       |          |       |       |          |       |
| =====                                             |       |       |          |       |       |          |       |
| TOTAL OPERATIONS:                                 | 11    | 1     | 0        | 1     | 6     | 4        | 10    |
| =====                                             |       |       |          |       |       |          |       |

## List of Operations [SROPLIST]

The *List of Operations* option contains general information for completed cases within a specified date range. It sorts the cases by date and includes the procedure(s), surgical service, length of actual operation, surgeons, and anesthesia technique. This report also includes aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations

Select Management Reports Option: **L** List of Operations

List of Operations

Start with Date: **10/8** (OCT 08, 2001)

End with Date: **10/8** (OCT 08, 2001)

This report is designed to use a 132 column format.

Print to device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS  
 FROM: OCT 8,2001 TO: OCT 8,2001

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: SEP 20,2001

| DATE<br>CASE #    | PATIENT<br>ID#<br>PRIORITY                               | SERVICE<br>OPERATION(S)                                                 | PRIMARY SURGEON<br>1ST ASSISTANT<br>2ND ASSISTANT          | ANESTHESIA TECH                 |
|-------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------|---------------------------------|
| 10/08/01<br>63071 | SURPATIENT, FOUR<br>000-17-0555<br>ELECTIVE              | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 50 MIN.     |
| 10/08/01<br>63072 | SURPATIENT, EIGHTEEN<br>000-22-3334<br>ELECTIVE          | GENERAL (OR WHEN NOT DEFINED BELOW)<br>CHOLECYSTECTOMY                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                        | GENERAL<br>OP TIME: 50 MIN.     |
| 10/08/01<br>63073 | SURPATIENT, FIFTYONE<br>000-23-3221<br>URGENT, ADD TODAY | OPHTHALMOLOGY<br>INTRAOCULAR LENS, CHOLECYSTECTOMY                      | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, FOUR  | SPINAL<br>OP TIME: 50 MIN.      |
| 10/08/01<br>63074 | SURPATIENT, FIVE<br>000-58-7963<br>ELECTIVE              | GENERAL (OR WHEN NOT DEFINED BELOW)<br>HIP REPLACEMENT                  | SURSURGEON, FOUR<br>SURSURGEON, FOUR<br>SURSURGEON, FIVE   | NOT ENTERED<br>OP TIME: 50 MIN. |
| 10/08/01<br>63075 | SURPATIENT, SIX<br>000-09-8797<br>ELECTIVE               | GENERAL (OR WHEN NOT DEFINED BELOW)<br>PULMONARY LOBECTOMY              | SURSURGEON, TWO<br>SURSURGEON, THREE<br>SURSURGEON, TWO    | NOT ENTERED<br>OP TIME: 45 MIN. |
| 10/08/01<br>63077 | SURPATIENT, TWELVE<br>000-41-8719<br>ELECTIVE            | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INGUINAL HERNIA, CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, THREE | GENERAL<br>OP TIME: 63 MIN.     |
| 10/08/01<br>63076 | SURPATIENT, FOURTEEN<br>000-45-7212<br>ELECTIVE          | UROLOGY<br>TURP                                                         | SURSURGEON, TWO<br>SURSURGEON, FOUR<br>SURSURGEON, TWO     | GENERAL<br>OP TIME: 45 MIN.     |

TOTAL CASES: 7

## List of Operations (by Postoperative Disposition)

The *List of Operations (by Postoperative Disposition)* option contains general information for completed cases within a selected date range. It sorts the cases by postoperative disposition and by case number. Reports may also be sorted by specialty.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique.

This report has a 132-column format and is designed to be copied to a printer.

### Example 1: List of Operations by Postoperative Disposition (All Dispositions)

```
Select Management Reports Option: LD List of Operations (by Postoperative Disposition)
List of Operations by Postoperative Disposition:

Start with Date: 10/8 (OCT 08, 2001)
End with Date: 10/8 (OCT 08, 2001)

Print the List of Operations for which of the following ?
 1. All Dispositions
 2. A Specific Disposition
 3. No Disposition Entered

Enter selection: 1// 1 All Dispositions

Do you want the report sorted by surgical specialty ? Y// <Enter>

Print for all surgical specialties ? Y// N

Print the report for which Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)
Select An Additional Specialty: <Enter>

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]
.....printout follows.....
```



MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 8,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: WARD

PAGE 1  
 DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                            | PATIENT<br>ID#                     | OPERATION(S)                     | PRIMARY SURGEON<br>1ST ASST<br>2ND ASST                    | ANESTHESIA TECH<br>IN/OUT-PAT STATUS<br>OP TIME |
|-------------------------------------------|------------------------------------|----------------------------------|------------------------------------------------------------|-------------------------------------------------|
| -----                                     |                                    |                                  |                                                            |                                                 |
| >> GENERAL (OR WHEN NOT DEFINED BELOW) << |                                    |                                  |                                                            |                                                 |
| 10/08/01<br>63072                         | SURPATIENT,EIGHTEEN<br>000-22-3334 | CHOLECYSTECTOMY                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                        | GENERAL<br>OUTPATIENT<br>50 MIN.                |
| 10/08/01<br>63077                         | SURPATIENT, TWELVE<br>000-41-8719  | INGUINAL HERNIA, CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, THREE | GENERAL<br>OUTPATIENT<br>63 MIN.                |
| 10/08/01<br>63071                         | SURPATIENT, FOUR<br>000-17-0555    | INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO     | GENERAL<br>OUTPATIENT<br>50 MIN.                |

TOTAL GENERAL (OR WHEN NOT DEFINED BELOW) : 3

## Example 2: List of Operations by Postoperative Disposition (A Specific Disposition)

Select Management Reports Option: **LD** List of Operations (by Postoperative Disposition)

List of Operations by Postoperative Disposition:

Start with Date: **10/4** (OCT 04, 2001)

End with Date: **10/8** (OCT 08, 2001)

Print the List of Operations for which of the following ?

1. All Dispositions
2. A Specific Disposition
3. No Disposition Entered

Enter selection: 1// **2** A Specific Disposition

Print the report for which Disposition ? **OUTPATIENT**     Do

you want the report sorted by surgical specialty ? Y// **N** This

report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 4,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: OUTPATIENT

PAGE  
 1

DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #    | PATIENT<br>ID#                                | OPERATION (S)   | PRIMARY SURGEON<br>1ST ASST<br>2ND ASST                 | ANESTHESIA TECH<br>IN/OUT-PAT STATUS<br>OP TIME |
|-------------------|-----------------------------------------------|-----------------|---------------------------------------------------------|-------------------------------------------------|
| 10/04/01<br>63066 | SURPATIENT, THREE<br>000-21-2453<br>(GENERAL) | INGUINAL HERNIA | SURSURGEON, THREE<br>SURSURGEON, TWO<br>SURSURGEON, ONE | GENERAL<br>OUTPATIENT<br>40 MIN.                |
| 10/04/01<br>63067 | SURPATIENT, EIGHT<br>000-37-0555<br>(GENERAL) | INGUINAL HERNIA | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO  | GENERAL<br>OUTPATIENT<br>50 MIN.                |
| 10/04/01<br>63068 | SURPATIENT, NINE<br>000-17-0555<br>(GENERAL)  | INGUINAL HERNIA | SURSURGEON, THREE<br>SURSURGEON, ONE<br>SURSURGEON, TWO | GENERAL<br>OUTPATIENT<br>45 MIN.                |
| 10/07/01<br>63070 | SURPATIENT, SIXTY<br>000-56-7821<br>(GENERAL) | INGUINAL HERNIA | SURSURGEON, TWO<br>SURSURGEON, FOUR                     | GENERAL<br>OUTPATIENT<br>45 MIN.                |
| 10/08/01<br>63071 | SURPATIENT, FOUR<br>000-17-0555<br>(GENERAL)  | INGUINAL HERNIA | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO  | GENERAL<br>OUTPATIENT<br>50 MIN.                |

TOTAL OUTPATIENT: 5

### Example 3: List of Operations by Postoperative Disposition (No Disposition Entered)

```
Select Management Reports Option: LD List of Operations (by Postoperative Disposition)
List of Operations by Postoperative Disposition:
```

```
Start with Date: 10/4 (OCT 04, 2001)
```

```
End with Date: 10/8 (OCT 08, 2001)
```

```
Print the List of Operations for which of the following ?
```

1. All Dispositions
2. A Specific Disposition
3. No Disposition Entered

```
Enter selection: 1// 3 No Disposition Entered
```

```
Do you want the report sorted by surgical specialty ? Y// N
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device: [Select Print Device]
```

printout follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY POSTOP DISPOSITION  
 FROM: OCT 4,2001 TO: OCT 8,2001  
 POSTOP DISPOSITION: DISPOSITION NOT ENTERED

DATE PRINTED: SEP 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #    | PATIENT<br>ID#                                        | OPERATION (S)                     | PRIMARY SURGEON<br>1ST ASST<br>2ND ASST                | ANESTHESIA TECH<br>IN/OUT-PAT STATUS<br>OP TIME |
|-------------------|-------------------------------------------------------|-----------------------------------|--------------------------------------------------------|-------------------------------------------------|
| 10/04/01<br>63069 | SURPATIENT,TEN<br>000-12-3456<br>(THORACIC SURGERY )  | PULMONARY LOBECTOMY               | SURSURGEON,TWO<br>SURSURGEON,FIVE<br>SURSURGEON,ONE    | GENERAL<br>OUTPATIENT<br>60 MIN.                |
| 10/08/01<br>63073 | SURPATIENT,FIFTYONE<br>000-23-3221<br>(OPHTHALMOLOGY) | INTRAOCULAR LENS, CHOLECYSTECTOMY | SURSURGEON,FOUR<br>SURSURGEON,THREE<br>SURSURGEON,FOUR | SPINAL<br>OUTPATIENT<br>50 MIN.                 |
| 10/08/01<br>63076 | SURPATIENT,FOURTEEN<br>000-45-7212<br>(UROLOGY)       | TURP                              | SURSURGEON,TWO<br>SURSURGEON,FOUR<br>SURSURGEON,TWO    | GENERAL<br>OUTPATIENT<br>45 MIN.                |

TOTAL DISPOSITION NOT ENTERED: 3

## List of Operations (by Surgical Specialty)

The *List of Operations (by Surgical Specialty)* option contains general information for completed cases within a selected date range. It sorts the cases by surgical specialty and case number.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all specialties or a selected specialty.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations by Surgical Specialty

```
Select Management Reports Option: LS List of Operations (by Surgical Specialty)
List of Operations sorted by Surgical Specialty

Start with Date: 10/4 (OCT 04, 2001)
End with Date: 10/8 (OCT 08, 2001)

Do you want to print the report for all Specialties ? YES// N

Print the report for which Surgical Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SERVICE  
 FROM: OCT 4,2001 TO: OCT 8,2001

PAGE 1  
 DATE REVIEWED:  
 REVIEWED BY:  
 DATE PRINTED: SEP 20,2001

| DATE<br>CASE #                         | PATIENT<br>ID#<br>PRIORITY                      | OPERATION(S)                     | PRIMARY SURGEON<br>FIRST ASSISTANT<br>SECOND ASSISTANT   | ANESTHESIA<br>TECHNIQUE     |
|----------------------------------------|-------------------------------------------------|----------------------------------|----------------------------------------------------------|-----------------------------|
| =====                                  |                                                 |                                  |                                                          |                             |
| *GENERAL (OR WHEN NOT DEFINED BELOW) * |                                                 |                                  |                                                          |                             |
| 10/04/01<br>63066                      | SURPATIENT, THREE<br>000-21-2453<br>STANDBY     | INGUINAL HERNIA                  | SURSURGEON, THREE<br>SURSURGEON, TWO<br>SURSURGEON, ONE  | GENERAL<br>OP TIME: 40 MIN. |
| 10/04/01<br>63067                      | SURPATIENT, EIGHT<br>000-37-0555<br>ELECTIVE    | INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO   | GENERAL<br>OP TIME: 50 MIN. |
| 10/04/01<br>63068                      | SURPATIENT, TEN<br>000-12-3456<br>ELECTIVE      | INGUINAL HERNIA                  | SURSURGEON, THREE<br>SURSURGEON, ONE<br>SURSURGEON, TWO  | GENERAL<br>OP TIME: 45 MIN. |
| 10/07/01<br>63070                      | SURPATIENT, SIXTY<br>000-56-7821<br>ELECTIVE    | INGUINAL HERNIA                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                      | GENERAL<br>OP TIME: 45 MIN. |
| 10/08/01<br>63071                      | SURPATIENT, FOUR<br>000-17-0555<br>ELECTIVE     | INGUINAL HERNIA                  | SURSURGEON, FOUR<br>SURSURGEON, ONE<br>SURSURGEON, TWO   | GENERAL<br>OP TIME: 50 MIN. |
| 10/08/01<br>63072                      | SURPATIENT, EIGHTEEN<br>000-22-3334<br>ELECTIVE | CHOLECYSTECTOMY                  | SURSURGEON, TWO<br>SURSURGEON, FOUR                      | GENERAL<br>OP TIME: 50 MIN. |
| 10/08/01<br>63077                      | SURPATIENT, FIVE<br>000-58-7963<br>ELECTIVE     | INGUINAL HERNIA, CHOLECYSTECTOMY | SURSURGEON, FOUR<br>SURSURGEON, THREE<br>SURSURGEON, TWO | GENERAL<br>OP TIME: 63 MIN. |

TOTAL GENERAL (OR WHEN NOT DEFINED BELOW) : 7

## List of Operations (by Surgical Priority)

The *List of Operations (by Surgical Priority)* option generates a report containing general information for completed cases within a selected date range. It sorts the cases by surgical priority and surgical specialty.

This report includes information on case type, length of actual operation, surgeon names, and anesthesia technique. The user can request a list for all priorities or a selected priority. One or more surgical specialties can also be specified.

This report has a 132-column format and is designed to be copied to a printer.

### Example: List of Operations by Surgical Priority

```
Select Management Reports Option: LP List of Operations (by Surgical Priority)
List of Operations by Surgical Priority:

Start with Date: 8/1 (AUG 01, 2001)
End with Date: 9/30 (SEP 30, 2001)

Print List of Operations for all priorities ? Y// N
Print report for which Priority ?

1. EMERGENCY
2. ELECTIVE
3. ADD ON TODAY (NONEMERGENT)
4. STANDBY
5. URGENT ADD TODAY
6. PRIORITY NOT ENTERED

Select Number: 1// 4

Do you want the report sorted by surgical specialty ? Y// <Enter>
Print for all surgical specialties ? Y// <Enter>

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]
.....printout follows.....
```



ISC-BIRMINGHAM, AL  
 SURGICAL SERVICE  
 LIST OF OPERATIONS BY SURGICAL PRIORITY  
 FROM: AUG 1,2001 TO: SEP 30,2001  
 SURGICAL PRIORITY: STANDBY

PAGE: 1  
 DATE PRINTED: OCT 20,2001  
 REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                              | PATIENT<br>ID#                     | OPERATION(S)        | PRIMARY SURGEON<br>1ST ASST<br>2ND ASST             | ANESTHESIA TECH              |
|---------------------------------------------|------------------------------------|---------------------|-----------------------------------------------------|------------------------------|
| -----                                       |                                    |                     |                                                     |                              |
| >> THORACIC SURGERY (INC. CARDIAC SURG.) << |                                    |                     |                                                     |                              |
| 08/21/01<br>62901                           | SURPATIENT,THREE<br>000-21-2453    | PULMONARY LOBECTOMY | SURSURGEON,FOUR<br>SURSURGEON,TWO<br>SURSURGEON,ONE | GENERAL<br>OP TIME: 170 MIN. |
| 09/02/01<br>63002                           | SURPATIENT,NINE<br>000-34-5555     | PULMONARY LOBECTOMY | SURSURGEON,TWO<br>SURSURGEON,TWO                    | GENERAL<br>OP TIME: 95 MIN.  |
| 09/29/01<br>63042                           | SURPATIENT,FOURTEEN<br>000-45-7212 | PULMONARY LOBECTOMY | SURSURGEON,TWO<br>SURSURGEON,FOUR                   | GENERAL<br>OP TIME: 90 MIN.  |

TOTAL THORACIC SURGERY (INC. CARDIAC SURG.): 3

## Report of Surgical Priorities

The *Report of Surgical Priorities* option provides the total number of completed surgical cases for each surgical priority, such as elective, emergency, and urgent within a date range. The user can sort the report by all surgical specialties, one surgical specialty (Example 1), or by all operations within a date range (Example 2).

This report has an 80-column format and can be viewed on your terminal display screen.

### Example 1: Print Report of Surgical Priorities for a specialty

```
Select Management Reports Option: P Report of Surgical Priorities
Report of Surgical Priorities

Start with Date: 3/1 (MAR 01, 2001)
End with Date: T (MAR 26, 2001)

Do you want to review this information sorted by Surgical Specialty ? YES// <Enter>
Do you want to print this report for all Surgical Specialties ? YES// N

Print the report for which Surgical Specialty ? 50 GENERAL (OR WHEN NOT DEFINED BELOW)
GENERAL (OR WHEN NOT DEFINED BELOW) 50

Print the Report on which Device: [Select Print Device]
.....printout follows.....
```

```
 MAYBERRY, NC
 SURGICAL SERVICE
TOTAL OPERATIONS BY SURGICAL PRIORITY
FROM: MAR 1,2001 TO: MAR 26,2001
```

---

```
GENERAL (OR WHEN NOT DEFINED BELOW)

1. ADD ON (NON-EMERGENT) 1
2. ELECTIVE 1
3. EMERGENCY 2
4. STANDBY 0
5. URGENT 1

TOTAL SURGICAL CASES: 5
```

## Example 2: Print Report of Surgical Priorities for all Operations

Select Management Reports Option: **P** Report of Surgical Priorities

Report of Surgical Priorities

Start with Date: **3/1** (MAR 01, 2001)

End with Date: **T** (MAR 26, 2001)

Do you want to review this information sorted by Surgical Specialty ? YES// **N**

Print the Report on which Device: **[Select Print Device]**

*printout follows*

MAYBERRY, NC  
SURGICAL SERVICE  
TOTAL OPERATIONS BY SURGICAL PRIORITY  
FROM: MAR 1,2001 TO: MAR 26,2001

---

|                          |   |
|--------------------------|---|
| 1. ADD ON (NON-EMERGENT) | 3 |
| 2. ELECTIVE              | 2 |
| 3. EMERGENCY             | 2 |
| 4. STANDBY               | 0 |
| 5. URGENT                | 4 |
| 6. PRIORITY NOT ENTERED  | 4 |

TOTAL SURGICAL CASES: 15

## Report of Daily Operating Room Activity

The *Report of Daily Operating Room Activity* option generates a report listing cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print the Report of Daily Operating Room Activity

```
Select Management Reports Option: D Report of Daily Operating Room Activity
Print the Report of Daily Activity for which Date ? 3/9 (MAR 09, 2001)
```

```
This report will include all cases started between MAR 9, 2001 at 6:00 AM
and MAR 10, 2001 at 5:59 AM.
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: MAR 09, 2001

| PATIENT<br>ID #<br>WARD                            | AGE | TIME IN OR<br>TIME OUT OR<br>CASE NUMBER | POSTOPERATIVE DIAGNOSIS<br>PROCEDURE (S)                          | ANESTHESIOLOGIST<br>PRIN. ANESTHETIST       | SURGEON<br>FIRST ASST.<br>ATT SURGEON           |
|----------------------------------------------------|-----|------------------------------------------|-------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------|
| =====                                              |     |                                          |                                                                   |                                             |                                                 |
| OPERATING ROOM: OR1                                |     |                                          |                                                                   |                                             |                                                 |
| SURPATIENT, TWELVE<br>000-41-8719<br>1 NORTH 161-1 | 62  | 03/09 08:00<br>03/09 09:10<br>194        | INGUINAL HERNIA<br>INGUINAL HERNIA                                | SURANESTHESIOLOGIST, O<br>SURANESTHETIST, F | SURSURGEON, E<br>SURSURGEON, O<br>SURSURGEON, T |
| OPERATING ROOM: OR3                                |     |                                          |                                                                   |                                             |                                                 |
| SURPATIENT, NINE<br>000-34-5555<br>OUTPATIENT      | 48  | 03/09 09:15<br>03/09 12:40<br>187        | CHOLECYSTITIS<br>CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM    | SURANESTHESIOLOGIST, T<br>SURANESTHETIST, O | SURSURGEON, T<br>SURSURGEON, F<br>SURSURGEON, T |
| OPERATING ROOM: OR5                                |     |                                          |                                                                   |                                             |                                                 |
| SURPATIENT, SIX<br>000-09-8797<br>1 WEST 101-1     | 50  | 03/09 19:56<br>03/09 21:05<br>188        | APPENDICITIS<br>APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY, CRAIN | SURANESTHESIOLOGIST, T<br>SURANESTHETIST, F | SURSURGEON, S<br>SURSURGEON, F<br>SURSURGEON, F |

## **PCE Filing Status Report**

The *PCE Filing Status Report* option provides a report of the Patient Care Encounter (PCE) filing status of completed cases performed during the selected date range in accordance with the site parameter controlling PCE updates. If this site parameter is turned off, the report will show no cases. The report may be printed for O.R. surgical cases, non-O.R. procedures or both. The report may also be printed for all specialties or for a single specialty only.

This report is intended to be used as a tool in the review of Surgery case information that is passed to PCE. The report uses 2 status categories:

- (1) FILED - This status indicates that case information has already been filed with PCE.
- (2) NOT FILED - This status indicates that the case information has not been filed with PCE. The case may or may not be missing information needed to file with PCE.

Two forms of the report are available: the short and the long forms. The short form uses an 80-column format and does not include surgeon/provider, attending, principal post-op diagnosis, and CPT and ICD code information. The totals printed at the end will show only the total cases for each status.

The long form uses a 132-column format and prints case information including the surgeon/provider, the attending, the specialty, the principal post-op diagnosis, and the principal procedure. If the PCE filing status is FILED, the CPT codes and ICD diagnosis codes will be printed. If the filing status is NOT FILED, information fields needed for PCE filing that do not contain data will be printed. At the end of the report, the number of cases in each PCE filing status will be printed, plus the number of CPT and ICD codes for cases with a status of FILED.

The PCE Filing Status report will display missing clinical indicator data information, per encounter. This indicates to the user what information is missing. The report displays CPT codes that do not have an associated diagnostic code, and textual diagnoses that do not have a corresponding ICD diagnosis code.

### Example 1: PCE Filing Status Report (Short Form)

Select Management Reports Option: **PS** PCE Filing Status Report

Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL (OR WHEN NOT DEFINED BELOW) GENERAL (  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **<Enter>**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

.....*printout follows*.....

ALBANY  
PCE FILING STATUS REPORT PAGE 1  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@10:40

| DATE OF OPERATION<br>CASE # | PATIENT NAME<br>SPECIALTY<br>PRINCIPAL PROCEDURE  | PATIENT ID (AGE) | FILING STATUS<br>SCHED STATUS |
|-----------------------------|---------------------------------------------------|------------------|-------------------------------|
| JUN 8,2005@07:00<br>277     | SURPATIENT,TWELVE<br>GENERAL (OR WHEN NOT<br>TURP | 000-14-6822 (80) | NOT FILED<br><NONE>           |

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

|                          |                                                                    |                  |                 |
|--------------------------|--------------------------------------------------------------------|------------------|-----------------|
| JUN 10,2005@07:00<br>292 | SURPATIENT,NINETYONE<br>GENERAL (OR WHEN NOT<br>APPENDECTOMY       | 000-06-1451 (53) | FILED<br><NONE> |
| JUN 10,2005@10:00<br>295 | SURPATIENT,FORTYONE<br>GENERAL (OR WHEN NOT<br>REMOVE THYROID CYST | 000-04-0550 (55) | FILED<br><NONE> |

|              |   |
|--------------|---|
| FILED:       | 2 |
| NOT FILED:   | 1 |
| -----        |   |
| TOTAL CASES: | 3 |



## Example 2: PCE Filing Status Report (Long Form)

Select CPT/ICD Coding Menu Option: **PS** PCE Filing Status Report  
Report of PCE Filing Status

This report displays the filing status of completed cases performed during the selected date range.

Print PCE filing status of completed cases for

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL(OR WHEN NOT DEFINED BELOW) GENERAL(  
OR WHEN NOT DEFINED BELOW) 50

Start with Date: **6 8** (JUN 08, 2005)

End with Date: **6 10** (JUN 10, 2005)

Print the long form or the short form ? SHORT// **LONG**

Print the PCE Filing Status Report to which Printer ? **[Select Print Device]**

.....*printout follows*.....

ALBANY  
PCE FILING STATUS REPORT  
For Completed O.R. Surgical Procedures  
From: JUN 8,2005 To: JUN 10,2005  
Report Printed: JUL 19,2005@08:19

| DATE OF OPERATION<br>CASE # | PATIENT NAME<br>PATIENT ID (AGE)<br>PRINCIPAL PROCEDURE | SURGEON<br>ATTENDING | SPECIALTY<br>PRINCIPAL POST-OP DIAGNOSIS | PCE FILING STATUS<br>SCHED STATUS |
|-----------------------------|---------------------------------------------------------|----------------------|------------------------------------------|-----------------------------------|
|-----------------------------|---------------------------------------------------------|----------------------|------------------------------------------|-----------------------------------|

|                         |                                               |                                  |                                              |                     |
|-------------------------|-----------------------------------------------|----------------------------------|----------------------------------------------|---------------------|
| JUN 8,2005@07:00<br>277 | SURPATIENT,TWELVE<br>000-41-8719 (80)<br>TURP | SURSURGEON,ONE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>TURPY | NOT FILED<br><NONE> |
|-------------------------|-----------------------------------------------|----------------------------------|----------------------------------------------|---------------------|

Missing Information:

1. CLASSIFICATION INFORMATION
2. PRINCIPAL PROCEDURE CODE
3. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE

|                         |                                                         |                                    |                                                         |                     |
|-------------------------|---------------------------------------------------------|------------------------------------|---------------------------------------------------------|---------------------|
| JUN 9,2005@15:00<br>280 | SURPATIENT,FIFTEEN<br>000-98-1234 (60)<br>HERNIA REPAIR | SURSURGEON,THREE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>HERNIA, INGUINAL | NOT FILED<br><NONE> |
|-------------------------|---------------------------------------------------------|------------------------------------|---------------------------------------------------------|---------------------|

Missing Information:

1. PRIN PROCEDURE CODE MISSING ASSOCIATED DIAGNOSIS CODE
2. OTHER PROCEDURE CPT MISSING ASSOCIATED DIAGNOSIS ICD CODE

|                          |                                                          |                                  |                                                    |                 |
|--------------------------|----------------------------------------------------------|----------------------------------|----------------------------------------------------|-----------------|
| JUN 10,2005@07:00<br>292 | SURPATIENT,NINETYONE<br>000-06-1451 (53)<br>APPENDECTOMY | SURSURGEON,ONE<br>SURSURGEON,ONE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>NOT ENTERED | FILED<br><NONE> |
|--------------------------|----------------------------------------------------------|----------------------------------|----------------------------------------------------|-----------------|

CPT Code: 44950 APPENDECTOMY

ICD Diagnosis Code: 540.1 ABSCESS OF APPENDIX  
ICD Diagnosis Code: 560.31 GALLSTONE ILEUS

|                          |                                                                |                                      |                                                     |                 |
|--------------------------|----------------------------------------------------------------|--------------------------------------|-----------------------------------------------------|-----------------|
| JUN 10,2005@10:00<br>295 | SURPATIENT,FORTYONE<br>000-04-0550 (55)<br>REMOVE THYROID CYST | SURSURGEON,THREE<br>SURSURGEON,THREE | GENERAL (OR WHEN NOT DEFINED BELOW)<br>THYROID CYST | FILED<br><NONE> |
|--------------------------|----------------------------------------------------------------|--------------------------------------|-----------------------------------------------------|-----------------|

CPT Code: 60200 REMOVE THYROID LESION

ICD Diagnosis Code: 246.2 CYST OF THYROID

|            | CPT<br>CASES | ICD<br>CODES | ICD<br>CODES |
|------------|--------------|--------------|--------------|
| FILED:     | 2            | 2            | 2            |
| NOT FILED: | 2            |              |              |
| TOTAL:     | 3            | 2            | 2            |

## **Outpatient Encounters Not Transmitted to NPCD**

Outpatient surgical and non-O.R. procedures that are filed as encounters in the PCE package without an active count clinic identified for each encounter are not transmitted to the National Patient Care Database (NPCD) as workload. The *Outpatient Encounters Not Transmitted to NPCD* option may be used as a tool for identifying these encounters that represent uncounted workload so that corrective actions may be taken in the Surgery package to insure these procedures are associated with an active count clinic. After corrections are made, these encounters may be re-filed with PCE to be transmitted to NPCD.

This option provides functionality:

- To count and/or list surgical cases and non-O.R. procedures that have entries in PCE but have no matching entries in the OUTPATIENT ENCOUNTER file or have matching entries that are non-count encounters or encounters requiring action.
- To re-file with PCE the cases identified as having no matching entries in the OUTPATIENT ENCOUNTER file or having matching entries that are non-count encounters or encounters requiring action.

Both the report and the re-filing process may be run for O.R. surgical cases, non-O.R. procedures or both. The report and the re-filing process may be run for a specific specialty or for all specialties and may be run for a selected date range.

## Example 1: Print List of Cases

Select Management Reports Option: **NOX** Outpatient Encounters Not Transmitted to NPCD

Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate surgical encounters that have not transmitted to the National Patient Care Database. This option is intended as a tool to identify these encounters and, after taking appropriate corrective measures, to reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// **<Enter>**

Print the list for the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL (OR WHEN NOT DEFINED BELOW) GENERAL (OR WHEN NOT DEFINED BELOW) 50

Start with Date: **5/1** (MAY 01, 2001)

End with Date: **5/15** (MAY 15, 2001)

Print report on which printer ? **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 Outpatient Surgery Encounters Not Transmitted to NPCD  
 For Completed O.R. Surgical Procedures  
 From: MAY 1,2001 To: MAY 15,2001  
 Report Printed: MAY 20,2001@06:44

| DATE OF OPERATION<br>PATIENT NAME<br>PATIENT ID (AGE)       | CASE #<br>PRINCIPAL PROCEDURE        | SPECIALTY            | SCHED STATUS    |
|-------------------------------------------------------------|--------------------------------------|----------------------|-----------------|
| MAY 1,2001@09:00<br>SURPATIENT,FOURTEEN<br>000-45-7212 (50) | 63028<br>CHOLECYSTECTOMY             | GENERAL (OR WHEN NOT | <NONE>          |
| MAY 3,2001@05:45<br>SURPATIENT,SIXTY<br>000-56-7821 (42)    | 63092<br>CHOLEDOCHOTOMY              | GENERAL (OR WHEN NOT | <NONE>          |
| MAY 7,2001@07:15<br>SURPATIENT,TWELVE<br>000-41-8719 (73)   | 63142<br>REPAIR DIAPHRAGMATIC HERNIA | GENERAL (OR WHEN NOT | <NONE>          |
| MAY 12,2001@06:00<br>SURPATIENT,NINE<br>000-34-5555 (64)    | 63191<br>INGUINAL HERNIA             | GENERAL (OR WHEN NOT | <NONE>          |
| MAY 14,2001@06:00<br>SURPATIENT,TWELVE<br>000-41-8719 (73)  | 63208<br>CHOLECYSTECTOMY             | GENERAL (OR WHEN NOT | ACTION REQUIRED |
| MAY 15,2001@06:01<br>SURPATIENT,SIXTY<br>000-56-7821 (42)   | 63180<br>CHOLECYSTECTOMY             | GENERAL (OR WHEN NOT | <NONE>          |

SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)

|                             |   |
|-----------------------------|---|
| Total with NO status:       | 5 |
| Total with NON-COUNT:       | 0 |
| Total with ACTION REQUIRED: | 1 |
| Total cases identified:     | 6 |

## Example 2: Print Total Number of Cases Only

Select Management Reports Option: **NOX** Outpatient Encounters Not Transmitted to NPCD

Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate surgical encounters that have not transmitted to the National Patient Care Database. This option is intended as a tool to identify these encounters and, after taking appropriate corrective measures, to reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// **2**

Print the list for the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)

Select Number (1, 2 or 3): 1// **<Enter>**

Do you want the report for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL (OR WHEN NOT DEFINED BELOW) GENERAL (OR WHEN NOT DEFINED BELOW) 50

Start with Date: **5/1** (MAY 01, 2001)

End with Date: **5/15** (MAY 15, 2001)

Print report on which printer ? **[Select Print Device]**

-----*printout follows*-----

MAYBERRY, NC  
Outpatient Surgery Encounters Not Transmitted to NPCD Page 1  
For Completed O.R. Surgical Procedures  
From: MAY 1,2001 To: MAY 15,2001  
Report Printed: MAY 20,2001@07:25

=====

SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)

|                             |       |
|-----------------------------|-------|
| Total with NO status:       | 5     |
| Total with NON-COUNT:       | 0     |
| Total with ACTION REQUIRED: | 1     |
|                             | ----- |
| Total cases identified:     | 6     |

### Example 3: Re-File Cases in PCE

Select Management Reports Option: **NOX** Outpatient Encounters Not Transmitted to NPCD

Outpatient Surgery Encounters Not Transmitted to NPCD

Surgical cases filed with PCE that have no Scheduling appointment status or that have an appointment status of ACTION REQUIRED or NON-COUNT indicate surgical encounters that have not transmitted to the National Patient Care Database. This option is intended as a tool to identify these encounters and, after taking appropriate corrective measures, to reinitiate the encounter transmission process.

1. Print list of cases.
2. Print total number of cases only.
3. Re-file cases in PCE.

Select Number: 1// **3**

Re-file the following.

1. O.R. Surgical Procedures
2. Non-O.R. Procedures
- 3. Both O.R. Surgical Procedures and Non-O.R. Procedures (All Specialties)**

Select Number (1, 2 or 3): 1// **1**

Do you want re-filing for all Surgical Specialties ? YES// **NO**

Select Surgical Specialty: **50** GENERAL (OR WHEN NOT DEFINED BELOW) GENERAL (OR WHEN NOT DEFINED BELOW) 50

Start with Date: **5/1** (MAY 01, 2001)

End with Date: **5/15** (MAY 15, 2001)

Requested Start Time: NOW// (MAY 20, 2001@07:37:32)  
(Task #652379)

Press RETURN to continue **<Enter>**



## Surgery Staffing Reports

### [SR STAFFING REPORTS]

The *Surgery Staffing Reports* menu provides access to several staffing related report options.

The options included in this submenu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

| Shortcut | Option Name                              |
|----------|------------------------------------------|
| A        | <i>Attending Surgeon Reports</i>         |
| S        | <i>Surgeon Staffing Report</i>           |
| N        | <i>Surgical Nurse Staffing Report</i>    |
| NS       | <i>Scrub Nurse Staffing Report</i>       |
| NC       | <i>Circulating Nurse Staffing Report</i> |

## Attending Surgeon Reports [SROATT]

The *Attending Surgeon Reports* option generates the Attending Surgeon Report, which provides staffing information for completed cases (Example 1). The Attending Surgeon Cumulative Report is a table with cumulative totals for each attending code (Example 2). You can print these reports separately or you can print both reports at one time.

The Attending Surgeon Report can be sorted by surgical specialty. They can also be generated for an individual surgeon, or for all attending surgeons.

The Attending Surgeon Report has a 132-column format and is designed to be copied to a printer. The Attending Surgeon Cumulative Report has an 80-column format and can be viewed on the screen.

### Example 1: Print the Attending Surgeon Report

```
Select Surgery Staffing Reports Option: A Attending Surgeon Reports
Attending Surgeon Report

Starting with which Date ? 6/9 (JUN 09, 2004)
Ending with which Date ? 6/18 (JUN 18, 2004)
Do you want to print the report for all Attending Surgeons ? YES// <Enter>

Attending Surgeon Reports

1. Attending Surgeon Report
2. Attending Surgeon Cumulative Report
3. Attending Surgeon Report and Attending Surgeon Cumulative Report

Select the number corresponding with the desired report(s): 1

Start report for each attending surgeon on a new page ? NO// <Enter>
Do you want the report for all Surgical Specialties ? YES// N

Print the Report for which Surgical Specialty ? 50 GENERAL (OR WHEN NOT DE
FINED BELOW) GENERAL (OR WHEN NOT DEFINED BELOW) 50

The Attending Surgeon Report was designed to use a 132 column format.

Print the report on which Device ? [Select Print Device]
```

-----*printout follows*-----

MAYBERRY, NC  
 SURGICAL SERVICE  
 ATTENDING SURGEON REPORT  
 FROM: JUN 9,2004 TO: JUN 18,2004

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JUN 20,2004

| DATE   | PATIENT                     | PRINCIPAL DIAGNOSIS           | PRIMARY SURGEON |
|--------|-----------------------------|-------------------------------|-----------------|
| CASE # | ID#                         | PRINCIPAL OPERATIVE PROCEDURE | 1ST ASST        |
|        | ATTENDING/RES SUP CODE CODE |                               | 2ND ASST        |

GENERAL (OR WHEN NOT DEFINED BELOW)

ATTENDING SURGEON: SURSURGEON,TWO

|                 |                                                                             |                                                                     |                                   |
|-----------------|-----------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------|
| 06/17/04<br>203 | SURPATIENT,FOURTEEN<br>000-45-7212<br>LEVEL B: ATTENDING IN O.R., SCRUBBED  | CHOLELITHIASIS<br>CHOLECYSTECTOMY                                   | SURSURGEON,ONE<br>SURSURGEON,FOUR |
| 06/18/04<br>202 | SURPATIENT,SEVENTEEN<br>000-45-5119<br>LEVEL B: ATTENDING IN O.R., SCRUBBED | INCARCERATED INGUINAL HERNIA<br>REPAIR INCARCERATED INGUINAL HERNIA | SURSURGEON,ONE<br>SURSURGEON,FOUR |

|                 |                                                                |                                                 |                                     |
|-----------------|----------------------------------------------------------------|-------------------------------------------------|-------------------------------------|
| 03/09/04<br>494 | SURPATIENT,TWELVE<br>000-41-8719<br>ATTENDING CODE NOT ENTERED | INCARCERATED INGUINAL HERNIA<br>INGUINAL HERNIA | SURSURGEON,THREE<br>SURSURGEON,FOUR |
|-----------------|----------------------------------------------------------------|-------------------------------------------------|-------------------------------------|

ATTENDING SURGEON: SURSURGEON,ONE

|                 |                                                                                         |                                                                |                                                       |
|-----------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------|
| 06/10/04<br>189 | SURPATIENT,FIFTYONE<br>000-23-3221<br>LEVEL E: EMERGENCY CARE, ATTENDING CONTACTED ASAP | RUPTURED TUBOOVARIAN ABSCESS<br>DRAINAGE OF OVARIAN CYST       | SURSURGEON,FOUR                                       |
| 06/09/04<br>187 | SURPATIENT,NINE<br>000-34-5555<br>LEVEL C: ATTENDING IN O.R., NOT SCRUBBED              | CHOLECYSTITIS<br>CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | SURSURGEON,TWO<br>SURSURGEON,FOUR<br>SURSURGEON,THREE |

ATTENDING SURGEON: SURSURGEON,FOUR

|                 |                                                                                          |                                                            |                                   |
|-----------------|------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------|
| 06/09/04<br>188 | SURPATIENT,SIX<br>000-09-8797<br>LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE | APPENDICITIS<br>APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY | SURSURGEON,SIX<br>SURSURGEON,FOUR |
|-----------------|------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------|

## Example 2: Print the Attending Surgeon Cumulative Report

Select Surgery Staffing Reports Option: **A** Attending Surgeon Reports

Attending Surgeon Report

Starting with which Date ? **6/9** (JUN 09, 2004)

Ending with which Date ? **6/18** (JUN 18, 2004)

Do you want to print the report for all Attending Surgeons ? YES// **<Enter>**

Attending Surgeon Reports

1. Attending Surgeon Report
2. Attending Surgeon Cumulative Report
3. Attending Surgeon Report and Attending Surgeon Cumulative Report

Select the number corresponding with the desired report(s): **2**

Do you want the report for all Surgical Specialties ? YES// **N**

Print the Report for which Surgical Specialty ? **50** GENERAL(OR WHEN NOT DE  
FINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50

The Attending Surgeon Cumulative Report was designed to use a 80 column format.

Print the report on which Device ? **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
SURGICAL SERVICE  
ATTENDING SURGEON CUMULATIVE REPORT  
FROM: JUN 9,2004 TO: JUN 18,2004

=====

GENERAL (OR WHEN NOT DEFINED BELOW)

| ATTENDING CODE                                          | TOTAL CASES |
|---------------------------------------------------------|-------------|
| -----                                                   | -----       |
| LEVEL B: ATTENDING IN O.R., SCRUBBED                    | 2           |
| LEVEL C: ATTENDING IN O.R., NOT SCRUBBED                | 1           |
| LEVEL D: ATTENDING IN O.R. SUITE, IMMEDIATELY AVAILABLE | 1           |
| LEVEL E: EMERGENCY CARE, ATTENDING CONTACTED ASAP       | 1           |
| * ATTENDING CODE NOT ENTERED                            | 1           |
| TOTAL CASES FROM 06/09/04 TO 06/18/04                   | 6           |

## Surgeon Staffing Report [SROSUR]

The *Surgeon Staffing Report* option lists completed cases sorted by the surgeon and his or her role (i.e., attending, first assistant) for each case. The report provides the procedure, diagnosis and operation date/time.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print Surgeon Staffing Report

```
Select Surgery Staffing Reports Option: S Surgeon Staffing Report
Surgeon Staffing Report

Start with Date: 3/2 (MAR 02, 2001)
End with Date: 3/31 (MAR 31, 2001)

Do you want to print this report for an individual surgeon ? YES// <Enter>
Select Surgeon: SURSURGEON,ONE

This report is designed to use a 132 column format.

Print the report on which Device ? [Select Print Device]
.....printout follows.....
```

MAYBERRY, NC  
SURGICAL SERVICE  
SURGEON STAFFING REPORT  
FROM: MAR 2,2001 TO: MAR 31,2001

PAGE: 1

REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: APR 20,2001

| DATE/TIME<br>CASE #       | PATIENT<br>ID #                     | OPERATION(S)                                  | DIAGNOSIS                         |
|---------------------------|-------------------------------------|-----------------------------------------------|-----------------------------------|
| =====                     |                                     |                                               |                                   |
| ** SURSURGEON, ONE **     |                                     |                                               |                                   |
| ROLE: ATTENDING SURGEON   |                                     |                                               |                                   |
| MAR 09, 2001@09:15<br>187 | SURPATIENT,NINE<br>000-34-5555      | CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | CHOLECYSTITIS                     |
| MAR 10, 2001@07:00<br>189 | SURPATIENT,FIFTYONE<br>000-23-3221  | DRAINAGE OF OVARIAN CYST                      | APPENDICITIS                      |
| MAR 10, 2001@14:00<br>200 | SURPATIENT,FIFTY<br>000-45-9999     | HEMORRHOIDECTOMY                              | EXTERNAL HEMORRHOIDS              |
| ROLE: SURGEON             |                                     |                                               |                                   |
| MAR 10, 2001@08:00<br>199 | SURPATIENT,TWO<br>000-45-1982       | CHOLECYSTECTOMY WITH CHOLANGIOGRAM            | CHOLELITHIASIS WITH BILIARY COLIC |
| MAR 17, 2001@12:55<br>203 | SURPATIENT,FOURTEEN<br>000-45-7212  | CHOLECYSTECTOMY                               | CHOLELITHIASIS                    |
| MAR 18, 2001@07:30<br>202 | SURPATIENT,SEVENTEEN<br>000-45-5119 | REPAIR INCARCERATED INGUINAL HERNIA           | INCARCERATED INGUINAL HERNIA      |

## Surgical Nurse Staffing Report [SRONSR]

This option generates the Surgical Nurse Staffing Report that lists completed cases within a specified date range. It provides the names of the scrub nurse, the circulating nurse, and the operation times.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print Surgical Nurse Staffing Report

```
Select Surgery Staffing Reports Option: N Surgical Nurse Staffing Report
```

```
Surgical Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/9 (MAR 09, 2001)
```

```
End with Date: 3/10 (MAR 10, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

```
printout follows
```

---



MAYBERRY, NC  
 SURGICAL SERVICE  
 SURGICAL NURSE STAFFING REPORT  
 FROM: MAR 9,2001 TO: MAR 10,2001

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 20,2001

| DATE<br>CASE #  | PATIENT<br>ID#                      | OPERATION(S)                                  | SCRUB NURSE     | CIRC. NURSE     | TIME IN<br>TIME OUT<br>ELAPSED (MINS) |
|-----------------|-------------------------------------|-----------------------------------------------|-----------------|-----------------|---------------------------------------|
| 03/09/01<br>194 | SURPATIENT, TWELVE<br>000-41-8719   | INGUINAL HERNIA                               | SURNURSE, TWO   | SURNURSE, FIVE  | 08:00<br>09:10<br>70                  |
| 03/09/01<br>187 | SURPATIENT, NINE<br>000-34-5555     | CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | SURNURSE, THREE | SURNURSE, ONE   | 09:15<br>12:40<br>205                 |
| 03/09/01<br>188 | SURPATIENT, SIX<br>000-09-8797      | APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY    | SURNURSE, THREE | SURNURSE, SIX   | 19:56<br>21:05<br>69                  |
| 03/10/01<br>189 | SURPATIENT, FIFTYONE<br>000-23-3221 | DRAINAGE OF OVARIAN CYST                      | SURNURSE, THREE | SURNURSE, SEVEN | 07:00<br>08:54<br>114                 |
| 03/10/01<br>199 | SURPATIENT, TWO<br>000-45-1982      | CHOLECYSTECTOMY WITH CHOLANGIOGRAM            | SURNURSE, TWO   | SURNURSE, FIVE  | 08:00<br>10:08<br>128                 |
| 03/10/01<br>200 | SURPATIENT, FIFTY<br>000-45-9999    | HEMORRHOIDECTOMY                              | SURNURSE, THREE | SURNURSE, ONE   | 14:00<br>14:55<br>55                  |

## Scrub Nurse Staffing Report [SROSNR]

The *Scrub Nurse Staffing Report* option lists each operating room scrub nurse and the completed cases they are assigned to within a specified date range. It also provides the circulating nurses, other scrub nurses, and operation times.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print Scrub Nurse Staffing Report

```
Select Surgery Staffing Reports Option: NS Scrub Nurse Staffing Report
```

```
Scrub Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/8 (MAR 08, 2001)
```

```
End with Date: 3/20 (MAR 20, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

```
.....
printout follows
.....
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 SCRUB NURSE STAFFING REPORT  
 FROM: MAR 8,2001 TO: MAR 20,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 22,2001

| DATE<br>CASE #        | PATIENT<br>ID#                       | OPERATION(S)                                  | SCRUB NURSE                        | CIRC. NURSE     | TIME IN<br>TIME OUT<br>ELAPSED (MINS) |
|-----------------------|--------------------------------------|-----------------------------------------------|------------------------------------|-----------------|---------------------------------------|
| =====                 |                                      |                                               |                                    |                 |                                       |
| ** SURNURSE, SEVEN ** |                                      |                                               |                                    |                 |                                       |
| 03/18/01<br>202       | SURPATIENT, SEVENTEEN<br>000-45-5119 | REPAIR INCARCERATED INGUINAL HERNIA           | SURNURSE, THREE<br>SURNURSE, SEVEN | SURNURSE, ONE   | 07:30<br>09:03<br>93                  |
| ** SURNURSE, THREE ** |                                      |                                               |                                    |                 |                                       |
| 03/09/01<br>187       | SURPATIENT, NINE<br>000-34-5555      | CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | SURNURSE, THREE                    | SURNURSE, ONE   | 09:15<br>12:40<br>205                 |
| 03/09/01<br>188       | SURPATIENT, SIX<br>000-09-8797       | APPENDECTOMY, COLONOSCOPY, CHOLECYSTECTOMY,   | SURNURSE, THREE                    |                 | 19:56<br>21:05<br>69                  |
| 03/10/01<br>189       | SURPATIENT, FIFTYONE<br>000-23-3221  | DRAINAGE OF OVARIAN CYST                      | SURNURSE, THREE                    | SURNURSE, SEVEN | 07:00<br>08:54<br>114                 |
| 03/10/01<br>200       | SURPATIENT, FIFTY<br>000-45-9999     | HEMORRHOIDECTOMY                              | SURNURSE, THREE                    | SURNURSE, ONE   | 14:00<br>14:55<br>55                  |
| 03/17/01<br>203       | SURPATIENT, FOURTEEN<br>000-45-7212  | CHOLECYSTECTOMY                               | SURNURSE, THREE                    | SURNURSE, ONE   | 12:55<br>14:30<br>95                  |
| 03/18/01<br>202       | SURPATIENT, SEVENTEEN<br>000-45-5119 | REPAIR INCARCERATED INGUINAL HERNIA           | SURNURSE, THREE<br>SURNURSE, SEVEN | SURNURSE, ONE   | 07:30<br>09:03<br>93                  |

## Circulating Nurse Staffing Report [SROCNR]

The *Circulating Nurse Staffing Report* option provides nurse staffing information, sorted by the circulating nurse's name. It lists the circulating nurses and the completed cases they are assigned to within a specified date range. The report includes the scrub nurse, other circulating nurses, and operation times.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print Circulating Nurse Staffing Report

```
Select Surgery Staffing Reports Option: NC Circulating Nurse Staffing Report
Circulating Nurse Staffing Report
```

```
Do you want the report for all nurses ? YES// <Enter>
```

```
Start with Date: 3/2 (MAR 02, 2001)
```

```
End with Date: 3/31 (MAR 31, 2001)
```

```
This report is designed to use a 132 column format.
```

```
Print the report on which Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 CIRCULATING NURSE STAFFING REPORT  
 FROM: MAR 2, 2001 TO: MAR 31, 2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: APR 21, 2001

| DATE<br>CASE #        | PATIENT<br>ID#                       | OPERATION(S)                                  | SCRUB NURSE                        | CIRC. NURSE     | TIME IN<br>TIME OUT<br>ELAPSED (MINS) |
|-----------------------|--------------------------------------|-----------------------------------------------|------------------------------------|-----------------|---------------------------------------|
| =====                 |                                      |                                               |                                    |                 |                                       |
| ** SURNURSE, SEVEN ** |                                      |                                               |                                    |                 |                                       |
| 03/10/01<br>189       | SURPATIENT, FIFTYONE<br>000-23-3221  | DRAINAGE OF OVARIAN CYST                      | SURNURSE, THREE                    | SURNURSE, SEVEN | 07:00<br>08:54<br>114                 |
| ** SURNURSE, ONE **   |                                      |                                               |                                    |                 |                                       |
| 03/09/01<br>187       | SURPATIENT, NINE<br>000-34-5555      | CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM | SURNURSE, THREE                    | SURNURSE, ONE   | 09:15<br>12:40<br>205                 |
| 03/10/01<br>200       | SURPATIENT, FIFTY<br>000-45-9999     | HEMORRHOIDECTOMY                              | SURNURSE, THREE                    | SURNURSE, ONE   | 14:00<br>14:55<br>55                  |
| 03/17/01<br>203       | SURPATIENT, FOURTEEN<br>000-45-7212  | CHOLECYSTECTOMY                               | SURNURSE, THREE                    | SURNURSE, ONE   | 12:55<br>14:30<br>95                  |
| 03/18/01<br>202       | SURPATIENT, SEVENTEEN<br>000-45-5119 | REPAIR INCARCERATED INGUINAL HERNIA           | SURNURSE, THREE<br>SURNURSE, SEVEN | SURNURSE, ONE   | 07:30<br>09:03<br>93                  |
| ** SURNURSE, TWO **   |                                      |                                               |                                    |                 |                                       |
| 03/03/01<br>205       | SURPATIENT, SIXTY<br>000-56-7821     | REMOVE CATARACTS, RETRO BULBAR BLOCK          | SURNURSE, THREE                    | SURNURSE, TWO   | 09:00<br>09:20                        |

## Anesthesia Reports

### [SR ANESTH REPORTS]

The *Anesthesia Reports* menu provides options for printing various anesthesia reports.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option:

| Shortcut | Option Name                          |
|----------|--------------------------------------|
| P        | <i>List of Anesthetic Procedures</i> |
| D        | <i>Anesthesia Provider Report</i>    |

## List of Anesthetic Procedures [SROANP]

The *List of Anesthetic Procedures* option generates a report listing each completed case within the date range selected. It sorts by date order and provides the anesthesia personnel. This report also provides the anesthesia start, end, and elapsed times for each case.

After the user enters the date range, the software will ask whether the user wants the List of Anesthetic Procedures to include 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Print the List of Anesthetic Procedures for only O.R. Surgical Procedures

```
Select Anesthesia Reports Option: P List of Anesthetic Procedures
List of Anesthetic Procedures
Start with Date: 8/8 (AUG 08, 2001)
End with Date: 8/25 (AUG 25, 2001)
Print List of Anesthetic Procedures for
1. O.R. Surgical Procedures.
2. Non-O.R. Procedures.
3. Both O.R. Surgical Procedures and Non-O.R. Procedures.
Select Number: 1// <Enter>
This report is designed to use a 132 column format.
Print the Report on which Device: [Select Print Device]
.....printout follows.....
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF ANESTHETIC PROCEDURES  
 FROM: AUG 8,2001 TO: AUG 25,2001

PAGE: 1

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: SEP 21,2001

O.R. SURGICAL PROCEDURES

| DATE<br>CASE #          | PATIENT<br>ID#<br>ASA CLASS                         | PRINCIPAL DIAGNOSIS<br>PROCEDURE (S)                                | PRIN ANESTHETIST<br>ANESTH TECHNIQUE<br>ANESTH AGENT       | START TIME<br>END TIME<br>ELAPSED |
|-------------------------|-----------------------------------------------------|---------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------|
| 08/08/01 08:00<br>63085 | SURPATIENT,NINE<br>000-34-5555<br>MILD DISTURB.     | ABDOMINAL WOUND DEHISCENSE<br>CLOSURE ABDOMINAL DEHISCENSE          | SURANESTHETIST,ONE<br>GENERAL<br>DESFLURANE 240ML BTL 90   | 08:00<br>10:30                    |
| 08/12/01 08:30<br>63090 | SURPATIENT,SIX<br>000-09-8797<br>SEVERE DISTURB.    | CA OF LARYNX<br>LARYNGECTOMY                                        | SURANESTHETIST,FOUR<br>GENERAL<br>SUFENTANIL CITRATE 5 120 | 08:35<br>10:35                    |
| 08/16/01 08:00<br>63094 | SURPATIENT,FOURTEEN<br>000-45-7212<br>NO DISTURB.   | LESION RT EAR LOBE<br>EXC LESION LESIO RT EAR LOBE                  | SURANESTHETIST,ONE<br>LOCAL<br>LIDOCAINE 2% (20MG/M 25     | 08:05<br>08:30                    |
| 08/21/01 06:00<br>63100 | SURPATIENT,FORTYONE<br>000-43-2109<br>MILD DISTURB. | DIAGNOSTIC COLONOSCOPY<br>COLONOSCOPY                               | SURANESTHETIST,TWO<br>GENERAL<br>PROPOFOL 20ML INJ 65      | 06:00<br>07:05                    |
| 08/21/01 07:00<br>63104 | SURPATIENT,THREE<br>000-21-2453<br>SEVERE DISTURB.  | PARATHYROID ADENOMA<br>PARATHYROID EXPLORATION AND EXCISION ADENOMA | SURANESTHETIST,FOUR<br>GENERAL<br>SUFENTANIL CITRATE 5 120 | 07:00<br>09:00                    |
| 08/22/01 10:10<br>63106 | SURPATIENT,FIFTYTWO<br>000-99-8888<br>MILD DISTURB. | HX OF POLYP<br>COLONOSCOPY, POLYPECTOMY                             | SURANESTHETIST,ONE<br>GENERAL<br>PROPOFOL 20ML INJ 60      | 10:15<br>11:15                    |
| 08/22/01 09:56<br>63110 | SURPATIENT,SIXTY<br>000-56-7821<br>MILD DISTURB.    | CHOLECYSTITIS<br>LAP CHOLE                                          | SURANESTHETIST,TWO<br>GENERAL<br>DESFLURANE 240ML BTL 115  | 10:00<br>11:55                    |
| 08/24/01 14:55<br>63115 | SURPATIENT,FOURTEEN<br>000-45-7212<br>MILD DISTURB. | INGUINAL HERNIA<br>INGUINAL HERNIA REPAIR                           | SURANESTHETIST,FOUR<br>GENERAL<br>PROPOFOL 20ML INJ 70     | 14:55<br>16:05                    |



## Example 2: Print the List of Anesthetic Procedures for only Non-OR Procedures

Select Anesthesia Reports Option: **P** List of Anesthetic Procedures

List of Anesthetic Procedures

Start with Date: **1/1** (JAN 01, 2001)

End with Date: **1/7** (JAN 07, 2001)

Print List of Anesthetic Procedures for

1. O.R. Surgical Procedures.
2. Non-O.R. Procedures.
- 3. Both O.R. Surgical Procedures and Non-O.R. Procedures.**

Select Number: 1// **2**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 LIST OF ANESTHETIC PROCEDURES  
 FROM: JAN 1,2001 TO: JAN 7,2001

PAGE: 1

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JAN 15,2001

NON-O.R. PROCEDURES

| DATE<br>CASE #    | PATIENT<br>ID#<br>ASA CLASS                         | PRINCIPAL DIAGNOSIS<br>PROCEDURE (S)            | PRIN ANESTHETIST<br>ANESTH TECHNIQUE<br>ANESTH AGENT   | START TIME<br>END TIME<br>ELAPSED |
|-------------------|-----------------------------------------------------|-------------------------------------------------|--------------------------------------------------------|-----------------------------------|
| 01/02/01<br>51051 | SURPATIENT, SIXTEEN<br>000-11-1111<br>MILD DISTURB. | TB<br>BRONCHOSCOPY                              | SURANESTHETIST, ONE<br>GENERAL<br>PHENOBARBITAL SODIUM | 09:43<br>10:25<br>42              |
| 01/02/01<br>51053 | SURPATIENT, SIXTEEN<br>000-11-1111<br>MILD DISTURB. | ILEITIS<br>COLONOSCOPY                          | SURANESTHETIST, TWO<br>OTHER<br>FENTANYL 250MCG/5ML    | 10:00<br>11:10<br>70              |
| 01/02/01<br>51057 | SURPATIENT, SEVEN<br>000-84-0987<br>NO DISTURB.     | ESOPHAGEAL VARICES<br>ESOPHAGOSCOPY             | SURANESTHETIST, FOUR<br>GENERAL<br>PROPOFOL 20ML INJ   | 13:10<br>13:45<br>35              |
| 01/04/01<br>51169 | SURPATIENT, SIXTY<br>000-56-7821<br>MILD DISTURB.   | HISTOPLASMOSIS<br>BRONCHOSCOPY                  | SURANESTHETIST, THREE<br>OTHER<br>FENTANYL 250MCG/5ML  | 08:20<br>09:15<br>55              |
| 01/04/01<br>88    | SURPATIENT, FORTY<br>000-77-7777<br>NO DISTURB.     | CARDIAC ARRYTHMIA<br>CARDIOVERSION              | SURANESTHETIST, TWO<br>GENERAL<br>PHENOBARBITAL 30MG/7 | 18:50<br>19:25<br>35              |
| 01/07/01<br>51181 | SURPATIENT, TEN<br>000-12-3456<br>MILD DISTURB.     | HISTOPLASMOSIS<br>BRONCHOSCOPY                  | SURANESTHETIST, THREE<br>OTHER<br>FENTANYL 250MCG/5ML  | 10:05<br>11:05<br>60              |
| 01/07/01<br>51185 | SURPATIENT, EIGHT<br>000-37-0555<br>MILD DISTURB.   | CHRONIC DEPRESSION<br>ELECTROCONVULSIVE THERAPY | SURANESTHETIST, TWO<br>OTHER<br>MIDAZOLAM 1MG/1ML 2M   | 13:10<br>13:35<br>25              |

## Anesthesia Provider Report [SROADOC]

The *Anesthesia Provider Report* option provides information concerning the anesthesia staff and techniques for completed cases within a selected date range. This report can be generated for all anesthesia providers or the user can specify one. It sorts the cases by the principal anesthetist and includes information on anesthesia personnel, technique, agent, level of supervision, and elapsed anesthesia time.

This report has a 132-column format and is designed to be copied to a printer.

### Example: Print the Anesthesia Provider Report

```
Select Anesthesia Reports Option: D Anesthesia Provider Report
Anesthesia Provider Report

Start with Date: 3/2 (MAR 02, 2001)
End with Date: 3/15 (MAR 15, 2001)

Do you want to print the report for all Anesthesia Providers ? YES// N

Print the report for which Anesthesia Provider ? SURANESTHETIST,ONE

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]
.....printout follows.....
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 ANESTHESIA PROVIDER REPORT  
 FROM: MAR 23,2001 TO: MAR 24,2001

PAGE: 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: MAR 29,2001

| DATE<br>CASE #                  | PATIENT<br>ID#               | PROCEDURE (S)                                    | SUPERVISOR<br>RELIEF ANESTH<br>ASST ANESTH                  | ASA CLASS<br>PRINCIPAL TECHNIQUE<br>ANESTHESIA AGENT  | LEVEL OF SUPERVISION<br>ELAPSED ANES TIME |
|---------------------------------|------------------------------|--------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------|
| ***** SURANESTHETIST, ONE ***** |                              |                                                  |                                                             |                                                       |                                           |
| 03/23/01<br>54014               | SURPATIENT, O<br>000-44-7629 | ESS, SEPTO, WITH LEFT TURBINECTOMY SCAR REVISION | SURANESTHETIST, T<br>SURANESTHETIST, F                      | MILD DISTURB.<br>GENERAL<br>DESFLURANE 240ML BTL      | 1<br>105 MINS.                            |
| 03/23/01<br>54020               | SURPATIENT, F<br>000-45-7212 | COLONOSCOPY/ATTEMPTED                            | SURANESTHETIST, T<br>SURANESTHETIST, S                      | MILD DISTURB.<br>GENERAL<br>DESFLURANE 240ML BTL      | 1<br>55 MINS.                             |
| 03/23/01<br>54050               | SURPATIENT, N<br>000-34-5555 | CYSTO, RETROGRADE, STENT                         | SURANESTHETIST, T<br>SURANESTHETIST, F                      | MILD DISTURB.<br>GENERAL<br>DESFLURANE 240ML BTL      | 1<br>45 MINS.                             |
| 03/24/01<br>54023               | SURPATIENT, F<br>000-58-7963 | COLONOSCOPY/POLYPECTOMY                          | SURANESTHETIST, T<br>SURANESTHETIST, S                      | SEVERE DISTURB.<br>GENERAL<br>PROPOFOL 20ML INJ       | 1<br>50 MINS.                             |
| 03/24/01<br>54025               | SURPATIENT, E<br>000-37-0555 | COLONOSCOPY                                      | SURANESTHETIST, T<br>SURANESTHETIST, F                      | MILD DISTURB.<br>GENERAL<br>DESFLURANE 240ML BTL      | 1<br>65 MINS.                             |
| 03/24/01<br>54024<br>NON-OR     | SURPATIENT, S<br>000-56-7821 | CARDIOVERSION                                    | SURANESTHETIST, T<br>SURANESTHETIST, S                      | SEVERE DISTURB.<br>GENERAL<br>MIDAZOLAM 1MG/1ML 2M    | 1<br>35 MINS.                             |
| 03/24/01<br>54058               | SURPATIENT, S<br>000-45-5119 | HEMORRHOIDECTOMY                                 | SURANESTHETIST, T<br>SURANESTHETIST, F                      | SEVERE DISTURB.<br>SPINAL<br>BUPIVACAINE 0.25%        | 1<br>45 MINS.                             |
| 03/24/01<br>54079               | SURPATIENT, F<br>000-99-8888 | EXPL LAP, LYSIS OF ADHESIONS                     | SURANESTHETIST, T<br>SURANESTHETIST, F<br>SURANESTHETIST, S | SEVERE DIST.-EMERG<br>GENERAL<br>DESFLURANE 240ML BTL | 1<br>120 MINS.                            |

## CPT Code Reports

### [SR CPT REPORTS]

The *CPT Code Reports* menu contains reports based on CPT codes.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option.

| <b>Shortcut</b> | <b>Option Name</b>                            |
|-----------------|-----------------------------------------------|
| C               | <i>Cumulative Report of CPT Codes</i>         |
| A               | <i>Report of CPT Coding Accuracy</i>          |
| M               | <i>List Completed Cases Missing CPT Codes</i> |

## Cumulative Report of CPT Codes [SROACCT]

The *Cumulative Report of CPT Codes* option counts and reports the number of times a procedure was performed (based on CPT codes) during a specified date range. There is also a column showing how many times the procedure was in the Principal Procedure category, and how many times it was in the Other Operative Procedure category.

After the date range is entered, the software will ask if the user wants the Cumulative Report of CPT Codes to include 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Print the Cumulative Report of CPT Codes for only OR Surgical Procedures

```
Select CPT Code Reports Option: C Cumulative Report of CPT Codes
Cumulative Report of CPT Codes
Start with Date: 3/28 (MAR 28, 2001)
End with Date: 4/3 (APR 03, 2001)
Include which cases on the Cumulative Report of CPT Codes ?
1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR
Procedures. Select Number: 1// <Enter>
This report is designed to use a 132 column format.
Select Device: [Select Print Device]
```

.....*printout follows*.....

## O.R. SURGICAL PROCEDURES

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: MAR 28,2001 TO: APR 3,2001

REVIEWED BY  
 DATE REVIEWED:

| CPT CODE - SHORT DESCRIPTION       | TOTAL PROCEDURES | TOTAL PRINCIPAL PROCEDURES | TOTAL OTHER PROCEDURES |
|------------------------------------|------------------|----------------------------|------------------------|
| 10060 DRAINAGE OF SKIN ABSCESS     | 1                | 1                          | 0                      |
| 11440 REMOVAL OF SKIN LESION       | 1                | 1                          | 0                      |
| 11441 REMOVAL OF SKIN LESION       | 4                | 4                          | 0                      |
| 11641 REMOVAL OF SKIN LESION       | 4                | 2                          | 2                      |
| 24075 REMOVE ARM/ELBOW LESION      | 1                | 1                          | 0                      |
| 26989 HAND/FINGER SURGERY          | 1                | 1                          | 0                      |
| 30520 REPAIR OF NASAL SEPTUM       | 1                | 1                          | 0                      |
| 31231 NASAL ENDOSCOPY, DX          | 1                | 0                          | 1                      |
| 45315 PROCTOSIGMOIDOSCOPY          | 1                | 0                          | 1                      |
| 45330 SIGMOIDOSCOPY, DIAGNOSTIC    | 7                | 7                          | 0                      |
| 45333 SIGMOIDOSCOPY & POLYPECTOMY  | 1                | 1                          | 0                      |
| 45378 DIAGNOSTIC COLONOSCOPY       | 2                | 2                          | 0                      |
| 45385 COLONOSCOPY, LESION REMOVAL  | 3                | 3                          | 0                      |
| 47600 REMOVAL OF GALLBLADDER       | 1                | 0                          | 1                      |
| 49000 EXPLORATION OF ABDOMEN       | 1                | 1                          | 0                      |
| 49505 REPAIR INGUINAL HERNIA       | 2                | 1                          | 1                      |
| 66984 REMOVE CATARACT, INSERT LENS | 4                | 3                          | 1                      |
| 68801 DILATE TEAR DUCT OPENING     | 1                | 1                          | 0                      |

## Example 2: Print the Cumulative Report of CPT Codes for only Non-O.R. Procedures

Select CPT Code Reports Option: **C** Cumulative Report of CPT Codes

Cumulative Report of CPT Codes

Start with Date: **7 1 01** (JUL 01, 2001)

End with Date: **12 31 01** (DEC 31, 2001)

Include which cases on the Cumulative Report of CPT Codes ?

1. OR Surgical Procedures
2. Non-OR Procedures
- 3. Both OR Surgical Procedures and Non-OR Procedures.**

Select Number: 1// **2**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

.....*printout follows*.....



## NON-O.R. PROCEDURES

MAYBERRY, NC  
 SURGICAL SERVICE  
 CUMULATIVE REPORT OF CPT CODES  
 FROM: JUL 1,2001 TO: DEC 31,2001

REVIEWED BY  
 DATE REVIEWED:

| CPT CODE - SHORT DESCRIPTION      | TOTAL PROCEDURES | TOTAL PRINCIPAL PROCEDURES | TOTAL OTHER PROCEDURES |
|-----------------------------------|------------------|----------------------------|------------------------|
| 10060 DRAINAGE OF SKIN ABSCESS    | 2                | 2                          | 0                      |
| 10061 DRAINAGE OF SKIN ABSCESS    | 1                | 1                          | 0                      |
| 11040 DEBRIDE SKIN PARTIAL        | 8                | 8                          | 0                      |
| 11042 DEBRIDE SKIN/TISSUE         | 1                | 1                          | 0                      |
| 11100 BIOPSY OF SKIN LESION       | 11               | 11                         | 0                      |
| 11402 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11420 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11620 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11640 REMOVAL OF SKIN LESION      | 1                | 1                          | 0                      |
| 11730 REMOVAL OF NAIL PLATE       | 1                | 1                          | 0                      |
| 11750 REMOVAL OF NAIL BED         | 1                | 1                          | 0                      |
| 12001 REPAIR SUPERFICIAL WOUND(S) | 3                | 3                          | 0                      |
| 12011 REPAIR SUPERFICIAL WOUND(S) | 2                | 2                          | 0                      |
| 14060 SKIN TISSUE REARRANGEMENT   | 1                | 1                          | 0                      |
| 15782 ABRASION TREATMENT OF SKIN  | 1                | 1                          | 0                      |
| 17340 CRYOTHERAPY OF SKIN         | 1                | 1                          | 0                      |
| 20550 INJ TENDON/LIGAMENT/CYST    | 23               | 23                         | 0                      |
| 29799 CASTING/STRAPPING PROCEDURE | 1                | 1                          | 0                      |
| 46083 INCISE EXTERNAL HEMORRHOID  | 2                | 2                          | 0                      |

## Report of CPT Coding Accuracy [SR CPT ACCURACY]

The *Report of CPT Coding Accuracy* option lists cases sorted by the CPT code used in the PRINCIPAL PROCEDURES field and OTHER OPERATIVE PROCEDURES field. This option is designed to help check the accuracy of the coding procedures.

### About the prompts

"Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ?" The user should reply **NO** to this prompt to produce the report for only one CPT code. The software will then prompt the user to enter the CPT code or category.

"Do you want to sort the Report of CPT Coding Accuracy by Surgical Specialty ?" The user should press the **<Enter>** key if he or she wants to sort the report by specialty. The user would enter **NO** to sort the report by date only.

"Do you want to print the Report to Check Coding Accuracy for all Surgical Specialties ?" The user can enter the code or name of the surgical service he or she wants the report to be based on or can press the **<Enter>** key to print the report for all surgical specialties.

### Example 1: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Surgical Specialty

```
Select CPT Code Reports Option: A Report of CPT Coding Accuracy
Report to Check CPT Coding Accuracy

Start with Date: 10 8 01 (OCT 08, 2001)
End with Date: 10 8 01 (OCT 08, 2001)
Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// <Enter>

Do you want to print the Report of CPT Coding Accuracy for all
CPT Codes ? YES// <Enter>

Do you want to sort the Report of CPT Coding Accuracy by
Surgical Specialty ? YES// <Enter>

Do you want to print the Report to Check Coding Accuracy for all
Surgical Specialties ? YES// NO

Print the Coding Accuracy Report for which Surgical Specialty ? 50 GENERA
L(OR WHEN NOT DEFINED BELOW) GENERAL(OR WHEN NOT DEFINED BELOW) 50

This report is designed to use a 132 column format.

Select Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR GENERAL (OR WHEN NOT DEFINED BELOW)  
 FROM: OCT 8,2001 TO: OCT 8,2001

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                                                 | PATIENT<br>ID#                      | PROCEDURES                                                                            | SURGEON/PROVIDER<br>ATTEND SURG/PROV    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------|
| =====<br>47600 REMOVAL OF GALLBLADDER<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: CHOLECYSTECTOMY;<br>=====                                                  |                                     |                                                                                       |                                         |
| 10/08/01 07:00<br>63072<br>SURSURGEON, FOUR                                                                                                              | SURPATIENT, EIGHTEEN<br>000-22-3334 | CHOLECYSTECTOMY<br>CPT Codes: 47600-22                                                | SURSURGEON, TWO                         |
| =====<br>47605 REMOVAL OF GALLBLADDER<br>OTHER PROCEDURES<br>DESCRIPTION: CHOLECYSTECTOMY;<br>WITH CHOLANGIOGRAPHY<br>=====                              |                                     |                                                                                       |                                         |
| 10/08/01 10:00<br>63077                                                                                                                                  | SURPATIENT, TWELVE<br>000-41-8719   | INGUINAL HERNIA, OTHER OPERATIONS:<br>CHOLECYSTECTOMY (<br>CPT Codes: 49521, 47605-22 | SURSURGEON, FOUR<br>SURSURGEON, FOUR    |
| =====<br>49505 REPAIR INGUINAL HERNIA<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: REPAIR INITIAL INGUINAL HERNIA, AGE 5 YEARS OR OVER;<br>REDUCIBLE<br>===== |                                     |                                                                                       |                                         |
| 10/08/01 06:00<br>63071                                                                                                                                  | SURPATIENT, FOUR<br>000-45-7212     | INGUINAL HERNIA<br>CPT Codes: 49505                                                   | SURSURGEON, FOUR<br>SURSURGEON, SIXTEEN |
| =====                                                                                                                                                    |                                     |                                                                                       |                                         |

## Example 2: Print the Report of CPT Coding Accuracy for OR Surgical Procedures, sorted by Date

Select CPT Code Reports Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **10 1 01** (OCT 01, 2001)

End with Date: **10 7 01** (OCT 07, 2001)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// **<Enter>**

Do you want to print the Report of CPT Coding Accuracy for all  
CPT Codes ? YES// **<Enter>**

Do you want to sort the Report of CPT Coding Accuracy by  
Surgical Specialty ? YES// **N**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FROM: OCT 1,2001 TO: OCT 7,2001

REVIEWED BY:  
 DATE REVIEWED:

O.R. SURGICAL PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                                                            | PATIENT<br>ID#<br>SPECIALTY                                                  | PROCEDURES                              | SURGEON/PROVIDER<br>ATTEND SURG/PROV    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------|
| =====<br>31365 REMOVAL OF LARYNX<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: LARYNGECTOMY;<br>TOTAL, WITH RADICAL NECK DISSECTION<br>=====                              |                                                                              |                                         |                                         |
| 10/03/01 07:00<br>63059                                                                                                                                             | SURPATIENT,NINETEEN<br>000-28-7354<br>THORACIC SURGERY (INC. CARDIAC SURG.)  | PULMONARY LOBECTOMY<br>CPT Codes: 31365 | SURSURGEON,SEVENTEEN<br>SURSURGEON,FOUR |
| =====<br>32440 REMOVAL OF LUNG<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: REMOVAL OF LUNG, TOTAL PNEUMONECTOMY;<br>=====                                               |                                                                              |                                         |                                         |
| 10/03/01 10:00<br>63060                                                                                                                                             | SURPATIENT,TWENTY<br>000-45-4886<br>THORACIC SURGERY (INC. CARDIAC SURG.)    | PULMONARY LOBECTOMY<br>CPT Codes: 32440 | SURSURGEON,FOUR<br>SURSURGEON,FOUR      |
| 10/04/01 06:00<br>63069                                                                                                                                             | SURPATIENT,TEN<br>000-12-3456<br>THORACIC SURGERY (INC. CARDIAC SURG.)       | PULMONARY LOBECTOMY<br>CPT Codes: 32440 | SURSURGEON,TWO<br>SURSURGEON,TWO        |
| =====<br>32480 PARTIAL REMOVAL OF LUNG<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: REMOVAL OF LUNG, OTHER THAN TOTAL PNEUMONECTOMY;<br>SINGLE LOBE (LOBECTOMY)<br>===== |                                                                              |                                         |                                         |
| 10/03/01 06:00<br>63049                                                                                                                                             | SURPATIENT,TWELVE<br>000-41-8719<br>THORACIC SURGERY (INC. CARDIAC SURG.)    | PULMONARY LOBECTOMY<br>CPT Codes: 32480 | SURSURGEON,TWO<br>SURSURGEON,ONE        |
| 10/03/01 07:00<br>63050                                                                                                                                             | SURPATIENT,SEVENTEEN<br>000-45-5119<br>THORACIC SURGERY (INC. CARDIAC SURG.) | PULMONARY LOBECTOMY<br>CPT Codes: 32480 | SURSURGEON,TWO<br>SURSURGEON,TWO        |

### Example 3: Print the Report of CPT Coding Accuracy for Non-O.R. Procedures, sorted by CPT Code and Medical Specialty

Select CPT Code Reports Option: **A** Report of CPT Coding Accuracy

Report to Check CPT Coding Accuracy

Start with Date: **1 1 01** (JAN 01, 2001)

End with Date: **8 31 01** (AUG 31, 2001)

Print the Report of CPT Coding Accuracy for which cases ?

1. OR Surgical Procedures
2. Non-OR Procedures
- 3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).**

Select Number: 1// **2**

Do you want to print the Report of CPT Coding Accuracy for all CPT Codes ? YES// **N**

Print the Coding Accuracy Report for which CPT Code ? **92960**

HEART ELECTROCONVERSION  
CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF  
ARRHYTHMIA, EXTERNAL

Do you want to sort the Report of CPT Coding Accuracy by Medical Specialty ? YES// **<Enter>**

Do you want to print the Report to Check Coding Accuracy for all Medical Specialties ? YES// **N**

Print the Coding Accuracy Report for which Medical Specialty ? **MEDICINE**

This report is designed to use a 132 column format.

Select Device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 REPORT OF CPT CODING ACCURACY  
 FOR MEDICINE  
 FROM: JAN 1,2001 TO: AUG 31,2001

PAGE  
 1

REVIEWED BY:  
 DATE REVIEWED:

NON-O.R. PROCEDURES

| PROCEDURE DATE<br>CASE #                                                                                                                        | PATIENT<br>ID#                       | PROCEDURES                           | SURGEON/PROVIDER<br>ATTEND SURG/PROV |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 92960 HEART ELECTROCONVERSION<br>PRINCIPAL PROCEDURES<br>DESCRIPTION: CARDIOVERSION, ELECTIVE, ELECTRICAL CONVERSION OF<br>ARRHYTHMIA, EXTERNAL |                                      |                                      |                                      |
| 01/24/95<br>15499                                                                                                                               | SURPATIENT, SEVENTEEN<br>000-45-5119 | CARDIOVERSION<br>CPT Codes (92960)   | SURSURGEON, TWO<br>SURSURGEON, TWO   |
| 02/09/95<br>15701                                                                                                                               | SURPATIENT, NINE<br>000-34-5555      | CARDIOVERSION<br>CPT Codes (92960)   | SURSURGEON, ONE<br>SURSURGEON, TWO   |
| 03/29/95<br>15912                                                                                                                               | SURPATIENT, FIFTEEN<br>000-98-1234   | CARDIOVERSION<br>CPT Codes (92960)   | SURSURGEON, THREE                    |
| 08/04/95<br>16669                                                                                                                               | SURPATIENT, SIX<br>000-09-8797       | CARDIOVERSION (<br>CPT Codes (92960) | SURSURGEON, TWO<br>SURSURGEON, FOUR  |
| 08/25/95<br>16828                                                                                                                               | SURPATIENT, TWO<br>000-45-1982       | CARDIOVERSION<br>CPT Codes (92960)   | SURSURGEON, TWO<br>SURSURGEON, TWO   |

## List Completed Cases Missing CPT Codes [SRSCPT]

The *List Completed Cases Missing CPT Codes* option generates a report of completed cases that are missing the Principal CPT code for a specified date range. Only procedures that have CPT codes will be counted on the Annual Report of Surgical Procedures.

After the date range has been entered, the software will ask if the user wants the Cumulative Report of CPT Codes to include: 1) only operating room surgical procedures, 2) non-O.R. procedures, or 3) both.

This report is in an 80-column format and can be viewed on the screen.

### Example: List Completed Cases Missing CPT Codes

```
Select CPT Code Reports Option: M List Completed Cases Missing CPT Codes
Print list of Completed Cases Missing CPT Codes for

1. OR Surgical Procedures.
2. Non-OR Procedures.
3. Both OR Surgical Procedures and Non-OR Procedures (All Specialties).

Select Number: 1// 1
Do you want the list for all Surgical Specialties ? YES// <Enter>

Start with Date: 2/1 (FEB 01, 2005)
End with Date: 4/30 (APR 30, 2005)

Print the List of Cases Missing CPT codes to which Printer ? [Select Print Device]
```

.....*printout follows*.....



MAYBERRY, NC  
 Completed Cases Missing CPT Codes  
 O.R. Surgical Procedures  
 From: FEB 1,2005 To: APR 30,2005  
 Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

| Operation Date<br>Case # | Patient (ID#)                                                                                                                                                                                                                                                                        | Surgeon/Provider     |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| FEB 01, 2005<br>53708    | SURPATIENT,TWO (000-45-1982)<br>* EXC LEFT PREAURICULAR LESION                                                                                                                                                                                                                       | SURSURGEON,TWO       |
| FEB 08, 2005<br>53747    | SURPATIENT,FIVE (000-58-7963)<br>* EXCISION LESIONS SCALP                                                                                                                                                                                                                            | SURSURGEON,ONE       |
| MAR 12, 2005<br>53973    | SURPATIENT,SEVEN (000-84-0987)<br>* COLONOSCOPY                                                                                                                                                                                                                                      | SURSURGEON,TWO       |
| MAR 23, 2005<br>54030    | SURPATIENT,FORTYONE (000-43-2109)<br>* COLONOSCOPY/ATTEMPTED                                                                                                                                                                                                                         | SURSURGEON,ONE       |
| APR 27, 2005<br>54325    | SURPATIENT,THIRTY (000-82-9472)<br>* EXCISION RT FOREARM LESIONS<br>* EXC LESION, RT EAR<br>* EXC LESION, RT FOREHEAD<br>* EXC LESION RT SCALP<br>* RXC LESION, NOSE<br>* EXC LESION, LEFT EAR<br>* EXC LESION, LEFT FOREARM<br>* EXC LESION, TOP OF HEAD<br>* EXC LESION, LEFT NECK | SURSURGEON,SEVENTEEN |

# Laboratory Interim Report

## [SRO-LRRP]

The *Laboratory Interim Report* option accesses the Laboratory Package to show what lab tests the patient has had. This option will print or display interim reports for a selected patient, within a given time period. The printout will go in inverse date order. This report will output all tests for the time period specified.

This option only prints verified results and does not output the microbiology reports.

### Example: Print Laboratory Interim Report

```
Select Surgery Menu Option: L Laboratory Interim Report
Select Patient Name: SURPATIENT,SIXTY 03-03-59 000567821 NO
NON-VETERAN (OTHER)
Date to START with: TODAY//5 15 01 (MAY 15, 2001)
Date to END with: T-7//5 1 01 (MAY 01, 2001)
DEVICE: [Select Print Device]
```

.....*printout follows*.....

SURPATIENT,SIXTY 09/21/2001 1:21 pm  
SSN: 000-56-7821 SEX: F AGE: 42 LOC: LRC

Provider: SURSURGEON,FOUR  
Specimen: SERUM  
Accession [UID]: CH 0513 1 [3471330001]

05/13/1997 07:00

| Test name     | Result | units | Ref. range |
|---------------|--------|-------|------------|
| GLUCOSE       | 87     | mg/dL | 60 - 123   |
| UREA NITROGEN | 22     | mg/dL | 11 - 24    |
| CREATININE    | 1.8    | mg/dl | 1 - 2.1    |
| POTASSIUM     | 4.4    | meq/L | 3.5 - 4.8  |
| SODIUM        | 143    | meq/L | 135 - 145  |
| CHLORIDE      | 103    | meq/L | 95 - 105   |
| CO2           | 27.0   | meq/L | 20 - 32    |
| CALCIUM       | 8.7    | mg/dL | 8.5 - 11   |

=====  
KEY: "L"=Abnormal low, "H"=Abnormal high, "\*" =Critical value

SURPATIENT,SIXTY 000-56-7821 09/21/2001 1:21 pm PRESS '^' TO STOP

# Chapter Five: Chief of Surgery Reports

## Introduction

This chapter describes options and reports for the exclusive use of the Surgical Service Chief, or his or her designee. The Chief has access to lists of cancellations, the Morbidity and Mortality Report, and Patient Occurrences.

## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to terminate the line of questioning and return to the previous level in the routine. Continuing to enter up-arrows will cause the user to completely exit the system.

## Option Overview

The main options included in this chapter are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option. The *Chief of Surgery Menu* option will not display if the user does not have proper security clearance.

| Shortcut | Option Name                  |
|----------|------------------------------|
| CH       | <i>Chief of Surgery Menu</i> |

## Chief of Surgery Menu

### [SROCHIEF]

The *Chief of Surgery Menu* is a restricted option (locked with the SROCHIEF key), allowing access to various management reports and functions. It is designed for the Chief of Surgery and his or her designees. The options available from this menu are shown in the following table.

| <b>Shortcut</b> | <b>Option or Menu Name</b>                             |
|-----------------|--------------------------------------------------------|
| V               | <i>View Patient Perioperative Occurrences</i>          |
| M               | <i>Management Reports</i>                              |
| U               | <i>Unlock a Case for Editing</i>                       |
| RET             | <i>Update Status of Returns Within 30 Days</i>         |
| CAN             | <i>Update Cancelled Case ...</i>                       |
| D               | <i>Update Operations as Unrelated/Related to Death</i> |
| CODE            | <i>Update/Verify Procedure/Diagnosis Codes</i>         |

## View Patient Perioperative Occurrences

### [SRROMEN-M&M]

The *View Patient Perioperative Occurrences* option is designed to provide a quick view of any occurrences for a particular case. This report can be viewed on a screen.

#### Example: View Patient Perioperative Occurrences

```
Select Chief of Surgery Menu Option: V View Patient Perioperative Occurrences
```

```
Select Patient: SURPATIENT,NINE 09-01-50 000345555
```

```
SURPATIENT,NINE 000-34-5555
```

1. 09-15-04 BYPASS (REQUESTED)
2. 09-15-04 CAROTID ARTERY ENDARTERECTOMY (SCHEDULED)
3. 03-09-04 CHOLECYSTECTOMY, INTRAOPERATIVE CHOLANGIOGRAM (COMPLETED)

```
Select Operation: 3
```

```
SURPATIENT,NINE (000-34-5555) OCCURRENCES
```

```

Date of Operation: JUN 09, 2004 09:15
Principal Operation: CHOLECYSTECTOMY (47480)
```

```
Surgeon: SURSURGEON,TWO
Attending Surgeon: SURSURGEON,ONE
Attending Code: LEVEL B: ATTENDING IN O.R., SCRUBBED
```

```
Principal Postop Diagnosis: CHOLECYSTITIS (574.01)
```

```
Intraoperative Occurrences: PUNCTURED MESENTERIC ARTERY
Outcome: IMPROVED
```

```
Postoperative Occurrences: EDEMA (03/10/92)
Outcome: IMPROVED
```

```
Press RETURN to continue <Enter>
```

## Management Reports

### [SRO-CHIEF REPORTS]

The *Management Reports* menu is designed to give the Chief of Surgery various management reports. The reports contained on this menu are listed below. To the left of the option/report name is the shortcut synonym that the user can enter to select the option.

| <b>Shortcut</b> | <b>Option Name</b>                                        |
|-----------------|-----------------------------------------------------------|
| MM              | <i>Morbidity &amp; Mortality Reports</i>                  |
| MV              | <i>M&amp;M Verification Report</i>                        |
| CD              | <i>Comparison of Preop and Postop Diagnosis</i>           |
| D               | <i>Delay and Cancellation Reports ...</i>                 |
| V               | <i>List of Unverified Surgery Cases</i>                   |
| RET             | <i>Report of Returns to Surgery</i>                       |
| A               | <i>Report of Daily Operating Room Activity</i>            |
| NS              | <i>Report of Cases Without Specimens</i>                  |
| ICU             | <i>Report of Unscheduled Admissions to ICU</i>            |
| OR              | <i>Operating Room Utilization Report</i>                  |
| WC              | <i>Wound Classification Report</i>                        |
| BA              | <i>Print Blood Product Verification Audit Log</i>         |
| KEY             | <i>Key Missing Surgical Package Data</i>                  |
| OC              | <i>Admitted w/in 14 days of Out Surgery If Postop Occ</i> |
| DS              | <i>Death Within 30 Days of Surgery</i>                    |

## Morbidity & Mortality Reports [SROMM]

The *Morbidity & Mortality Reports* option generates two reports: the Perioperative Occurrences Report and the Mortality Report. The Perioperative Occurrences Report includes all cases that have occurrences, both intraoperatively and postoperatively, and can be sorted by specialty, attending surgeon, or occurrence category. The Mortality Report includes all cases performed within the selected date range that had a death within 30 days after surgery, and sort by specialty within a date range. Each surgical specialty will begin on a separate page.

After the user enters the date range, the software will ask whether to generate both reports. If the user answers **NO**, the software will ask the user to select from the Perioperative Occurrences Report or the Mortality Report.

These reports have a 132-column format and are designed to be copied to a printer.

### Example 1: Printing the Perioperative Occurrences Report – Sorted by Specialty

```
Select Management Reports Menu Option: MM Morbidity & Mortality Reports
The Morbidity and Mortality Reports include the Perioperative Occurrences
Report and the Mortality Report. Each report will provide information
from cases completed within the date range selected.
```

```
Do you want to generate both reports ? YES// N
1. Perioperative Occurrences Report
2. Mortality Report
```

```
Select Number: (1-2): 1
Print Report for:
```

```
1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences
```

```
Select Number: (1-3): 3
```

```
Start with Date: 7/1 (JUL 01, 2006)
End with Date: 7/31 (JUL 31, 2006)
```

```
Do you want to print all divisions? YES// <Enter>
```

```
Print report by
1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category
```

```
Select 1, 2 or 3: (1-3): 1// <Enter>
```



Do you want to print this report for all Surgical Specialties ? YES// N

Print the report for which Specialty ? GENERAL (OR WHEN NOT DEFINED BELOW)  
Select an Additional Specialty <Enter>

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

*report follows*

---

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| PATIENT<br>ID#<br>OPERATION DATE | ATTENDING SURGEON<br>PRINCIPAL OPERATION | OCCURRENCE(S) - (DATE)<br>TREATMENT | OUTCOME |
|----------------------------------|------------------------------------------|-------------------------------------|---------|
|----------------------------------|------------------------------------------|-------------------------------------|---------|

=====

GENERAL (OR WHEN NOT DEFINED BELOW)

-----

|                                                           |                                                   |                                                         |   |
|-----------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------|---|
| SURPATIENT, TWELVE<br>000-41-8719<br>JUL 07, 2006@07:15   | SURSURGEON, THREE<br>REPAIR DIAPHRAGMATIC HERNIA  | MYOCARDIAL INFARCTION<br>ASPIRIN THERAPY                | I |
|                                                           |                                                   | URINARY TRACT INFECTION * (07/09/06)<br>IV ANTBIOTICS   | I |
| SURPATIENT, FOURTEEN<br>000-45-7212<br>JUL 31, 2006@09:00 | SURSURGEON, FIVE<br>CHOLECYSTECTOMY, APPENDECTOMY | SUPERFICIAL WOUND INFECTION * (08/02/06)<br>ANTIBIOTICS | I |

-----

OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\*' Represents Postoperative Occurrences

-----

## Example 2: Printing the Perioperative Occurrences Report – Sorted by Attending Surgeon

Select Management Reports Menu Option: **MM** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **2**

Do you want to print this report for all Attending Surgeons ? YES//**N**

Print the report for which Attending Surgeon ? **SURGEON,ONE**

Select an Additional Attending Surgeon: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: **[Select Print Device]**

report follows

MAYBERRY, NC  
 SURGICAL SERVICE  
 PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
 FROM: JUL 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| PATIENT<br>ID#<br>OPERATION DATE                          | SURGICAL SPECIALTY<br>PRINCIPAL OPERATION                            | OCCURRENCE(S) - (DATE)<br>TREATMENT                     | OUTCOME |
|-----------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------|---------|
| =====                                                     |                                                                      |                                                         |         |
| ----- ATTENDING: SURGEON, ONE -----                       |                                                                      |                                                         |         |
| SURPATIENT, TWELVE<br>000-41-8719<br>JUL 07, 2006@07:15   | GENERAL (OR WHEN NOT DEFINED BELOW)<br>REPAIR DIAPHRAGMATIC HERNIA   | MYOCARDIAL INFARCTION<br>ASPIRIN THERAPY                | I       |
|                                                           |                                                                      | URINARY TRACT INFECTION * (07/09/06)<br>IV ANTBIOTICS   | I       |
| SURPATIENT, THREE<br>000-21-2453<br>JUL 22, 2006@10:00    | CARDIAC SURGERY<br>CABG                                              | REPEAT VENTILATOR SUPPORT W/IN 30 DAYS *                | I       |
| SURPATIENT, FOURTEEN<br>000-45-7212<br>JUL 31, 2006@09:00 | GENERAL (OR WHEN NOT DEFINED BELOW)<br>CHOLECYSTECTOMY, APPENDECTOMY | SUPERFICIAL WOUND INFECTION * (08/02/06)<br>ANTIBIOTICS | I       |

-----  
 OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH  
 '\*' Represents Postoperative Occurrences  
 -----

### Example 3: Printing the Perioperative Occurrences Report – Sorted by Occurrence Category

Select Management Reports Menu Option: **MM** Morbidity & Mortality Reports

The Morbidity and Mortality Reports include the Perioperative Occurrences Report and the Mortality Report. Each report will provide information from cases completed within the date range selected.

Do you want to generate both reports ? YES// **N**

1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): **1**

Print Report for:

1. Intraoperative Occurrences
2. Postoperative Occurrences
3. Intraoperative and Postoperative Occurrences

Select Number: (1-3): **3**

Start with Date: **7/1** (JUL 01, 2006)

End with Date: **7/31** (JUL 31, 2006)

Do you want to print all divisions? YES// **<Enter>**

Print report by

1. Surgical Specialty
2. Attending Surgeon
3. Occurrence Category

Select 1, 2 or 3: (1-3): 1// **3**

Do you want to print this report for all occurrence categories? YES// **NO**

Print the report for which Occurrence Category ? ACUTE RENAL FAILURE

VASQIP Definition (2011):

Indicate if the patient developed new renal failure requiring renal replacement therapy or experienced an exacerbation of preoperative renal failure requiring initiation of renal replacement therapy (not on renal replacement therapy preoperatively) within 30 days postoperatively. Renal replacement therapy is defined as venous to venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis [CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or ultrafiltration.

TIP: If the patient refuses dialysis report as an occurrence because he/she did require dialysis.

Select an Additional Occurrence Category: **<Enter>**

This report is designed to use a 132 column format.

Print the Report on which Device: [Select Print Device]

report follows

MAYBERRY, NC  
SURGICAL SERVICE  
PERIOPERATIVE OCCURRENCES-INTRAOP/POSTOP  
FROM: JUN 1,2007 TO: JUN 30,2007

PAGE 1  
REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 22,2007

| PATIENT<br>ID#<br>OPERATION DATE | ATTENDING SURGEON<br>SURGICAL SPECIALTY<br>PRINCIPAL OPERATION | OCCURRENCE(S) - (DATE)<br>TREATMENT | OUTCOME |
|----------------------------------|----------------------------------------------------------------|-------------------------------------|---------|
|----------------------------------|----------------------------------------------------------------|-------------------------------------|---------|

=====  
CATEGORY: ACUTE RENAL FAILURE  
-----

|                                                            |                                                                |                                 |   |
|------------------------------------------------------------|----------------------------------------------------------------|---------------------------------|---|
| SURPATIENT, SEVENTEEN<br>000-45-5119<br>JUN 18, 2007@07:15 | SURGEON, TWO<br>GENERAL<br>REPAIR INCARCERATED INGUINAL HERNIA | ACUTE RENAL FAILURE<br>DIALYSIS | I |
|------------------------------------------------------------|----------------------------------------------------------------|---------------------------------|---|

OUTCOMES: U - UNRESOLVED, I - IMPROVED, W - WORSE, D - DEATH

-----  
\*' Represents Postoperative Occurrences  
-----

## Example 4: Print the Mortality Report

```
Select Management Reports Option: MM Morbidity & Mortality Reports
The Morbidity and Mortality Reports include the Perioperative Occurrences
Report and the Mortality Report. Each report will provide information
from cases completed within the date range selected.

Do you want to generate both reports ? YES// N
1. Perioperative Occurrences Report
2. Mortality Report

Select Number: (1-2): 2

Start with Date: 1/1/02 (JAN 01, 2002)
End with Date: 12/31/02 (DEC 31, 2002)

Do you want to print all divisions?
YES// <Enter>

This report is designed to use a 132
column format. Print report on which
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 MORTALITY REPORT  
 FROM: JAN 1,2006 TO: JUL 31,2006

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: AUG 22,2006

| OPERATION DATE            | PATIENT ID#                       | PRINCIPAL OPERATIVE PROCEDURE                        | DATE OF DEATH<br>AUTOPSY (Y/N) |
|---------------------------|-----------------------------------|------------------------------------------------------|--------------------------------|
| =====                     |                                   |                                                      |                                |
| OTORHINOLARYNGOLOGY (ENT) |                                   |                                                      |                                |
| -----                     |                                   |                                                      |                                |
| JAN 22, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | LARYNGOSCOPY, BRONCHOSCOPY, ESOPHAGOGASTROSCOPY      | FEB 09, 2006<br>NO             |
| JAN 27, 2006              | SURPATIENT,TWO<br>000-45-1982     | BRONCHOSCOPY                                         | FEB 26, 2006<br>NOT AVAILABLE  |
| JAN 29, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | BILATERAL NECK DISECTION, LARYNGECTOMY               | FEB 09, 2006<br>NO             |
| FEB 08, 2006              | SURPATIENT,SIXTEEN<br>000-11-1111 | LIGATION LT INTERNAL JUGLAR , EXPLORATORY LAPARATOMY | FEB 09, 2006<br>NO             |
| FEB 19, 2006              | SURPATIENT,TEN<br>000-12-3456     | TRACH                                                | FEB 21, 2006<br>NO             |
| JUL 20, 2006              | SURPATIENT,FORTY<br>000-77-7777   | LARYNGOSCOPY W/ BX, ESOPHAGOSCOPY                    | NOV 01, 2006<br>NOT AVAILABLE  |



## **M&M Verification Report [SRO M&M VERIFICATION REPORT]**

The *M&M Verification Report* option produces the M&M Verification Report that may be useful for (1) reviewing occurrences and their assignments to operations and (2) reviewing deaths unrelated/related assignments to operations

Two varieties of this report are available. The first variety provides a report of all patients who had operations within the selected date range and experienced intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The second variety provides a similar report for all risk- assessed operations that are in a completed state but have not yet been transmitted to the national database.

**Variety #1:** Report information is printed patient-by-patient, listing all operations for the patient that occurred during the selected date range, as well as any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that were performed prior to the selected date range, and, if printed by specialty, may include operations performed by other specialties. For every operation that is listed, the intraoperative and postoperative occurrences are also listed. The report also includes information about whether the operation was unrelated or related to death as well as the risk assessment type and status (if assessed). The report may be printed for a selected list of surgical specialties.

**Variety #2:** Report information is printed patient-by-patient in a format similar to Variety #1. This report lists all risk-assessed operations that are in a completed state but have not yet been transmitted to the national database and that have intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The report includes any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some other operations that may or may not be risk assessed, and, if risk assessed, may have any risk assessment status (incomplete, complete, or transmitted). Every patient listed on this report will have at least one operation with a risk assessment status of "complete."

### **Example 1: Generate an M&M Verification Report (Full Report)**

Select Management Reports Option: **MV** M&M Verification Report

M&M Verification Report

The M&M Verification Report is a tool to assist in the review of occurrences and their assignments to operations and in the review of death unrelated or related assignments to operations.

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.

Print which report ?

1. Full report for selected date range.
2. Pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **<Enter>**

Start with Date: **12 31 01** (DEC 31, 2001)  
End with Date: **1 31 02** (JAN 31, 2002)

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

.....*printout follows*.....

REVIEWED BY:  
DATE RECEIVED:

| OP DATE                                          | CASE #<br>PRINCIPAL PROCEDURE            | SURGICAL SPECIALTY | ASSESSMENT TYPE | STATUS | DEATH RELATED                                                                                                                                                                                  |
|--------------------------------------------------|------------------------------------------|--------------------|-----------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| =====                                            |                                          |                    |                 |        |                                                                                                                                                                                                |
| SURPATIENT, THIRTY (000-82-9472) - DIED 02/27/02 |                                          |                    |                 |        |                                                                                                                                                                                                |
| 01/06/02                                         | 54014<br>TOTAL LARYNGECTOMY              | GENERAL            | NON-CARD        | T      | NO                                                                                                                                                                                             |
| 12/29/01                                         | 54001<br>CABG, VEIN, SIX+                | THORACIC           | CARDIAC         | I      | NO                                                                                                                                                                                             |
| 11/02/01                                         | 53099<br>EVACUATION OF HEMATOMA LT THIGH | PERIPHERAL         | NON-CARD        | I      | YES<br>DVT/THROMBOPHLEBITIS * (11/06/01)<br>ICD: 453.8 VENOUS THROMBOSIS NEC<br>BLEEDING/TRANSFUSIONS * (11/04/01)<br>BLEEDING/TRANSFUSIONS * (11/06/01)<br>BLEEDING/TRANSFUSIONS * (11/06/01) |

-----  
Occurrences(s): '\*' Denotes Postop Occurrence

-----  
Assessment Status - I:Incomplete, C:Complete, T:Transmitted  
-----

## Example 2: Generate an M&M Verification Report (Pre-Transmission Report)

Select Management Reports Option: **MV** M&M Verification Report  
M&M Verification Report

The M&M Verification Report is a tool to assist in the review of occurrences and their assignment to operations and in the review of death unrelated or related assignments to operations.

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.

Print which report ?

1. Full report for selected date range.
2. Pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **2**

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
M&M Verification Report  
Pre-Transmission Report for Completed Assessments  
Report Generated: DEC 31,2002

Reviewed By:  
Date Reviewed:

| OP DATE                                                     | CASE #<br>PRINCIPAL PROCEDURE                                                   | SURGICAL SPECIALTY | ASSESSMENT TYPE | STATUS | DEATH RELATED                                                                                                                                     |
|-------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------|-----------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| =====                                                       |                                                                                 |                    |                 |        |                                                                                                                                                   |
| >>> SURPATIENT,FOUR (000-17-0555) - DIED 12/30/02@07:16     |                                                                                 |                    |                 |        |                                                                                                                                                   |
| 12/24/02                                                    | 123456<br>CYSTOSCOPY                                                            | UROLOGY            | EXCLUDED        | C      | YES                                                                                                                                               |
| -----                                                       |                                                                                 |                    |                 |        |                                                                                                                                                   |
| >>> SURPATIENT,FIFTYTWO (000-99-8888) - DIED 03/02/02@13:20 |                                                                                 |                    |                 |        |                                                                                                                                                   |
| 01/31/02                                                    | 122345<br>LEFT BKA STUMP DEBRIDEMENT<br>& REVISION                              | GENERAL            | EXCLUDED        | C      | ?<br>URINARY TRACT INFECTION*<br>(02/09/02)<br>ICD: 599.0 URIN TRACT INFECTION NOS<br>PNEUMONIA * (02/15/02)<br>ICD: 485. BRONCOPNEUMONIA ORG NOS |
| -----                                                       |                                                                                 |                    |                 |        |                                                                                                                                                   |
| >>> SURPATIENT,ONE (000-44-7629) - DIED 08/13/02@19:00      |                                                                                 |                    |                 |        |                                                                                                                                                   |
| 08/05/02                                                    | 133456<br>LEFT LEG ABOVE KNEE<br>AMPUTATION, RIGHT LEG<br>ABOVE KNEE AMPUTATION | PERIPHERAL         | EXCLUDED        | C      | NO                                                                                                                                                |
| -----                                                       |                                                                                 |                    |                 |        |                                                                                                                                                   |
| >>> SURPATIENT,SIXTEEN (000-11-1111) - DIED 10/01/02        |                                                                                 |                    |                 |        |                                                                                                                                                   |
| 08/21/02                                                    | 112233<br>OMEGAPORT PLACEMENT                                                   | PERIPHERAL         | EXCLUDED        | C      | ?                                                                                                                                                 |
| -----                                                       |                                                                                 |                    |                 |        |                                                                                                                                                   |
| >>> SURPATIENT,FIVE (000-58-7963) - DIED 04/08/02           |                                                                                 |                    |                 |        |                                                                                                                                                   |
| 03/14/02                                                    | 122334<br>HICKMAN CATH PLACEMENT                                                | GENERAL            | EXCLUDED        | C      | NO                                                                                                                                                |

D  
-----  
Occurrences(s): '\*' Denotes Postop Occurrence  
Assessment Status - I:Incomplete, C:Complete, T:Transmitted  
-----

## Comparison of Preop and Postop Diagnosis [SROPPC]

The *Comparison of Preop and Postop Diagnosis* option generates a list of completed cases in which the principal preoperative and principal postoperative diagnoses are different.

### Example: Print Comparison of Preop and Postop Diagnosis Report

Select Management Reports Option: **CD** Comparison of Preop and Postop Diagnosis  
Comparison of Preop and Postop Diagnosis

Start with Date: **3/1** (MAR 01, 2002)  
End with Date: **3/31** (MAR 31, 2002)

This report is designed to use a 132 column format.

Print the Report on which device: **[Select Print Device]**

.....*report follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 COMPARISON OF PREOP AND POSTOP DIAGNOSIS  
 FROM: MAR 1,2002 TO: MAR 31,2002

REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: APR 22,2002

| DATE<br>CASE #    | PATIENT<br>ID #<br>SURGICAL SPECIALTY          | PREOPERATIVE DIAGNOSIS    | POSTOPERATIVE DIAGNOSIS                  | WOUND CLASS |
|-------------------|------------------------------------------------|---------------------------|------------------------------------------|-------------|
| 03/03/02<br>63064 | SURPATIENT, ONE<br>000-44-7629<br>GENERAL      | APPENDICITIS              | ACUTE APPENDICITIS                       | D           |
| 03/04/02<br>63066 | SURPATIENT, THREE<br>000-21-2453<br>GENERAL    | BILATERAL INGUINAL HERNIA | BILATERAL INGUINAL HERNIA, WITH GANGRENE | C           |
| 03/04/02<br>63068 | SURPATIENT, TEN<br>000-12-3456<br>GENERAL      | BILATERAL INGUINAL HERNIA | BILAT INGUINAL HERNIA                    | C           |
| 03/08/02<br>63072 | SURPATIENT, EIGHTEEN<br>000-22-3334<br>GENERAL | CHOLECYSTITIS             | CHOLECYSTITIS WITH OBSTRUCTION           | C           |

-----  
 WOUND CLASSIFICATION CODES:  
 C: CLEAN, CC: CLEAN/CONTAMINATED, D: CONTAMINATED, I: INFECTED

## Delay and Cancellation Reports [SRO DEL MENU]

The *Delay and Cancellation Reports* menu provides access to various reports used to track delays and cancellations. The reports on this menu are listed below. To the left of the option/report name is the shortcut synonym the user can enter to select the option.

| <b>Shortcut</b> | <b>Option Name</b>                  |
|-----------------|-------------------------------------|
| D               | <i>Report of Delayed Operations</i> |
| R               | <i>Report of Delay Reasons</i>      |
| T               | <i>Report of Delay Time</i>         |
| C               | <i>Report of Cancellations</i>      |
| A               | <i>Report of Cancellation Rates</i> |



## Report of Delayed Operations [SRODELA]

The *Report of Delayed Operations* option will list all cases that have been delayed within a specified date range. The report sorts by surgical service and includes both the delay cause and delay time.

This report is in a 132-column format and should be copied to a printer with wide paper.

### Example: Report of Delayed Operations

```
Select Delay and Cancellation Reports Option: D Report of Delayed Operations
Report of Delayed Operations
```

```
Start with which Date ? 7/1 (JUL 01, 1999)
End with which Date ? 7/31 (JUL 31, 1999)
```

```
Do you want to print the Report of Delayed Operations for all Surgical
Specialties ? YES// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which device ? [Select Print Device]
```

.....*report follows*.....

MAYBERRY, NC  
SURGICAL SERVICE  
REPORT OF DELAYED OPERATIONS  
NEUROSURGERY  
FROM: JUL 1,1999 TO: JUL 31,1999

PAGE: 1  
REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 13,1999

| DATE<br>DELAY TIME                     | PATIENT<br>ID #                      | ATTENDING SURGEON<br>OPERATION(S)                                                                                       | DELAY COMMENTS               |
|----------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------|
| =====                                  |                                      |                                                                                                                         |                              |
| OPERATING SURGEON NOT PRESENT<br>----- |                                      |                                                                                                                         |                              |
| 07/13/99<br>30 MINS.                   | SURPATIENT, SEVENTEEN<br>000-45-5119 | SURSURGEON, THREE<br>L3-4 LUMBAR LAMINECTOMY WITH PARTIAL<br>FACETECTOMY AND LEFT<br>NEUROFORAMINOTOMY, ADDITIONAL L4-5 |                              |
| STAFF SURGEON NOT PRESENT<br>-----     |                                      |                                                                                                                         |                              |
| 07/28/99<br>45 MINS.                   | SURPATIENT, SIXTY<br>000-56-7821     | SURSURGEON, TWO<br>RT. MEDIAN NERVE DECOMPRESSION AT<br>WRIST                                                           | WEDNESDAY UNIVERSITY MEETING |

## Report of Delay Reasons [SROREAS]

The *Report of Delay Reasons* option lists reasons for delays, and the number of occurrences for delayed operations, within a specified date range.

This report is in an 80-column format and can be viewed on your screen.

### Example: Report of Delay Reasons

```
Select Delay and Cancellation Reports Option: R Report of Delay Reasons
Report of Delayed Operations

Start with which Date ? 3/1 (MAR 01, 1999)
End with which Date ? 3/31 (MAR 31, 1999)

Do you want to print the Report of Delay Reasons for all Surgical
Specialties ? YES// <Enter>

Do you want to display the totals for each Surgical Specialty ? YES// ?

Enter RETURN to display the totals for delay reasons for each specialty. If
you want to display the totals for all delay reasons for the entire medical
center, enter 'NO'.

Do you want to display the totals for each Surgical Specialty ? YES// <Enter>

Print the Report on which device: [Select Print Device]
```

.....*printout follows*.....

REPORT OF DELAY REASONS  
FROM 03/01/99 TO 03/31/99

GENERAL (OR WHEN NOT DEFINED BELOW)  
-----

|                                                      |   |
|------------------------------------------------------|---|
| ANESTHETIST NOT PRESENT                              | 1 |
| SPECIAL EQUIPMENT NOT READY                          | 1 |
| OTHER                                                | 1 |
| TOTAL DELAYS FOR GENERAL (OR WHEN NOT DEFINED BELOW) | 3 |

OTORHINOLARYNGOLOGY (ENT)  
-----

|                                            |   |
|--------------------------------------------|---|
| OPERATING SURGEON NOT PRESENT              | 1 |
| TOTAL DELAYS FOR OTORHINOLARYNGOLOGY (ENT) | 1 |

Press RETURN to continue, or '^' to quit: <Enter>

REPORT OF DELAY REASONS  
FROM 03/01/99 TO 03/31/99

=====

|                               |   |
|-------------------------------|---|
| OPERATING SURGEON NOT PRESENT | 1 |
| ANESTHETIST NOT PRESENT       | 1 |
| SPECIAL EQUIPMENT NOT READY   | 1 |
| OTHER                         | 1 |
| TOTAL DELAY REASONS           | 4 |

Press RETURN to continue <Enter>

## Report of Delay Time [SRO DELAY TIME]

The *Report of Delay Time* option provides the total amount of delay time for each delay reason for a specified date range. The report sorts by surgical specialty.

This report is in an 80-column format and can be viewed on a screen.

### Example: Report of Delay Time

```
Select Delay and Cancellation Reports Option: T Report of Delay Time
Report of Delay Time

Start with which Date ? 3/1 (MAR 01, 1999)
End with which Date ? 3/31 (MAR 31, 1999)

Do you want to print the Report of Delay Time for all delay reasons ? YES// ?
Enter RETURN to print this report for all delay reasons, or 'NO' to select
a specific delay reason.

Do you want to print the Report of Delay Time for all delay reasons ? YES// <Enter>

Do you want to print the Report of Delayed Operations for all Surgical
Specialties ? YES// <Enter>

Print the Report on which device: [Select Print Device]
.....printout follows.....
```

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 1

| SURGICAL SPECIALTY | # OF DELAYS | MINUTES DELAYED |
|--------------------|-------------|-----------------|
|--------------------|-------------|-----------------|

=====  
>> Delay Reason: OPERATING SURGEON NOT PRESENT <<

|                           |   |    |
|---------------------------|---|----|
| OTORHINOLARYNGOLOGY (ENT) | 1 | 15 |
|---------------------------|---|----|

-----  
>> Delay Reason: ANESTHETIST NOT PRESENT <<

|                                 |   |    |
|---------------------------------|---|----|
| GENERAL (OR WHEN NOT DEFINED BE | 1 | 30 |
|---------------------------------|---|----|

-----  
>> Delay Reason: SPECIAL EQUIPMENT NOT READY <<

|                                 |   |    |
|---------------------------------|---|----|
| GENERAL (OR WHEN NOT DEFINED BE | 1 | 10 |
|---------------------------------|---|----|

Press RETURN to continue, or '^' to quit. <Enter>

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 2

| SURGICAL SPECIALTY | # OF DELAYS | MINUTES DELAYED |
|--------------------|-------------|-----------------|
|--------------------|-------------|-----------------|

=====  
>> Delay Reason: OTHER <<

|                                 |   |    |
|---------------------------------|---|----|
| GENERAL (OR WHEN NOT DEFINED BE | 1 | 15 |
|---------------------------------|---|----|

Press RETURN to continue, or '^' to quit. <Enter>

MAYBERRY, NC  
Report of Delay Times  
From 03/01/99 To 03/31/99

PAGE 3

| DELAY REASON                  | # OF DELAYS | MINUTES DELAYED |
|-------------------------------|-------------|-----------------|
| OPERATING SURGEON NOT PRESENT | 1           | 15              |
| ANESTHETIST NOT PRESENT       | 1           | 30              |
| SPECIAL EQUIPMENT NOT READY   | 1           | 10              |
| OTHER                         | 1           | 15              |
| TOTAL                         | 4           | 70              |

Press RETURN to continue <Enter>

## Report of Cancellations [SROCAN]

The *Report of Cancellations* option is designed to provide information for cases that have been scheduled and cancelled.

This report is in a 132-column format and must be copied to a printer.

### Example: Print Report of Cancellations

```
Select Delay and Cancellation Reports Option: C Report of Cancellations
Report of Cancellations
```

```
NOTE: This report contains all cancelled cases, including those that were
cancelled after the patient had entered the operating room. Aborted
cases are identified by an '*' next to the procedure name.
```

```
Start with Date: 3/1 (MAR 01, 1999)
End with Date: 3/3 (MAR 03, 1999)
```

```
Do you want to print the report for all Surgical Specialties ? YES// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which device: [Select Print Device]
```

.....*printout follows*.....



MAYBERRY, NC  
 REPORT OF CANCELLATIONS  
 FROM 03/01/99 TO 03/03/99

PAGE: 1

PRINTED: MAR 23, 1999

REVIEWED BY:  
 DATE REVIEWED:

| DATE<br>CASE #                                                     | PATIENT<br>ID#                      | OPERATION(S)                                                                        | CANCEL DATE<br>PRIMARY REASON                     |
|--------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------|
| =====                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: OPHTHALMOLOGY <<                            |                                     |                                                                                     |                                                   |
| MAR 01, 1999<br>31725                                              | SURPATIENT,FIVE<br>000-58-7963      | * PHACEOMULSIFICATION, LENS IMPLANT OS                                              | MAR 01, 1999 11:00<br>MEDICAL                     |
| -----                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: ORTHOPEDICS <<                              |                                     |                                                                                     |                                                   |
| MAR 01, 1999<br>32066                                              | SURPATIENT,FIVE<br>000-58-7963      | LT. TOTAL KNEE ARTHROPLASTY                                                         | MAR 01, 1999 08:01<br>MEDICAL                     |
| MAR 03, 1999<br>32143                                              | SURPATIENT,THREE<br>000-21-2453     | HARDWARE REMOVAL RT. ANKLE                                                          | MAR 03, 1999 12:49<br>ADMINISTRATIVE CANCELLATION |
| -----                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: PLASTIC SURGERY (INCLUDES HEAD AND NECK) << |                                     |                                                                                     |                                                   |
| MAR 01, 1999<br>32089                                              | SURPATIENT,TEN<br>000-12-3456       | DEBRIDMENT OF BACK, NECK WOUNDS, GOLDWEIGHT TO<br>RT. EYE, RT. LATERAL CANTHOPLASTY | MAR 01, 1999 07:36<br>SURGEON                     |
| MAR 03, 1999<br>32141                                              | SURPATIENT,TEN<br>000-12-3456       | PRIMARY CLOSURE LT. CHEEK, SKIN GRAFT VS SKIN<br>FLAP                               | APR 02, 1999 08:21<br>PATIENT NOT NPO             |
| -----                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: THORACIC SURGERY (INC. CARDIAC SURG.) <<    |                                     |                                                                                     |                                                   |
| MAR 01, 1999<br>32013                                              | SURPATIENT,FORTY<br>000-77-7777     | LT. THORACOTOMY, LOBECTOMY, PNEUMONECTOMY                                           | MAR 01, 1999 07:35<br>MEDICAL                     |
| -----                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: UROLOGY <<                                  |                                     |                                                                                     |                                                   |
| MAR 03, 1999<br>32119                                              | SURPATIENT,NINETEEN<br>000-28-7354  | TRANSURETHRAL RESECTION OF BLADDER TUMOR                                            | MAR 19, 1999 08:00<br>PATIENT/GUARDIAN REFUSES    |
| -----                                                              |                                     |                                                                                     |                                                   |
| >> SURGICAL SPECIALTY: PODIATRY <<                                 |                                     |                                                                                     |                                                   |
| MAR 02, 1999<br>31865                                              | SURPATIENT,SEVENTEEN<br>000-45-5119 | 1ST METATARSL REMODELING RT. FOOT, REMOVAL OF<br>SOFT TISSUE NODULE RT. FOOT        | MAR 29, 1999 08:52<br>MEDICAL                     |
| -----                                                              |                                     |                                                                                     |                                                   |

## Report of Cancellation Rates [SROCRAT]

The *Report of Cancellation Rates* option generates a report on the calculations of cancellation rates. This report can be printed for one or a few surgical specialties (Example 1), or for all surgical specialties (Example 2). Emergency cases are not included in this report.

This report is in an 80-column format and can be viewed on your screen.

### How the Cancellation Rates Are Calculated

Cancellation Rate for Scheduled  
Cases = (Total Cancels / Total  
Scheduled) x 100

Avoidable Cancellation Rate for Scheduled  
Cases = (Total Avoidable Cancels / Total  
Scheduled) x 100

Avoidable Cancellation rate for all Cancelled  
Cases = (Total Avoidable Cancels / Total  
Cancels) x 100

### Example 1: View for Individual Surgical Specialties

```
Select Delay and Cancellation Reports Option: A Report of Cancellation Rates
Report of Cancellation Rates

Start with which Date ? 3/2 (MAR 02, 1999)
End with which Date ? 3/20 (MAR 20, 1999)

Do you want to print the report for all Surgical Specialties ? YES// N

Print the report for which Specialty ? 50 GENERAL (OR WHEN NOT DEFINED BELOW)
Select An Additional Specialty: ORTHOPEDICS 54 ORTHOPEDICS
Select An Additional Specialty: PLASTIC SURGERY (INCLUDES HEAD AND NECK) PROCTOLOGY 56
PLASTIC SURGERY (INCLUDES HEAD AND NECK)
Select An Additional Specialty: <Enter>

Print the Report on which device: [Select Print Device]
```

.....*printout follows*.....

\*\* GENERAL (OR WHEN NOT DEFINED BELOW) \*\*

TOTAL SCHEDULED SURGICAL CASES: 18  
CANCELLATION RATE FOR SCHEDULED CASES: 17 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| PREV. CASE LENGTH           | 3             | 0               |
| TOTAL CANCELLATIONS         | 3             | 0               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* ORTHOPEDICS \*\*

TOTAL SCHEDULED SURGICAL CASES: 23  
CANCELLATION RATE FOR SCHEDULED CASES: 26 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 9 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 33 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| ADMINISTRATIVE CANCELLATION | 1             | 1               |
| MEDICAL                     | 4             | 1               |
| SCHEDULING ERROR            | 1             | 0               |
| TOTAL CANCELLATIONS         | 6             | 2               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PLASTIC SURGERY (INCLUDES HEAD AND NECK) \*\*

TOTAL SCHEDULED SURGICAL CASES: 10  
CANCELLATION RATE FOR SCHEDULED CASES: 30 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 20 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 67 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| PATIENT NOT NPO             | 1             | 1               |
| PREV. CASE LENGTH           | 1             | 0               |
| SURGEON                     | 1             | 1               |
| TOTAL CANCELLATIONS         | 3             | 2               |

Press RETURN to continue, or '^' to quit: <Enter>

## Example 2: View for All Specialties

Select Delay and Cancellation Reports Option: **A** Report of Cancellation Rates  
Report of Cancellation Rates

Start with which Date ? **3/2** (MAR 02, 1999)  
End with which Date ? **3/20** (MAR 20, 1999)

Do you want to print the report for all Surgical Specialties ? YES// **<Enter>**

Do you want to display the cancellation reasons for each Surgical  
Specialty ? YES// **<Enter>**

Print the Report on which device: **[Select Print Device]**

.....*printout follows*.....

\*\* GENERAL (OR WHEN NOT DEFINED BELOW) \*\*

TOTAL SCHEDULED SURGICAL CASES: 18  
CANCELLATION RATE FOR SCHEDULED CASES: 17 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| PREV. CASE LENGTH           | 3             | 0               |
| TOTAL CANCELLATIONS         | 3             | 0               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* NEUROSURGERY \*\*

TOTAL SCHEDULED SURGICAL CASES: 8  
CANCELLATION RATE FOR SCHEDULED CASES: 25 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 13 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 50 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| OPERATING ROOM              | 1             | 0               |
| PATIENT NO-SHOW             | 1             | 1               |
| TOTAL CANCELLATIONS         | 2             | 1               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* ORTHOPEDICS \*\*

TOTAL SCHEDULED SURGICAL CASES: 23  
CANCELLATION RATE FOR SCHEDULED CASES: 26 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 9 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 33 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| ADMINISTRATIVE CANCELLATION | 1             | 1               |
| MEDICAL                     | 4             | 1               |
| SCHEDULING ERROR            | 1             | 0               |
| TOTAL CANCELLATIONS         | 6             | 2               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* OTORHINOLARYNGOLOGY (ENT) \*\*

TOTAL SCHEDULED SURGICAL CASES: 18  
CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 100 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| SCHEDULING ERROR            | 1             | 1               |
| TOTAL CANCELLATIONS         | 1             | 1               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PERIPHERAL VASCULAR \*\*

TOTAL SCHEDULED SURGICAL CASES: 16  
CANCELLATION RATE FOR SCHEDULED CASES: 25 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 25 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| MEDICAL                     | 2             | 0               |
| PREV. CASE LENGTH           | 1             | 0               |
| SCHEDULING ERROR            | 1             | 1               |
| TOTAL CANCELLATIONS         | 4             | 1               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PLASTIC SURGERY (INCLUDES HEAD AND NECK) \*\*

TOTAL SCHEDULED SURGICAL CASES: 10  
CANCELLATION RATE FOR SCHEDULED CASES: 30 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 20 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 67 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| PATIENT NOT NPO             | 1             | 1               |
| PREV. CASE LENGTH           | 1             | 0               |
| SURGEON                     | 1             | 1               |
| TOTAL CANCELLATIONS         | 3             | 2               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* PODIATRY \*\*

TOTAL SCHEDULED SURGICAL CASES: 14  
CANCELLATION RATE FOR SCHEDULED CASES: 7 %  
AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| MEDICAL                     | 1             | 0               |
| TOTAL CANCELLATIONS         | 1             | 0               |

Press RETURN to continue, or '^' to quit: <Enter>

\*\* UROLOGY \*\*

TOTAL SCHEDULED SURGICAL CASES: 11  
 CANCELLATION RATE FOR SCHEDULED CASES: 18 %  
 AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 0 %  
 AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 0 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| MEDICAL                     | 1             | 0               |
| PATIENT/GUARDIAN REFUSES    | 1             | 0               |
| TOTAL CANCELLATIONS         | 2             | 0               |

Press RETURN to continue, or '^' to quit: <Enter>

TOTAL SURGICAL CASES SCHEDULED FOR MAYBERRY, NC: 118  
 CANCELLATION RATE FOR SCHEDULED CASES: 19 %  
 AVOIDABLE CANCELLATION RATE FOR SCHEDULED CASES: 6 %  
 AVOIDABLE CANCELLATION RATE FOR CANCELLED CASES: 32 %

| PRIMARY CANCELLATION REASON | TOTAL CANCELS | TOTAL AVOIDABLE |
|-----------------------------|---------------|-----------------|
| ADMINISTRATIVE CANCELLATION | 1             | 1               |
| MEDICAL                     | 8             | 1               |
| OPERATING ROOM              | 1             | 0               |
| PATIENT NO-SHOW             | 1             | 1               |
| PATIENT NOT NPO             | 1             | 1               |
| PATIENT/GUARDIAN REFUSES    | 1             | 0               |
| PREV. CASE LENGTH           | 5             | 0               |
| SCHEDULING ERROR            | 3             | 2               |
| SURGEON                     | 1             | 1               |
| TOTAL CANCELLATIONS         | 22            | 7               |

Press RETURN to continue, or '^' to quit: <Enter>

| SURGICAL SPECIALTY                       | PERCENT AVOIDABLE CANCELLATIONS |                 |
|------------------------------------------|---------------------------------|-----------------|
|                                          | SCHEDULED CASES                 | CANCELLED CASES |
| GENERAL (OR WHEN NOT DEFINED BELOW)      | 0 %                             | 0 %             |
| NEUROSURGERY                             | 13 %                            | 50 %            |
| ORTHOPEDICS                              | 9 %                             | 33 %            |
| OTORHINOLARYNGOLOGY (ENT)                | 6 %                             | 100 %           |
| PERIPHERAL VASCULAR                      | 6 %                             | 25 %            |
| PLASTIC SURGERY (INCLUDES HEAD AND NECK) | 20 %                            | 67 %            |
| PODIATRY                                 | 0 %                             | 0 %             |
| UROLOGY                                  | 0 %                             | 0 %             |

Press RETURN to continue <Enter>

## List of Unverified Surgery Cases [SROUNV]

The *List of Unverified Surgery Cases* option will generate a list of all completed surgery cases that have not had the procedure, diagnosis, and complications verified. The user can verify a case using the

*Surgeon's Verification of Diagnosis & Procedures* option in the *Operation Menu*. This list can be compiled for one or all surgical specialties.

This report is in an 80-column format and can be viewed on your screen.

### Example: List of Unverified Surgery Cases

```
Select Management Reports Option: V List of Unverified Surgery Cases
Do you want the list for all Surgical Specialties ? YES// N

Select Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW) 50

Start with Date: 3/9 (MAR 09, 1999)
End with Date: 3/20 (MAR 20, 1999)

Print the List of Unverified Cases to which Printer ? [Select Print Device]
.....printout follows.....

 List of Unverified Cases for GENERAL(OPTION WHEN NOT DEFINED BELOW)

Operation Date Patient (Case #) Surgeon
 Patient ID # Attending Surgeon
=====
MAR 9, 1999 SURPATIENT,SIX (15188) SURSURGEON,SIXTEEN
 000-09-8797 SURSURGEON,FOUR

 APENDECTOMY * CPT CODE MISSING *

MAR 10, 1999 SURPATIENT,FIFTYONE (15189) SURSURGEON,FOUR
 000-23-3221 SURSURGEON,ONE

 DRAINAGE OF OVARIAN CYST * CPT CODE MISSING *

MAR 10, 1999 SURPATIENT,TWO (15199) SURSURGEON,ONE
 000-45-1982 NOT ENTERED

 CHOLECYSTECTOMY WITH CHOLANGIOGRAM * CPT CODE MISSING *

MAR 17, 1999 SURPATIENT,FOURTEEN (15203) SURSURGEON,ONE
 000-45-7212 SURSURGEON,TWO

 CHOLECYSTECTOMY * CPT CODE MISSING *

MAR 18, 1999 SURPATIENT,SEVENTEEN (15202) SURSURGEON,ONE
 000-45-5119 SURSURGEON,TWO

 REPAIR INCARCERATED INGUINAL HERNIA * CPT CODE MISSING *

Press RETURN to continue, or '^' to quit:. <Enter>
```



## Report of Returns to Surgery [SRORET]

The *Report of Returns to Surgery* option lists cases that have had related surgical procedures performed within 30 days of the date of the operation. The user must enter the date range by which the software will sort.

This report has a 132-column format and must be copied to a printer with wide paper.

### Example: Print the Report of Returns to Surgery

```
Select Management Reports Option: RET Report of Returns to Surgery
Report of Returns to Surgery
```

```
Start with Date: 7/1 (JUL 01, 1999)
End with Date: 7/14 (JUL 14, 1999)
```

```
This report will list cases completed during the date range entered that
have had return cases associated with them. It is designed to use a 132
column format.
```

```
Print the Report on which Device: [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
SURGICAL SERVICE  
REPORT OF RETURNS TO SURGERY  
FROM: JUL 1,1999 TO: JUL 14,1999

REVIEWED BY:  
DATE REVIEWED:  
DATE PRINTED: AUG 27,1999

| OPERATION DATE | PATIENT (ID#)                       | PRINCIPAL OPERATIVE PROCEDURE                         |
|----------------|-------------------------------------|-------------------------------------------------------|
| JUL 03, 1999   | SURPATIENT,SEVENTEEN (000-45-5119)  | REPAIR GASTRIC PERFORATION                            |
|                | RETURNS TO SURGERY:<br>JUL 07, 1999 | EXPLORATORY LAPAROTOMY                                |
| JUL 06, 1999   | SURPATIENT,FIVE (000-21-2453)       | ATTEMPTED REVISION OF LEFT ARM A-V FISTULA WITH GRAFT |
|                | RETURNS TO SURGERY:<br>JUL 15, 1999 | CREATION OF A-V FISTULA W/VASCULAR GRAFT, RT ARM      |
| JUL 06, 1999   | SURPATIENT,TWO (000-45-1982)        | EXCISION OF GRANULATION TISSUE RT. FOOT               |
|                | RETURNS TO SURGERY:<br>AUG 03, 1999 | STSG FROM RT. THIGH TO RIGHT FOOT                     |
| JUL 06, 1999   | SURPATIENT,FORTY (000-77-7777)      | IRRIGATION AND DEBRIDEMENT OF LT. FOOT                |
|                | RETURNS TO SURGERY:<br>JUL 14, 1999 | IRRIGATION AND DEBRIDEMENT OF LT. FOOT                |
| JUL 07, 1999   | SURPATIENT,FORTYONE (000-43-2109)   | EXPLORATORY LAPAROTOMY                                |
|                | RETURNS TO SURGERY:<br>AUG 05, 1999 | TRACHEOSTOMY                                          |
| JUL 10, 1999   | SURPATIENT,ONE (000-44-7629)        | RIGHT LOWER QUADRANT EXPLORATION                      |
|                | RETURNS TO SURGERY:<br>JUL 13, 1999 | SIGMOID COLECTOMY                                     |

## Report of Daily Operating Room Activity [SROPACT]

The *Report of Daily Operating Room Activity* option provides a list of completed cases started between 6:00 AM on the date selected and 5:59 AM of the following day for all operating rooms.

### Example: Print the Report of Daily Operating Room Activity

```
Select Management Reports Option: A Report of Daily Operating Room Activity
Print the Report of Daily Activity for which Date ? 7/1 (JUL 01, 1999)
```

```
This report will include all cases started between MAR 12, 1992 at 6:00 AM
and MAR 13, 1992 at 5:59 AM.
```

```
It is designed to use a 132 column format.
```

```
Print the Report to which Device ? [Select Print Device]
```

```
.....printout follows.....
```

MAYBERRY, NC  
 SURGICAL SERVICE  
 DAILY REPORT OF OPERATING ROOM ACTIVITY  
 FOR: JUL 01, 1999

| PATIENT<br>ID #<br>WARD                            | AGE | TIME IN OR<br>TIME OUT OR<br>CASE NUMBER | POSTOPERATIVE DIAGNOSIS<br>PROCEDURE (S)                                                                                                                                                     | ANESTHESIOLOGIST<br>PRIN. ANESTHETIST              | SURGEON<br>FIRST ASST.<br>ATT SURGEON           |
|----------------------------------------------------|-----|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------|
| =====                                              |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| OPERATING ROOM: CYST01                             |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| SURPATIENT, SIX<br>000-09-8797<br>OUTPATIENT       | 69  | 07/01 14:00<br>07/01 16:05<br>33536      | GROSS HEMATURIA<br>CYSTOURETHROSCOPY WITH BLADDER BIOPSY,<br>TRANSURETHRAL RESECTION OF BLADDER TUMOR                                                                                        | SURSANESTHESIOLOGIST, O<br>SURANESTHETIST, F       | SURSURGEON, F<br><br>SURSURGEON, O              |
| OPERATING ROOM: OR1                                |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| SURPATIENT, NINETEEN<br>000-28-7354<br>OUTPATIENT  | 59  | 07/01 08:00<br>07/01 16:30<br>33512      | LEFT COLD FOOT<br>LEFT FEMORO-TIB TO TIB PERONEAL TRUNK<br>SAPHENOUS, IN-SITU, TIBIAL-PERONEAL EMBOLECTOMY,<br>EXCLUSION OF POPLITEAL ANEURYSM, COMPLETION<br>ANGIOGRAPHY, COMPLETION DUPLEX | SURSANESTHESIOLOGIST, O<br>SURANESTHETIST, F       | SURSURGEON, T<br>SURSURGEON, F<br>SURSURGEON, O |
| SURPATIENT, SEVENTEEN<br>000-45-5119<br>OUTPATIENT | 73  | 07/01 09:10<br>07/01 13:00<br>33521      | RT. CAROTID STENOSIS<br>RT. CAROTID ENDARTERECTOMY                                                                                                                                           | SURSANESTHESIOLOGIST, T                            | SURSURGEON, F<br><br>SURSURGEON, S              |
| OPERATING ROOM: OR2                                |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| SURPATIENT, TEN<br>000-12-3456<br>OUTPATIENT       | 60  | 07/01 06:00<br>07/01 07:35<br>33519      | APPENDICITIS<br>APPENDECTOMY                                                                                                                                                                 | SURSANESTHESIOLOGIST, O<br>SURSANESTHESIOLOGIST, O | SURSURGEON, F<br><br>SURSURGEON, S              |
| OPERATING ROOM: OR4                                |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| SURPATIENT, FIVE<br>000-58-7963<br>OUTPATIENT      | 75  | 07/01 07:45<br>07/01 12:00<br>33409      | RT. EAR, RT. EYELID BASAL CELL CA<br>EXCISION OF RT. UPPER EYELID BASAL CELL CA,<br>EXCISION OF RT. EAR BASAL CELL CA                                                                        | SURSANESTHESIOLOGIST, O<br>SURSANESTHESIOLOGIST, O | SURSURGEON, S<br><br>SURSURGEON, F              |
| OPERATING ROOM: OR5                                |     |                                          |                                                                                                                                                                                              |                                                    |                                                 |
| SURPATIENT, SIXTEEN<br>000-11-1111<br>OUTPATIENT   | 96  | 07/01 07:50<br>07/01 10:27<br>33399      | SINUSITIS ,RHNOPHYMA, NASAL OBSTRUCTION<br>SEPTOPLASTY, TURBINECTOMY, INTERNAL INTRA NASAL<br>SYNOIDECTOMY, LASER RESURFACE OF NOSE, NASAL<br>POLYECTOMY RT., NASAL POLYPECTOMY LT.          | SURSANESTHESIOLOGIST, O<br>SURSANESTHESIOLOGIST, O | SURSURGEON, F<br><br>SURSURGEON, S              |

## Report of Cases Without Specimens [SROSPEC]

The *Report of Cases Without Specimens* option lists all completed cases in which there were no specimens taken from the operative site. The report can be printed for an individual surgical specialty, if it is needed.

This report is in a 132-column format and must be copied to a printer with wide paper.

### Example: Print the Report of Cases without Specimens

```
Select Management Reports Option: NS Report of Cases Without Specimens
Report of Cases Without Specimens
```

```
Starting with which Date ? 7/12 (JUL 12, 1999)
Ending with which Date ? 7/14 (JUL 14, 1999)
```

```
Do you want the report sorted by Surgical Specialty ? NO// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device ? [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 CASES WITHOUT SPECIMENS  
 FROM: JUL 12,1999 TO: JUL 14,1999

PAGE 1  
 REVIEWED BY:  
 DATE REVIEWED:  
 DATE PRINTED: JUL 27,1999

| DATE<br>CASE #    | PATIENT<br>PATIENT ID                | SURGICAL SPECIALTY<br>POSTOPERATIVE DIAGNOSIS<br>OPERATIVE PROCEDURE                                                            | PRIMARY SURGEON<br>ATTENDING SURGEON |
|-------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| 07/12/99<br>33613 | SURPATIENT, TEN<br>000-12-3456       | PERIPHERAL VASCULAR<br>RENAL FAILURE<br>PLACEMENT OF LEFT FEMORAL DIALYSIS<br>TESSIO-CATHETER                                   | SURSURGEON, THREE<br>SURSURGEON, ONE |
| 07/12/99<br>33616 | SURPATIENT, FOUR<br>000-17-0555      | OTORHINOLARYNGOLOGY (ENT)<br>NASAL OBSTRUCTION<br>LEFT LATERAL RHINOTOMY WITH RECONSTRUCTION OF<br>NASAL VESTIBULE              | SURSURGEON, TWO<br>SURSURGEON, ONE   |
| 07/12/99<br>33659 | SURPATIENT, SIXTEEN<br>000-11-1111   | UROLOGY<br>SIGMOID CA<br>CYSTOURETOROSCOPY, RETROGRADE PYELOGRAPHY,<br>BILATERAL URETERAL STENT PLACEMENT                       | SURSURGEON, FOUR<br>SURSURGEON, FOUR |
| 07/12/99<br>33653 | SURPATIENT, SEVENTEEN<br>000-45-5119 | GENERAL (OR WHEN NOT DEFINED BELOW)<br>PROLONGED ANTIBIOTIC THERAPY<br>PLACEMENT OF HICKMAN CATHETER                            | SURSURGEON, TWO<br>SURSURGEON, SEVEN |
| 07/13/99<br>33554 | SURPATIENT, FIFTY<br>000-45-9999     | OPHTHALMOLOGY<br>CATARACT OS<br>PHACEOMULSIFICATION, LENS IMPLANT OS                                                            | SURSURGEON, ONE<br>SURSURGEON, ONE   |
| 07/14/99<br>33598 | SURPATIENT, TEN<br>000-12-3456       | PLASTIC SURGERY (INCLUDES HEAD AND NECK)<br>MOH'S DEFECT LT. UPPER LIP<br>FLAP CLOSURE OF MOHS DEFECT LEFT UPPER LIP            | SURSURGEON, ONE<br>SURSURGEON, FOUR  |
| 07/14/99<br>33645 | SURPATIENT, EIGHTEEN<br>000-22-3334  | PLASTIC SURGERY (INCLUDES HEAD AND NECK)<br>INFECTED DIABETIC FOOT<br>DEBRIDEMENT RIGHT FOOT, SKIN GRAFT RT THIGH TO RT<br>FOOT | SURSURGEON, SIX<br>SURSURGEON, TWO   |

TOTAL CASES WITHOUT SPECIMENS: 7

## Report of Unscheduled Admissions to ICU [SROICU]

The *Report of Unscheduled Admissions to ICU* option lists all unscheduled admissions to the Intensive Care Unit (ICU) based on the requested (expected) postoperative care and actual postoperative disposition.

This report is in a 132-column format and must be copied to a printer with wide paper.

### Example: Print Report of Unscheduled Admissions to ICU

```
Select Management Reports Option: ICU Report of Unscheduled Admissions to ICU
Report of Unscheduled Admissions to the ICU
```

```
Starting with which Date ? 7/1 (JUL 01, 1999)
Ending with which Date ? 7/31 (JUL 32, 1999)
```

```
Do you want the report for a specific Surgical Specialty ? NO// <Enter>
```

```
This report is designed to use a 132 column format.
```

```
Print the Report on which Device ? [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 UNSCHEDULED ADMISSIONS TO ICU  
 FROM 07/01/99 TO 07/31/99

REVIEWED BY:  
 DATE REVIEWED:

| DATE     | PATIENT<br>PATIENT ID<br>REQ DISPOSITION/POSTOP DISPOSITION      | SURGICAL SPECIALTY<br>POSTOPERATIVE DIAGNOSIS<br>OPERATIVE PROCEDURE(S)                                           | PRIMARY SURGEON<br>ATTENDING SURGEON |
|----------|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| 07/01/99 | SURPATIENT, EIGHTEEN<br>000-22-3334<br>PACU (RECOVERY ROOM)/SICU | GENERAL (OR WHEN NOT DEFINED BELOW)<br>APPENDICITIS<br>APPENDECTOMY                                               | SURSURGEON, ONE<br>SURSURGEON, THREE |
| 07/06/99 | SURPATIENT, TEN<br>000-12-3456<br>WARD/SICU                      | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INABILITY TO TAKE ORAL OR USE NG TUBE<br>PLACEMENT OF G-TUBE               | SURSURGEON, ONE<br>SURSURGEON, FOUR  |
| 07/08/99 | SURPATIENT, TWELVE<br>000-41-8719<br>WARD/MICU                   | GENERAL (OR WHEN NOT DEFINED BELOW)<br>GANGRENE LT. FOOT<br>LT. BELOW KNEE AMPUTATION                             | SURSURGEON, ONE<br>SURSURGEON, THREE |
| 07/23/99 | SURPATIENT, TEN<br>000-12-3456<br>WARD/SICU                      | PERIPHERAL VASCULAR<br>IV ACCESS<br>PLACEMENT OF HICKMAN CATHATER, INTRODUCTION OF<br>DOBHOF TUBE                 | SURSURGEON, ONE<br>SURSURGEON, FOUR  |
| 07/27/99 | SURPATIENT, FORTY<br>000-77-7777<br>WARD/MICU                    | GENERAL (OR WHEN NOT DEFINED BELOW)<br>RT BUTTOCK ABCESS<br>I AND D OF RIGHT BUTTOCK ABSCESS                      | SURSURGEON, ONE<br>SURSURGEON, TWO   |
| 07/29/99 | SURPATIENT, FOUR<br>000-17-0555<br>WARD/MICU                     | GENERAL (OR WHEN NOT DEFINED BELOW)<br>INCARCERATED EPIGASTRIC HERNIA<br>REPAIR OF INCARCERATED EPIGASTRIC HERNIA | SURSURGEON, ONE<br>SURSURGEON, TWO   |



## Operating Room Utilization Report [SR OR UTL1]

The *Operating Room Utilization Report* option prints utilization information for a selected date range for all operating rooms or for a single operating room. The report displays the percent utilization, the number of cases, the total operation time and the time worked outside normal hours for each operating room individually and all operating rooms collectively.

### How the Percent Utilization is Derived

The percent utilization is derived by dividing the total operation time for all operations (including total time patients were in OR, plus the cleanup time allowed for each case) by the total functioning time, as defined in the SURGERY UTILIZATION file. The quotient is then multiplied by 100.

This report must be copied to a printer with wide paper

### Example: Print the Operating Room Utilization Report

```
Select Management Reports Option: OR Operating Room Utilization Report
Operating Room Utilization Report

Print utilization information starting with which date ? 3/8 (MAR 08, 1999)

Print utilization information through which date ? 3/9 (MAR 09, 1999)
Do you want to print the Operating Room Utilization Report for all
operating rooms ? YES// <Enter>
Print the Operating Room Utilization Report on which Device ? [Select Print Device]
```

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 OPERATING ROOM UTILIZATION REPORT  
 FOR ALL OPERATING ROOMS FROM: MAR 8,1999 TO: MAR 9,1999  
 DATE PRINTED: MAR 17,1999

| OPERATING ROOM                     | PERCENT UTILIZATION | NUMBER OF CASES | TOTAL OPERATION TIME<br>(INCLUDING OR MAINTENANCE) | TIME WORKED OUTSIDE NORMAL HRS |
|------------------------------------|---------------------|-----------------|----------------------------------------------------|--------------------------------|
| OR1                                | 70%                 | 3               | 17 hrs and 35 mins                                 | 6 hrs and 20 mins              |
| OR2                                | 39%                 | 1               | 7 hrs and 25 mins                                  | 1 hr and 10 mins               |
| OR3                                | 133%                | 8               | 23 hrs and 42 mins                                 | 2 hrs and 30 mins              |
| OR4                                | 29%                 | 3               | 4 hrs and 41 mins                                  | -                              |
| OR5                                | 84%                 | 7               | 18 hrs and 50 mins                                 | 5 hrs and 25 mins              |
| OR6                                | 0                   | 0               | -                                                  | -                              |
| OR7                                | 0                   | 0               | -                                                  | -                              |
| TOTAL UTILIZATION FOR<br>ALL ROOMS | 63%                 | 22              | 72 hrs and 13 mins                                 | 15 hrs and 25 mins             |

## Wound Classification Report [SROWC]

The *Wound Classification Report* option generates a report showing the total number of surgical cases in each of the various wound classifications for a specified date range. The report is sorted by surgical service.

After selecting a date range, the user has the choice of printing one of three reports.

- Wound Classification Report: The user enters the number 1 to print this summary of wound classifications entered for surgical cases performed during the date range.
- List of Operations by Wound Classification: The user enters the number 2 to print this list of operations sorted by wound classification and by surgical specialty performed during the date range.
- Clean Wound Infection Summary: The user enters the number 3 to print this summary of clean wound infections.

These reports are in an 80-column format and can be viewed on the screen.

### Example 1: Wound Classification Report (Summary)

```
Select Management Reports Option: WC Wound Classification Report
Wound Classification Report

Start with Date: 7/1 (JUL 01, 1999)
End with Date: 7/15 (JUL 15, 1999)

Print which of the following ?

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
3. Clean Wound Infection Summary

Select Number: 1// <Enter>

Do you want to print the report for all Surgical Specialties ? YES// N

Print the report for which Specialty ? GENERAL(OR WHEN NOT DEFINED BE LOW)
50
Select An Additional Specialty: ORTHOPEDICS 54
Select An Additional Specialty: <Enter>

Print on Device: [Select Print Device]
```

.....*printout follows*.....

WOUND CLASSIFICATION REPORT  
FROM: JUL 1,1999 TO: JUL 15,1999

---

| SURGICAL SERVICE | CLEAN | CLEAN<br>CONTAMINATED | CONTAMINATED | INFECTED | NO CLASS<br>ENTERED |
|------------------|-------|-----------------------|--------------|----------|---------------------|
| GENERAL          | 9     | 10                    | 4            | 3        | 0                   |
| ORTHOPEDICS      | 9     | 0                     | 0            | 0        | 0                   |
| SUB TOTAL:       | 18    | 10                    | 4            | 3        | 0                   |

TOTAL: 35

CLEAN WOUND INFECTION RATE: 0.0%

Press RETURN to continue <Enter>

## Example 2: List of Operations by Wound Classification

Select Management Reports Option: **WC** Wound Classification Report  
Wound Classification Report

Start with Date: **7/8** (JUL 08, 1999)  
End with Date: **7/8** (JUL 08, 1999)

Print which of the following ?

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
- 3.** Clean Wound Infection Summary

Select Number: 1// **2**

Do you want to print the report for all Wound Classifications ? YES// **N**

Print report for which Wound Classification ?

1. CLEAN
2. CLEAN/CONTAMINATED
3. CONTAMINATED
4. DIRTY/INFECTED
- 5.** NO CLASS ENTERED

Select Number: **1**

Do you want to print the report for all Surgical Specialties ? YES// **N**

Print the report for which Specialty ? **GENERAL** (OR WHEN NOT DEFINED BELOW) 50

Select An Additional Specialty: **PERIPHERAL VASCULAR** 62

Select An Additional Specialty: **<Enter>**

Print on Device: **[Select Print Device]**

.....*printout follows*.....

List of Surgical Cases by Wound Classification  
FROM: JUL 8,1999 TO: JUL 8,1999  
Wound Classification: CLEAN

Page:  
1

DATE PRINTED: JUL 27,1999

| Operation Date<br>Case # | Patient<br>ID # | Surgeon/Provider |
|--------------------------|-----------------|------------------|
|--------------------------|-----------------|------------------|

=====

>> GENERAL (OR WHEN NOT DEFINED BELOW) <<

|                       |                                                               |                |
|-----------------------|---------------------------------------------------------------|----------------|
| JUL 08, 1999<br>33280 | SURPATIENT,TEN<br>000-12-3456<br>* RT. INGUINAL HERNIA REPAIR | SURSURGEON,ONE |
|-----------------------|---------------------------------------------------------------|----------------|

-----

|                       |                                                                          |                 |
|-----------------------|--------------------------------------------------------------------------|-----------------|
| JUL 08, 1999<br>33629 | SURPATIENT,FOUR<br>000-17-0555<br>* INCARCERATED UMBILICAL HERNIA REPAIR | SURSURGEON,FOUR |
|-----------------------|--------------------------------------------------------------------------|-----------------|

-----

Press RETURN to continue, or '^' to quit: <Enter>

List of Surgical Cases by Wound Classification  
FROM: JUL 8,1999 TO: JUL 8,1999  
Wound Classification: CLEAN

Page:  
2

DATE PRINTED: JUL 27,1999

| Operation Date<br>Case # | Patient<br>ID # | Surgeon/Provider |
|--------------------------|-----------------|------------------|
|--------------------------|-----------------|------------------|

=====

>> PERIPHERAL VASCULAR <<

|                       |                                                                                                |                |
|-----------------------|------------------------------------------------------------------------------------------------|----------------|
| JUL 08, 1999<br>33478 | SURPATIENT,FORTY<br>000-77-7777<br>* LEFT CAROTID ENDARTERECTOMY<br>* REOPERATION LEFT CAROTID | SURSURGEON,ONE |
|-----------------------|------------------------------------------------------------------------------------------------|----------------|

-----

|                       |                                                                         |                |
|-----------------------|-------------------------------------------------------------------------|----------------|
| JUL 08, 1999<br>33575 | SURPATIENT,TWO<br>000-45-1982<br>* LT. A-V FISTULA WITH LOOP VEIN GRAFT | SURSURGEON,TWO |
|-----------------------|-------------------------------------------------------------------------|----------------|

-----

Press RETURN to continue <Enter>

### Example 3: Clean Wound Infection Summary

Select Management Reports Option: **WC** Wound Classification Report  
Wound Classification Report

Start with Date: **6/1** (JUN 01, 1999)  
End with Date: **6/30** (JUN 30, 1999)

Print which of the following ?

1. Wound Classification Report (Summary)
2. List of Operations by Wound Classification
- 3. Clean Wound Infection Summary**

Select Number: 1// **3**

Do you want to print the report for all Surgical Specialties ? YES// **<Enter>**

Print on Device: **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 SURGICAL SERVICE  
 CLEAN WOUND INFECTION SUMMARY  
 FROM: JUN 1,1999 TO: JUN 30,1999  
 DATE PRINTED: JUL 18,1999  
 REVIEWED BY:                      DATE REVIEWED:

| SURGICAL SERVICE     | CLEAN WOUNDS | INFECTIONS | INFECTION RATE |
|----------------------|--------------|------------|----------------|
| GENERAL              | 21           | 1          | 4.8%           |
| GYNECOLOGY           | 0            | 0          | 0.0%           |
| NEUROSURGERY         | 11           | 0          | 0.0%           |
| OPHTHALMOLOGY        | 30           | 0          | 0.0%           |
| ORTHOPEDECS          | 20           | 1          | 5.0%           |
| OTORHINOLARYNGOLOGY  | 6            | 0          | 0.0%           |
| PLASTIC SURGERY      | 7            | 0          | 0.0%           |
| PROCTOLOGY           | 0            | 0          | 0.0%           |
| THORACIC SURGERY     | 2            | 0          | 0.0%           |
| UROLOGY              | 2            | 0          | 0.0%           |
| ORAL SURGERY         | 0            | 0          | 0.0%           |
| PODIATRY             | 14           | 0          | 0.0%           |
| PERIPHERAL VASCULAR  | 28           | 0          | 0.0%           |
| CARDIAC SURGERY      | 0            | 0          | 0.0%           |
| TRANSPLANTATION      | 0            | 0          | 0.0%           |
| ANESTHESIOLOGY       | 0            | 0          | 0.0%           |
| RHEUMATOLOGY         | 1            | 0          | 0.0%           |
| PULMONARY            | 0            | 0          | 0.0%           |
| GASTROENTEROLOGY     | 0            | 0          | 0.0%           |
| NO SPECIALTY ENTERED | 0            | 0          | 0.0%           |
| TOTAL                | 142          | 2          | 1.4%           |



## Print Blood Product Verification Audit Log [SR BLOOD PRODUCT VERIFY AUDIT]

The *Blood Product Verification Audit Log* option is used to print the KERNEL audit log for the *Blood Product Verification* option.

Prior to printing entries from the KERNEL audit log for the *Blood Product Verification* option (located on the *Operation Menu*), the audit function must be turned on either through the *System Manager Menu* option or by invoking the *Establish System Audit Parameters* option in KERNEL, as shown in the following example.

### Example: Establish System Audit Parameters

```
Select Systems Manager Menu Option: System Security
Select System Security Option: AUDit Features
Select Audit Features Option: Maintain System Audit Options
Select Maintain System Audit Options Option: Establish System Audit Parameters
Kernel Site Parameter edit

DOMAIN: [Enter your domain here.]

OPTION AUDIT: SPECIFIC OPTIONS AUDITED FAILED ACCESS ATTEMPTS:
INITIATE AUDIT: [Enter date here.] TERMINATE AUDIT: [Enter date here.]

Option to audit Namespace to audit
SR BLOOD PRODUCT VERIFICATION

User to audit Device to audit

COMMAND: Press <PF1>H for help Insert
```

## Example: Print Blood Product Verification Audit Log

Select Management Reports Option: **BA** Print Blood Product Verification Audit Log  
Enter a date range to print the Blood Verification Audit Log.

\* Previous selection: DATE/TIME from Feb 21,1999  
START WITH DATE/TIME: FIRST// <Enter>  
DEVICE: [**Select Print Device**]

.....*printout follows*.....

MENU OPTION AUDIT LOG      APR 2,1999                      3:04 PM                      PAGE 1

-----  
\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER:    SURSURGEON,TWO  
DATE/TIME (ENTRY):    MAR   5,1999   09:24            (EXIT): MAR 5,1999 09:24  
CPU:    VAA                      DEVICE:    \_LTA8720:                      JOB:    541070010

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER:    SURSURGEON,SIX  
DATE/TIME (ENTRY):    MAR   5,1999   09:24            (EXIT): MAR 5,1999 09:24  
CPU:    VAA                      DEVICE:    \_LTA8720:                      JOB:    541070010

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER:    SURSURGEON,ONE  
DATE/TIME (ENTRY):    MAR   6,1999   13:06            (EXIT): MAR 6,1999 13:07  
CPU:    VAA                      DEVICE:    \_LTA1411:                      JOB:    541072157

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER:    SURSURGEON,ONE  
DATE/TIME (ENTRY):    MAR   6,1999   13:10            (EXIT): MAR 6,1999 13:11  
CPU:    VAA                      DEVICE:    \_LTA1411:                      JOB:    541072157

\*\*\* OPTION: SR BLOOD PRODUCT VERIFICATION

USER:    SURSURGEON,ONE  
DATE/TIME (ENTRY):    MAR   6,1999   13:20            (EXIT): MAR 6,1999 13:20  
CPU:    VAA                      DEVICE:    \_LTA1411:                      JOB:    541072157

## **Key Missing Surgical Package Data** **[SROQ MISSING DATA]**

The *Key Missing Surgical Package Data* option generates a list of surgical cases performed within the selected date range that are missing key information. This report includes surgical cases with an entry in the TIME PAT IN OR field and does not include aborted cases.

This report has a 132-column format and is designed to be copied to a printer.

### **Example: Key Missing Surgical Package Data**

```
Select Management Reports Option: KEY Key Missing Surgical Package Data
 Report of Key Missing Surgical Package Data

For surgical cases with an entry in the TIME PAT IN OR field and that are not
aborted, this option generates a report of cases missing any of the following
pieces of information:

 Hospital Admission Status
 Case Schedule Type
 Attending Code
 Time Pat Out OR
 Wound Classification
 ASA Class
 CPT Code (Principal
 Principal anesthesia technique

Start with Date: Start with Date: 4 1 (APR 01, 2005)
End with Date: 4 30 (APR 30, 2005)
Do you want the report for all Surgical Specialties ? YES// <Enter>

This report is designed to use a 132 column format.

Print the report to which Printer ? [Select Print Device]
```

.....*printout follows*.....

## MAYBERRY, NC

Report of Key Missing Surgical Package Data

PAGE 1

From: APR 1,2005 To: APR 30,2005

Report Printed: MAY 11,2005@15:09

| DATE OF OPERATION<br>CASE # | PATIENT NAME<br>PATIENT ID (AGE)          | SURGICAL SPECIALTY<br>PRINCIPAL PROCEDURE                                | MISSING ITEMS |
|-----------------------------|-------------------------------------------|--------------------------------------------------------------------------|---------------|
| APR 6,2005@07:40<br>32474   | SURPATIENT, ONE<br>000-44-7629 (46)       | OPHTHALMOLOGY<br>PHACOEMULSIFICATION, LENS IMPLANT OD                    | D             |
| APR 12,2005@12:00<br>32508  | SURPATIENT, FORTYONE<br>000-43-2109 (78)  | OPHTHALMOLOGY<br>PHACOEMULSIFICATION, LENS IMPLANT OS                    | D             |
| APR 12,2005@13:50<br>32534  | SURPATIENT, ONE<br>000-44-7629 (46)       | PLASTIC SURGERY (INCLUDES HEAD AND NECK)<br>EXCISION OF RT. WRIST MASS   | D             |
| APR 12,2005@14:00<br>32544  | SURPATIENT, THIRTY<br>000-82-9472 (48)    | OPHTHALMOLOGY<br>PHACOEMULSIFICATION OD                                  | D             |
| APR 13,2005@09:20<br>32513  | SURPATIENT, FIFTYTWO<br>000-99-8888 (79)  | OPHTHALMOLOGY<br>PHACOEMULSIFICATION, LENS IMPLANT OD                    | D             |
| APR 15,2005@13:05<br>32351  | SURPATIENT, FIFTY<br>000-45-9999 (44)     | GENERAL (OR WHEN NOT DEFINED BELOW)<br>EXCISIONAL BIOPSY MASS RT. BREAST | D             |
| APR 19,2005@13:00<br>32580  | SURPATIENT, SEVENTEEN<br>000-45-5119 (71) | OPHTHALMOLOGY<br>PHACOEMULSIFICATION LENS IMPLANT OD                     | D             |
| APR 27,2005@13:15<br>32684  | SURPATIENT, SIXTY<br>000-56-7821 (40)     | OPHTHALMOLOGY<br>TRABECULECTOMY OD                                       | F             |

TOTAL CASES MISSING DATA: 8

MISSING ITEMS CODES: A-HOSPITAL ADMISSION STATUS, C-CASE SCHEDULE TYPE, D-ATTENDING CODE, E-TIME PAT OUT OR, F-WOUND CLASSIFICATION, G-ASA CLASS, H-CPT CODE (PRINCIPAL), I-PRINCIPAL ANESTHESIA TECHNIQUE

## **Admitted w/in 14 days of Out Surgery If Postop Occ** **[SROQADM]**

The *Admitted w/in 14 days of Out Surgery If Postop Occ* option displays a list of patients with completed outpatient surgical cases that resulted in at least one postoperative occurrence and a hospital admission within 14 days of the surgery.

This report has a 132-column format and is designed to be copied to a printer with wide paper.

### **Example: Report of Admitted w/in 14 days of Out Surgery If Postop Occ**

Select Management Reports Option: OC Admitted w/in 14 days of Out Surgery If Postop  
Occ

Outpatient Cases with Postop Occurrences and  
Admissions Within 14 Days

This report displays the completed outpatient surgical cases which resulted in at  
least one postoperative occurrence and a hospital admission within 14 days.

Start with Date: **9 1 04** (SEP 01, 2004)

End with Date: **12 31 04** (DEC 31, 2004)

Do you want the report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 OUTPATIENT CASES WITH POSTOP OCCURRENCES AND ADMISSIONS WITHIN 14 DAYS  
 SEP 1,2004 To: DEC 31,2004  
 Report Printed: FEB 12,2005@13:44

PAGE 1 From:

| DATE OF OPERATION                         | PATIENT NAME<br>PATIENT ID (AGE)        | SURGICAL SPECIALTY<br>PROCEDURE(S) PERFORMED                                                                                                                      | ANESTHESIA TECHNIQUE | DATE OF ADMISSION CASE # |
|-------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------|
| *OCCURRENCE - (DATE)                      |                                         |                                                                                                                                                                   |                      |                          |
| SEP 24,2004@12:30<br>30395                | SURPATIENT,FORTY<br>000-77-7777 (72)    | THORACIC SURGERY (INC. CARDIAC<br>MEDIASTINOSCOPY WITH NODE BIOPSY                                                                                                | GENERAL              | OCT 3,2004@14:11         |
| *OTHER OCCURRENCE - (10/03/04)            |                                         |                                                                                                                                                                   |                      |                          |
| SEP 25,2004@14:30<br>30544                | SURPATIENT,EIGHTEEN<br>000-22-3334 (71) | GENERAL(OR WHEN NOT DEFINED BE<br>LEFT INGUINAL HERNIORRAPHY<br>HYDROCELECTOMY                                                                                    | GENERAL              | SEP 28, 2004@10:06       |
| *OTHER OCCURRENCE - (09/28/04)            |                                         |                                                                                                                                                                   |                      |                          |
| NOV 18,2004@09:45<br>31034                | SURPATIENT,FIFTEEN<br>000-98-1234 (55)  | PLASTIC SURGERY (INCLUDES HEAD<br>GANGLION CYST LT. WRIST<br>INCLUSION OF CYST INDEX FINGER LT.<br>EXCISION OF LIPOMA OF LT. FOOT<br>APPLICATION SHORT ARM SPLINT | GENERAL              | NOV 28, 2004@12:51       |
| *SUPERFICIAL WOUND INFECTION - (11/28/04) |                                         |                                                                                                                                                                   |                      |                          |
| DEC 9,2004@13:35<br>31242                 | SURPATIENT,EIGHT<br>000-37-0555 (64)    | ORTHOPEDECS<br>ORIF RT ULNA<br>REPAIR RT. DISTALRADIOULNAR FX (                                                                                                   | GENERAL              | DEC 9, 2004@17:55        |
| *SUPERFICIAL WOUND INFECTION - (12/29/04) |                                         |                                                                                                                                                                   |                      |                          |
| DEC 31,2004@07:30                         | SURPATIENT,FIFTYONE<br>000-23-3221 (31) | OTORHINOLARYNGOLOGY (ENT)<br>NASAL SINUS SURGERY WITH BIL SPENOETHMOID POLYPECTOMY (CPT Code: 31205)<br>BILATERAL ANTROSTOMY BILATERAL<br>TURBINECTOMY            | GENERAL              | DEC 31, 2004@18:02 31277 |
| *OTHER CNS OCCURRENCE - (01/05/03)        |                                         |                                                                                                                                                                   |                      |                          |

TOTAL CASES: 5

## Deaths Within 30 Days of Surgery [SROQD]

The *Deaths Within 30 Days of Surgery* option lists patients who had surgery within the selected date range, died within 30 days of surgery. Two separate reports are available through this option.

**1. Total Cases Summary:** This report may be printed in one of three ways.

A. All Cases

The report will list all patients who had surgery within the selected date range and who died within 30 days of surgery, along with all of the patients' operations that were performed during the selected date range.

B. Outpatient Cases Only

The report will list only the surgical cases that are associated with deaths that are counted as outpatient (ambulatory) deaths.

C. Inpatient Cases Only

The report will list only the surgical cases that are associated with deaths that are counted as inpatient deaths.

**2. Specialty Procedures:** This report will list the surgical cases that are associated with deaths that are counted for the national surgical specialty linked to the local surgical specialty. Cases are listed by national surgical specialty.

These reports have a 132-column format and are designed to be copied to a printer.

## Example 1: Deaths Within 30 Days of Surgery - Total Cases Summary

Select Management Reports Option: DS Deaths Within 30 Days of Surgery

Deaths Within 30 Days of Surgery

This report lists patients who had surgery within the selected date range and who died within 30 days of surgery.

Start with Date: **4/1** (APR 01, 2005)

End with Date: **4/30** (APR 30, 2005)

Print which report?

1. Total Cases Summary
2. National Specialty Procedures

Select number: 1// **1** Total Cases Summary

Print Deaths within 30 Days of Surgery for

- A - All cases
- O - Outpatient cases only
- I - Inpatient cases only

Select Letter (I, O or A): A// **All Cases**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

.....*printout follows*.....



MAYBERRY, NC

DEATHS WITHIN 30 DAYS OF SURGERY  
FOR SURGERY PERFORMED FROM: APR 1,2005 TO: APR 30,2005  
Report Printed: MAY 18,2005@12:09

PAGE 1

| OP DATE                                                    | CASE # | IN/OUT | SURGICAL SPECIALTY                  | PROCEDURE(S)                                                                          | DEATH RELATED |
|------------------------------------------------------------|--------|--------|-------------------------------------|---------------------------------------------------------------------------------------|---------------|
| -----                                                      |        |        |                                     |                                                                                       |               |
| >>> SURPATIENT,FORTY (000-77-7777) - DIED 05/12/05 AGE: 70 |        |        |                                     |                                                                                       |               |
| 04/13/05                                                   | 32571  | INPAT  | GENERAL (OR WHEN NOT DEFINED BELOW) | EXPLORATORY LAPAROTOMY<br>RIGHT HEMICOLECTOMY<br>ILEOSTOMY<br>MUCOUS FISTULA OF COLON | UNRELATED     |
| 04/24/05                                                   | 32693  | INPAT  | GENERAL (OR WHEN NOT DEFINED BELOW) | CLOSURE OF ABDOMINAL WALL FASCIA                                                      | UNRELATED     |
| -----                                                      |        |        |                                     |                                                                                       |               |
| >>> SURPATIENT,TEN (000-12-3456) - DIED 05/12/05 AGE: 68   |        |        |                                     |                                                                                       |               |
| 04/26/05                                                   | 32702  | INPAT  | THORACIC SURGERY (INC. CARDIAC SURG | RIGHT THORACOTOMY WITH LUNG BIOPSY<br>DIAPHRAGM BIOPSY                                | UNRELATED     |
| -----                                                      |        |        |                                     |                                                                                       |               |
| >>> SURPATIENT,SIXTY (000-56-7821) - DIED 04/30/05 AGE: 40 |        |        |                                     |                                                                                       |               |
| 04/21/05                                                   | 32567  | INPAT  | THORACIC SURGERY (INC. CARDIAC SURG | ESOPHAGECTOMY<br>ESOPHAGOSCOPY<br>BRONCHOSCOPY<br>FEEDING TUBE JEJUNOSTOMY            | RELATED       |
| -----                                                      |        |        |                                     |                                                                                       |               |
| TOTAL DEATHS: 3                                            |        |        |                                     |                                                                                       |               |

## Example 2: Deaths Within 30 Days of Surgery - Specialty Procedures

Select Management Reports Option: DS Deaths Within 30 Days of Surgery  
Deaths Within 30 Days of Surgery

This report lists patients who had surgery within the selected date range and who died within 30 days of surgery.

Start with Date: **4/1** (APR 01, 2005)  
End with Date: **4/30** (APR 30, 2005)

Print which report?

1. Total Cases Summary
2. National Specialty Procedures

Select number: 1// **2** Specialty Procedures

Do you want the report for all National Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print the report to which Printer ? **[Select Print Device]**

.....*printout follows*.....

MAYBERRY, NC  
 DEATHS WITHIN 30 DAYS OF SURGERY LISTED FOR SPECIALTY PROCEDURES  
 SURGERY PERFORMED FROM: APR 1,2005 TO: APR 30,2005  
 Report Printed: MAY 18,2005@12:38

| OP DATE<br>CASE # | PATIENT NAME<br>PATIENT ID# (AGE) | DATE OF DEATH<br>PROCEDURE(S) | LOCAL SPECIALTY | IN/OUT | DEATH RELATED |
|-------------------|-----------------------------------|-------------------------------|-----------------|--------|---------------|
|-------------------|-----------------------------------|-------------------------------|-----------------|--------|---------------|

=====  
 >>> GENERAL SURGERY <<<

|                   |                                      |                                              |                                     |       |           |
|-------------------|--------------------------------------|----------------------------------------------|-------------------------------------|-------|-----------|
| 04/24/05<br>32693 | SURPATIENT,FORTY<br>000-77-7777 (70) | 05/12/05<br>CLOSURE OF ABDOMINAL WALL FASCIA | GENERAL (OR WHEN NOT DEFINED BELOW) | INPAT | UNRELATED |
|-------------------|--------------------------------------|----------------------------------------------|-------------------------------------|-------|-----------|

TOTAL DEATHS FOR GENERAL SURGERY: 1  
 -----

>>> THORACIC SURGERY <<<

|                   |                                      |                                                                                        |                                       |       |           |
|-------------------|--------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------|-------|-----------|
| 04/26/05<br>32702 | SURPATIENT,TEN<br>000-12-3456 (68)   | 05/12/05<br>RIGHT THORACOTOMY WITH LUNG BIOPSY<br>DIAPHRAGM BIOPSY                     | THORACIC SURGERY (INC. CARDIAC SURG.) | INPAT | UNRELATED |
| 04/21/05<br>32567 | SURPATIENT,SIXTY<br>000-56-7821 (40) | 04/30/05<br>ESOPHAGECTOMY<br>ESOPHAGOSCOPY<br>BRONCHOSCOPY<br>FEEDING TUBE JEJUNOSTOMY | THORACIC SURGERY (INC. CARDIAC SURG.) | INPAT | RELATED   |

TOTAL DEATHS FOR THORACIC SURGERY: 2  
 -----

TOTAL FOR ALL SPECIALTIES: 3

## Unlock a Case for Editing

### [SRO-UNLOCK]

The Chief of Surgery, or a designee, uses the *Unlock a Case for Editing* option to unlock a case so that it can be edited. A case that has been completed will automatically lock within a specified time after the date of operation. When a case is locked, the data cannot be edited.

With this option, the selected case will be unlocked so that the user can use another option (such as in the *Operation Menu* option or *Anesthesia Menu* option) to make changes. The case will automatically re-lock in the evening. The package coordinator has the ability to set the automatic lock times.

Although the case may be unlocked to allow editing, any field that is included in an electronically signed report, for example in the Nurse Intraoperative Report, will require the creation of an addendum to the report before the edit can be completed.

#### Example: Unlock a Case for Editing

```
Select Chief of Surgery Menu Option: Unlock a Case for Editing
Select PATIENT NAME: SURPATIENT,THREE 08-15-91 000212453

 1. 05-15-91 CAROTID ARTERY ENDARTERECTOMY
 2. 05-15-91 AORTO CORONARY BYPASS GRAFT

Select Number: 1

Press <Enter> to continue. <Enter>

Case #115 is now unlocked

Select Chief of Surgery Menu Option:
```

## Update Status of Returns Within 30 Days

### [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option is used to update the status of Returns to Surgery within 30 days of a surgical case.

#### Example: Update Status of Returns

```
Select Chief of Surgery Menu Option: RET Update Status of Returns Within 30 Days
Select Patient: SURPATIENT,FIFTY 10-28-45 000459999
SURPATIENT,FIFTY 000-45-9999
1. 07-13-92 SPLENECTOMY (NOT COMPLETE)
2. 06-30-92 CHOLECYSTECTOMY (COMPLETED)
3. 03-10-92 HEMORRHOIDECTOMY (COMPLETED)

Select Operation: 2
SURPATIENT,FIFTY (000-45-9999) Case #213 RETURNS TO SURGERY
JUN 30,1992 CHOLECYSTECTOMY (CPT MISSING)

1. 07/13/92 SPLENECTOMY (CPT MISSING) - RELATED

This return to surgery is currently defined as RELATED to the case selected.
Do you want to change this status ? NO// Y

Press RETURN to continue
```

## Update Cancelled Cases

### [SRO UPDATE CANCELLED CASE]

 This option is locked with the SROCHIEF key and will not appear on the menu if the user does not have this key.

Normally, a cancelled case cannot be accessed for editing. However, the restricted *Update Cancelled Cases* option allows the Chief of Surgery to edit a cancelled case.

When the user enters this option, the software will allow access to the *Operations Menu* option.

#### Example: Update a Cancelled Case

```
Select Chief of Surgery Menu Option: CAN Update Cancelled Case
Update Cancelled Case

Select Patient: SURPATIENT,FOURTEEN 08-16-51 000457212
SURPATIENT,FOURTEEN 000-45-7212

1. 09-16-99 CHOLECYSTECTOMY (CANCELLED)
2. 09-15-99 CHOLECYSTECTOMY (CANCELLED)

Select Operation: 2
SURPATIENT,FOURTEEN (000-45-7212) Case #15644 - SEP 15,1992

I Operation Information
SS Surgical Staff
OS Operation Startup
O Operation
PO Post Operation
PAC Enter PAC(U) Information
OSS Operation (Short Screen)
V Surgeon's Verification of Diagnosis & Procedures
A Anesthesia for an Operation Menu ...
OR Operation Report
AR Anesthesia Report
NR Nurse Intraoperative Report
TR Tissue Examination Report
R Enter Referring Physician Information
RP Enter Irrigations and Restraints

Select Update Cancelled Case Option:
```

## Update Operations as Unrelated/Related to Death

### [SRO DEATH RELATED]

The *Update Operations as Unrelated/Related to Death* option is used to update the status of operations performed within 90 days prior to death. The status is either UNRELATED or RELATED TO DEATH. With this option the user can add comments to further document the review of death.

#### Example: Updating an Operation as Related to Death

```
Select Surgery Risk Assessment Menu Option: D Update Operations as Unrelated/Related to Death
Update Operations as Unrelated or Related to Death
Select Patient: SURPATIENT,THIRTY 01-12-32 000829472 NO NON-VETERAN (OTHER)
Update Operations as Unrelated or Related to Death
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
Operations in 90 Days Prior to Death:
1. 01/29/00 CABG, VEIN, SIX+ (33516) - UNRELATED
 >>> Died 29 days postop. <<<
2. 01/06/00 TOTAL LARYNGECTOMY (CPT MISSING) - UNRELATED
 >>> Died 52 days postop. <<<
3. 12/02/99 EVACUATION OF HEMATOMA LT.THIGH (27301) - UNRELATED
 >>> Died 87 days postop. <<<
Select Number of Operation to be Updated: (1-3): 1
Update Operations as Unrelated or Related to Death
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
1. 01/29/00 CABG, VEIN, SIX+ (33516) - UNRELATED
 >>> Died 29 days postop. <<<
Was the Death Unrelated or Related to the Surgery?: UNRELATED
// R RELATED
Review of Death Comments:
No existing text
Edit? NO// <Enter>
Update Operations as Unrelated or Related to Death
SURPATIENT,THIRTY 000-82-9472 * DIED 02/27/00 *
Operations in 90 Days Prior to Death:
1. 01/29/00 CABG, VEIN, SIX+ (33516) - RELATED
 >>> Died 29 days postop. <<<
2. 01/06/00 TOTAL LARYNGECTOMY (CPT MISSING) - UNRELATED
 >>> Died 52 days postop. <<<
3. 12/02/99 EVACUATION OF HEMATOMA LT.THIGH (27301) - UNRELATED
 >>> Died 87 days postop. <<<
Select Number of Operation to be Updated: (1-3): <Enter>
Update Operations as Unrelated or Related to Death
Select Patient:
```

# Update/Verify Procedure/Diagnosis Codes

## [SRCODING EDIT]

The *Update/Verify Procedure/Diagnosis Codes* option is used to edit and/or verify the CPT and ICD-9 codes for an operation or non-O.R. procedure.

Select Chief of Surgery Menu Option: **CODE** Update/Verify Procedure/Diagnosis Codes

Select Patient: **D8719** SURPATIENT,TWELVE 000-41-8719

1. 01-01-1999 AORTIC VALVE REPLACEMENT
2. 02-18-1999 TRACHEOSTOMY

Select Case: **2**

SURPATIENT,TWELVE (000-41-8719) Case #124  
FEB 18, 1999@08:45 TRACHEOSTOMY

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD9): NOT ENTERED
2. Other Postop Diagnosis Code (ICD9): NOT ENTERED
3. Principal CPT Code: NOT ENTERED
4. Other CPT Code: NOT ENTERED

-----  
Enter number of item to edit (1-4): ?

Enter the number corresponding to the information you want to update. You may enter 'ALL' to update all the information displayed on this screen, or a range of numbers separated by a ':' to update more than one item.

Enter number of item to edit (1-4): **3**

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Principal Procedure Code (CPT): **31600** INCISION OF WINDPIPE  
TRACHEOSTOMY, PLANNED (SEPARATE PROCEDURE);  
Modifier: **59** DISTINCT PROCEDURAL SERVICE  
Modifier: **<Enter>**

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD9): NOT ENTERED
2. Other Postop Diagnosis Code (ICD9): NOT ENTERED
3. Principal CPT Code: 31600-59 INCISION OF WINDPIPE  
Assoc. DX(ICD9): NOT ENTERED
4. Other CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX (ICD9): NOT ENTERED

-----  
Enter number of item to edit (1-4): **4**



SURPATIENT, TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Procedures:

1. CPT Code: 31622 DX BRONCHOSCOPE/WASH
2. Enter NEW Other Procedure

Enter selection: (1-2): 2

Enter new OTHER PROCEDURE: **ESOPHAGOSCOPY**  
OTHER PROCEDURE CPT CODE: **43200** ESOPHAGUS ENDOSCOPY  
ESOPHAGOSCOPY, RIGID OR FLEXIBLE;  
DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR  
WASHING (SEPARATE PROCEDURE)

Modifier: **<Enter>**

Press RETURN to continue **<Enter>**

SURPATIENT, TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Procedures:

1. CPT Code: 31622 DX BRONCHOSCOPE/WASH
2. CPT Code: 43200 ESOPHAGUS ENDOSCOPY
3. Enter NEW Other Procedure

Enter selection: (1-3): **<Enter>**

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD9): 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code (ICD9): NOT ENTERED
3. Principal CPT Code: 31600-59 INCISION OF WINDPIPE  
Assoc. DX(ICD9): NOT ENTERED
4. Other CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX (ICD9): NOT ENTERED  
Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX (ICD9): NOT ENTERED

-----  
Enter number of item to edit (1-4): 1  
-----

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

Principal Postop Diagnosis:

ICD9 Code: 934.0 FOREIGN BODY IN TRACHEA

-----  
SC:Y

Select one of the following:

- 1 Update Principal Postop Diagnosis Code
- 2 Update Service Connected/Environmental Indicators Only

Enter selection (1 or 2): 1// <Enter>

Principal Postop Diagnosis Code (ICD9): 934.0// <Enter>

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD9): 934.0 FOREIGN BODY IN TRACHEA
2. Other Postop Diagnosis Code (ICD9): NOT ENTERED
3. Principal CPT Code: 31600-59 INCISION OF WINDPIPE  
Assoc. DX(ICD9): 934.0-FOREIGN BODY IN TRACHEA
4. Other CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX (ICD9): 934.0-FOREIGN BODY IN TRACHEA  
Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY  
Assoc. DX (ICD9): 934.0-FOREIGN BODY IN TRACHEA

-----  
Enter number of item to edit (1-4): 2  
-----

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, Case #124

-----  
Other Postop Diagnosis:

1. Enter NEW Other Postop

Diagnosis Enter selection: (1-1):

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Other Postop Diagnosis:

1. Enter NEW Other Postop Diagnosis

Enter selection: (1-1): 1

Enter new OTHER POSTOP DIAGNOSIS: LARYNGEAL/TRACHEAL BURN  
ICD DIAGNOSIS CODE: **947.1** 947.1 BURN LARYNX/TRACHEA/LUNG  
...OK? Yes// **<Enter>**

The ICD Code field below indicates ICD-9 or ICD-10 codes:

**Example: ICD-9 Code:**

SRPATIENTA,ONE (000-12-3456) Case #35706  
MAR 01, 2012 RIGHT ARM PAIN

-----  
Other Postop Diagnosis:

1. ICD9 Code: 003.1 SALMONELLA SEPTICEMIA

2. Enter NEW Other Postop Diagnosis

Code Enter selection: (1-2):

SURPATIENT,TWELVE (000-41-8719)  
Operation Date: FEB 18, 1999@08:45 Case #124

-----  
Surgery Procedure PCE/Billing Information:

1. Principal Postop Diagnosis Code (ICD9): 934.0 FOREIGN BODY IN TRACHEA

2. Other Postop Diagnosis Code (ICD9): 947.1 BURN LARYNX/TRACHEA/LUNG

3. Principal CPT Code: 31600-59 INCISION OF WINDPIPE  
Assoc. DX(ICD9): 934.0-FOREIGN BODY IN TRACHE

4. Other CPT Code: 31622 DX BRONCHOSCOPE/WASH  
Assoc. DX (ICD9): 934.0-FOREIGN BODY IN TRACHE

Other CPT Code: 43200 ESOPHAGUS ENDOSCOPY

Assoc. DX (ICD9): 934.0-FOREIGN BODY IN TRACHE

-----  
Select Information to Edit:  
-----

**Example: ICD-10 Code:**

SRPATIENTA,ONE (000-12-3456) Case #45670  
MAY 01, 2014 REPAIR OF KIDNEY

-----  
Other Postop Diagnosis:

1. ICD10 Code: W32.0XXS Accidental handgun discharge, sequela

2. Enter NEW Other Postop Diagnosis Code

Enter selection: (1-2)

# Chapter Six: Managing the Software Package

---

## Introduction

This chapter describes options designed for the exclusive use of the Surgery package coordinator. The package coordinator can configure certain Surgery package fields to conform to a facility's needs.

## Exiting an Option or the System

The user should enter an up-arrow (^) to stop what he or she is doing. The up-arrow can be used at almost any prompt to terminate the line of questioning and return to the previous level in the routine. The user would continue entering up-arrows to completely exit the system.

## Option Overview

The main option included in this menu is listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option. This is a restricted option and only users with the SRCOORD security key have access.

| Shortcut | Option Name                            |
|----------|----------------------------------------|
| M        | <i>Surgery Package Management Menu</i> |

## Surgery Package Management Menu

### [SRO PACKAGE MANAGEMENT]

The *Surgery Package Management Menu* provides access to options that are used to manage the Surgery software. Each option is discussed in the rest of this chapter.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym that the user can enter to select the option.

| Shortcut | Option Name                                    |
|----------|------------------------------------------------|
| S        | <i>Surgery Site Parameters (Enter/Edit)</i>    |
| OR       | <i>Operating Room Information (Enter/Edit)</i> |
| SU       | <i>Surgery Utilization Menu ...</i>            |
| KEY      | <i>Person Field Restrictions Menu ...</i>      |
| SD       | <i>Update O.R. Schedule Devices</i>            |
| U        | <i>Update Staff Surgeon Information</i>        |
| D        | <i>Flag Drugs for Use as Anesthesia Agents</i> |
| F        | <i>Update Site Configurable Files</i>          |
| SI       | <i>Surgery Interface Management Menu ...</i>   |
| V        | <i>Make Reports Viewable in CPRS</i>           |

## Surgery Site Parameters (Enter/Edit)

### [SROPARAM]

Surgical Service managers use this option to create or update local site parameters for the Surgery package.

A question mark or two can be entered to access the help text at any prompt.

### Example: Enter Surgery Site Parameters

```
Select Surgery Package Management Menu Option: S Surgery Site Parameters (Enter/Edit)
```

```
Edit Parameters for which Surgery Site: MAYBERRY, NC
```

```
MAYBERRY, NC (999) PAGE 1 OF 2
```

```
1 MAIL CODE FOR ANESTHESIA: 112G
2 CANCEL IVS: CANCEL
3 DEFAULT BLOOD COMPONENT: CPDA-1 RED BLOOD CELLS
4 CHIEF'S NAME: DR. THREE SURSURGEON
5 LOCK AFTER HOW MANY DAYS:
6 REQUEST DEADLINE: 15:00
7 SCHEDULE CLOSE TIME: 14:00
8 NURSE INTRAOP REPORT: PRINT TITLES WITH INFO ONLY
9 CARDIAC ASSESSMENT IN USE (Y/N): YES
10 ASK FOR RISK PREOP INFO: NO
11 PCE UPDATE ACTIVATION DATE: OCT 01, 1999
12 SURGICAL RESIDENTS (Y/N): NO
```

```
Enter Screen Server Function: 5
```

```
Lock Completed Cases after How Many Days?: 14
```

```
MAYBERRY, NC (999) PAGE 1 OF 2
```

```
1 MAIL CODE FOR ANESTHESIA: 112G
2 CANCEL IVS: CANCEL
3 DEFAULT BLOOD COMPONENT: CPDA-1 RED BLOOD CELLS
4 CHIEF'S NAME: DR. THREE SURSURGEON
5 LOCK AFTER HOW MANY DAYS: 14
6 REQUEST DEADLINE: 15:00
7 SCHEDULE CLOSE TIME: 14:00
8 NURSE INTRAOP REPORT: PRINT TITLES WITH INFO ONLY
9 CARDIAC ASSESSMENT IN USE (Y/N): YES
10 ASK FOR RISK PREOP INFO: NO
11 PCE UPDATE ACTIVATION DATE: OCT 01, 1999
12 SURGICAL RESIDENTS (Y/N): NO
```

```
Enter Screen Server Function: <Enter>
```

1 REQUIRED FIELDS FOR SCHEDULING: (MULTIPLE) (DATA)  
 2 REQUEST CUTOFF FOR SUNDAY: SATURDAY  
 3 REQUEST CUTOFF FOR MONDAY: FRIDAY  
 4 REQUEST CUTOFF FOR TUESDAY: MONDAY  
 5 REQUEST CUTOFF FOR WEDNESDAY: TUESDAY  
 6 REQUEST CUTOFF FOR THURSDAY: WEDNESDAY  
 7 REQUEST CUTOFF FOR FRIDAY: THURSDAY  
 8 REQUEST CUTOFF FOR SATURDAY: FRIDAY  
 9 HOLIDAY SCHEDULING ALLOWED: (MULTIPLE) (DATA)  
 10 INACTIVE?:  
 11 AUTOMATED CASE CART ORDERING: YES  
 12 ANESTHESIA REPORT IN USE: YES  
 13 DEFAULT CLINIC FOR DOCUMENTS:  
 14 CODE ISSUE MAIL GROUP:

Enter Screen Server Function: 1

REQUIRED FIELDS FOR SCHEDULING

1 NEW ENTRY

Enter Screen Server Function: 1

Select REQUIRED FIELDS FOR SCHEDULING: 27 PRINCIPAL PROCEDURE CODE

ARE YOU ADDING 'PRINCIPAL PROCEDURE CODE' AS

A NEW REQUIRED FIELDS FOR SCHEDULING (THE 1ST FOR THIS SURGERY SITE PARAMETERS)? Y (YES)

REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE

// <Enter>

REQUIRED FIELDS FOR SCHEDULING (PRINCIPAL PROCEDURE CODE)

1 REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE  
 2 COMMENTS: (WORD PROCESSING) (DATA)

Enter Screen Server Function: <Enter>

REQUIRED FIELDS FOR SCHEDULING

1 REQUIRED FIELDS FOR SCHEDULING: PRINCIPAL PROCEDURE CODE  
 2 NEW ENTRY

Enter Screen Server Function: <Enter>

Enter Screen Server Function: 2

Comments:

1>This field is required for SPD.

2><Enter>

EDIT Option: <Enter>



- 1 REQUIRED FIELDS FOR SCHEDULING: (MULTIPLE) (DATA)
- 2 REQUEST CUTOFF FOR SUNDAY: SATURDAY
- 3 REQUEST CUTOFF FOR MONDAY: FRIDAY
- 4 REQUEST CUTOFF FOR TUESDAY: MONDAY
- 5 REQUEST CUTOFF FOR WEDNESDAY: TUESDAY
- 6 REQUEST CUTOFF FOR THURSDAY: WEDNESDAY
- 7 REQUEST CUTOFF FOR FRIDAY: THURSDAY
- 8 REQUEST CUTOFF FOR SATURDAY: FRIDAY
- 9 HOLIDAY SCHEDULING ALLOWED: (MULTIPLE) (DATA)
- 10 INACTIVE?:
- 11 AUTOMATED CASE CART ORDERING: YES
- 12 ANESTHESIA REPORT IN USE: YES
- 13 DEFAULT CLINIC FOR DOCUMENTS:
- 14 CODE ISSUE MAIL GROUP:

Enter Screen Server Function:

## Operating Room Information (Enter/Edit)

### [SRO-ROOM]

The *Operating Room Information (Enter/Edit)* option is used to enter or edit information pertinent to a selected operating room, including start and end times, and cleaning time.

At the TYPE field, the user can enter two question marks (??) to get a list of operating room types from which to select. If an operating room is not in service, the user can enter "YES" at the INACTIVE field to make the operating room inactive and prevent its use by other people using the Surgery software.

### Example: Entering Operating Room Information

```
Select Surgery Package Management Menu Option: OR Operating Room Information (Enter/Edit)
```

```
Enter/Edit Information for which Operating Room ? OR1
OR1 ** Update O.R. ** PAGE 1 OF 1
```

```
1 LOCATION: 1 WEST
2 PERSON RESP.: SURSURGEON, ONE
3 TELEPHONE: 534-1231
4 TYPE: GENERAL PURPOSE OPERATING ROOM
5 CLEANING TIME: 15
6 REMARKS:
7 INACTIVE?:
```

```
Enter Screen Server Function: 2
```

```
Person Responsible for this Operating Room: SURSURGEON, ONE// SURSURGEON, THIRTY
```

```
OR1 ** Update O.R. ** PAGE 1 OF 1
```

```
1 LOCATION: 1 WEST
2 PERSON RESP.: SURSURGEON, THIRTY
3 TELEPHONE: 555-555-1234
4 TYPE: GENERAL PURPOSE OPERATING ROOM
5 CLEANING TIME: 15
6 REMARKS:
7 INACTIVE?:
```

```
Enter Screen Server Function:
```

## Surgery Utilization Menu

### [SR OR UTIL]

The *Surgery Utilization Menu* contains options designed to help determine operating room use. With this menu, Surgery Service managers can schedule the normal operating hours for an operating room, as well as the actual hours an operating room was in use. Operating rooms can also be inactivated. A report can be generated to see what percentage of available hours an operating room was in use and to see if an O.R. was used outside normal hours.

| Shortcut | Option Name                                    |
|----------|------------------------------------------------|
| E        | <i>Operating Room Utilization (Enter/Edit)</i> |
| N        | <i>Normal Daily Hours (Enter/Edit)</i>         |
| R        | <i>Operating Room Utilization Report</i>       |
| H        | <i>Report of Normal Operating Room Hours</i>   |
| P        | <i>Purge Utilization Information</i>           |

## Operating Room Utilization (Enter/Edit) [SR UTIL EDIT ROOM]

The *Operating Room Utilization (Enter/Edit)* option is used to update the actual start and end times for operating rooms on a selected date, one operating room at a time. This information is used when generating the operating room utilization reports.

The user first enters the date, then the name of the operating room. The software will default to the start and end times and allow the times to be edited. There is also a prompt for inactivating a room. If the user does not want to edit an entry, pressing the **<Enter>** key will display the next prompt.

When the user is finished entering or editing times for an operating room, he or she will be prompted for the name of the next operating room. If the user does not wish to edit times for any more operating rooms on this date, he or she should press the **<Enter>** key. The software will then prompt for a new date and the cycle begins again. When the user is finished editing times, he or she can press the **<Enter>** key or enter an up-arrow (^) to exit this option.

### Example: Enter and Edit Operating Room Times

```
Select Surgery Utilization Menu Option: E Operating Room Utilization (Enter/Edit)
Update Start and End Times for Operating Rooms

Update Times for which Date ? T (NOV 03, 2003)
Operating Room Utilization on NOV 3, 2003

Update Start and End Times for which Operating Room ? OR1

Time this Operating Room Begins Functioning: 07:00
// <Enter>
Time this Operating Room Stops Functioning: 17:00
// 13:50 (NOV 03, 2003@13:50)
Has this Room been Inactivated on this Date ? (Y/N): N NO
Operating Room Utilization on NOV 3, 2003

Update Start and End Times for which Operating Room ? OR2

Time this Operating Room Begins Functioning: 07:00
// <Enter>
Time this Operating Room Stops Functioning: 17:00
// 13:30 (NOV 03, 2003@13:30)
Has this Room been Inactivated on this Date ? (Y/N): N NO
```

Operating Room Utilization on NOV 3, 2003

---

Update Start and End Times for which Operating Room ? **OR3**

Time this Operating Room Begins Functioning: 07:00

// **<Enter>**

Time this Operating Room Stops Functioning: 17:00

// **<Enter>**

Has this Room been Inactivated on this Date ? (Y/N): **Y** YES

Operating Room Utilization on NOV 3, 2003

---

Update Start and End Times for which Operating Room ? **<Enter>**

Update Start and End Times for Operating Rooms and Surgical Specialties

Update Times for which Date ?

## Normal Daily Hours (Enter/Edit) [SR NORMAL HOURS]

The *Normal Daily Hours (Enter/Edit)* option is used to schedule the normal start and end times of an operating room for each day of the week, one operating room at a time. The information is used to help determine operating room use on a weekly basis.

First, the user enters the name of the operating room. Beginning with Sunday, the software will provide an editing schedule for each day of the week and prompt for normal start and end times for each day.

There is also a prompt for inactivating a room. When the schedules for the week have been completed, the user will be prompted for the name of the next operating room for which to enter times. When the user finishes editing times, he or she can press the **<Enter>** key or enter an up-arrow (^) to exit this option.

At the "Select information to edit:" prompt, the user can 1) enter the letter **A** to update all the information on the schedule, 2) enter a number to update information in the corresponding field, 3) enter a range of numbers separated by a colon (:), or 4) press the **<Enter>** key to move to the next day's schedule. To edit the schedule for a particular day, the user enters an up-arrow followed by a day of the week. For example, to edit Friday's schedule, **^Friday** would be entered. This is demonstrated in the following example.



---

The start and end times must be in military time. Also, use a leading zero when the hour is a single digit (e.g., 7 AM is 07:00).

---

### Example: Enter Normal Start and End Times for an Operating Room

```
Select Surgery Utilization Menu Option: N Normal Daily Hours (Enter/Edit)
```

```
=====
Normal Daily Schedules for Operating Rooms
=====
```

```
Enter the name of the operating room: OR1
```

```
Editing the SUNDAY Schedule for the OR1 Operating Room
```

```
=====
1. Normal Start Time: 07:00
2. Normal End Time: 15:30
3. Inactive (Y/N):
=====
```

```
Select information to edit: <Enter>
```

Editing the MONDAY Schedule for the OR1 Operating Room

- =====  
1. Normal Start Time:  
2. Normal End Time:  
3. Inactive (Y/N):  
=====

Select information to edit: **1:2**

Normal Starting Time: **07:00**  
Normal Ending Time: **15:30**

Editing the MONDAY Schedule for the OR1 Operating Room

- =====  
1. Normal Start Time: 07:00  
2. Normal End Time: 15:30  
3. Inactive (Y/N):  
=====

Select information to edit: **^FRIDAY**

Editing the FRIDAY Schedule for the OR1 Operating Room

- =====  
1. Normal Start Time:  
2. Normal End Time:  
3. Inactive (Y/N):  
=====

Select information to edit: **1:2**

Normal Starting Time: **07:00**  
Normal Ending Time: **15:30**

Editing the FRIDAY Schedule for the OR1 Operating Room

- =====  
1. Normal Start Time: 07:00  
2. Normal End Time: 15:30  
3. Inactive (Y/N):  
=====

Select information to edit: **^**

Normal Daily Schedules for Operating Rooms

=====  
Enter the name of the operating room: **^**

## Operating Room Utilization Report [SR OR UTL1]

The *Operating Room Utilization Report* option prints utilization information, within a selected date range, for all operating rooms or for a single operating room. The report displays the percent utilization, the number of cases, the total operation time and the time worked outside normal hours for each operating room individually and all operating rooms collectively.

### How the Percent Utilization is Derived

The percent utilization is derived by dividing the total operation time for all operations (including total time patients were in O.R., plus the cleanup time allowed for each case) by the total functioning time as defined in the SURGERY UTILIZATION file. The quotient is then multiplied by 100.

This report has a 132-column format and must be printed on a printer.

#### Example: Print the Operating Room Utilization Report

```
Select Surgery Utilization Menu Option: R Operating Room Utilization
Operating Room Utilization Report

Print utilization information starting with which date ? 3/8 (MAR 08, 2003)

Print utilization information through which date ? 3/9 (MAR 09, 2003)
Do you want to print the Operating Room Utilization Report for all
operating rooms ? YES// <Enter>
Print the Operating Room Utilization Report on which Device ? [Select Print Device]
```

.....*printout follows*.....



MAYBERRY, NC  
 SURGICAL SERVICE OPERATING ROOM  
 UTILIZATION REPORT  
 FOR ALL OPERATING ROOMS FROM: MAR 8, 2003 TO: MAR 9, 2003 DATE  
 PRINTED: MAR 17, 2003

| OPERATING ROOM                     | PERCENT UTILIZATION | NUMBER OF CASES | TOTAL OPERATION TIME<br>(INCLUDING OR MAINTENANCE) | TIME WORKED OUTSIDE NORMAL HRS |
|------------------------------------|---------------------|-----------------|----------------------------------------------------|--------------------------------|
| OR1                                | 70%                 | 3               | 17 hrs and 35 mins                                 | 6 hrs and 20 mins              |
| OR2                                | 39%                 | 1               | 7 hrs and 25 mins                                  | 1 hr and 10 mins               |
| OR3                                | 133%                | 8               | 23 hrs and 42 mins                                 | 2 hrs and 30 mins              |
| OR4                                | 29%                 | 3               | 4 hrs and 41 mins                                  | -                              |
| OR5                                | 84%                 | 7               | 18 hrs and 50 mins                                 | 5 hrs and 25 mins              |
| OR6                                | 0                   | 0               | -                                                  | -                              |
| OR7                                | 0                   | 0               | -                                                  | -                              |
| TOTAL UTILIZATION FOR<br>ALL ROOMS | 63%                 | 22              | 72 hrs and 13 mins                                 | 15 hrs and 25 mins             |

## Report of Normal Operating Room Hours [SR OR HOURS]

The *Report of Normal Operating Room Hours* option provides the start time and the end time of the normal working hours for all operating rooms or for the selected operating room for each date within the specified date range. The total time of the normal working day is displayed for each operating room for each date.

### Example: Print Operating Room Normal Working Hours Report

```
Select Surgery Utilization Menu Option: H Report of Normal Operating Room Hours
Operating Room Normal Working Hours Report
```

```
Print normal working hours starting with which date ? 3/1 (MAR 01, 1999)
```

```
Print normal working hours through which date ? 3/12 (MAR 12, 1999)
Do you want to print the Operating Room Normal Working Hours Report for all
operating rooms ? YES// <Enter>
```

```
Print the report on which Device: [Select Print Device]
```

.....*printout follows*.....

OPERATING ROOM NORMAL WORKING HOURS FROM  
03/01/99 TO 03/12/99

| OPERATING ROOM    | START TIME | END TIME       | TOTAL TIME        |
|-------------------|------------|----------------|-------------------|
| ** MAR 1, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               |            | ** INACTIVE ** |                   |
| OR4               |            | ** INACTIVE ** |                   |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 2, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4               |            | ** INACTIVE ** |                   |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 3, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4               | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 4, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4               | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 5, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4               | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 6, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4               | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5               | 07:00      | 17:00          | 10 hrs            |
| ** MAR 7, 1999 ** |            |                |                   |
| OR1               | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2               | 07:00      | 15:30          | 8 hrs and 30 mins |

OPERATING ROOM NORMAL WORKING HOURS FROM  
03/01/99 TO 03/12/99

| OPERATING ROOM     | START TIME | END TIME       | TOTAL TIME        |
|--------------------|------------|----------------|-------------------|
| ** MAR 7, 1999 **  |            |                |                   |
| OR3                |            | ** INACTIVE ** |                   |
| OR4                |            | ** INACTIVE ** |                   |
| OR5                | 07:00      | 17:00          | 10 hrs            |
| ** MAR 8, 1999 **  |            |                |                   |
| OR1                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3                |            | ** INACTIVE ** |                   |
| OR4                |            | ** INACTIVE ** |                   |
| OR5                | 07:00      | 17:00          | 10 hrs            |
| ** MAR 9, 1999 **  |            |                |                   |
| OR1                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4                |            | ** INACTIVE ** |                   |
| OR5                | 07:00      | 17:00          | 10 hrs            |
| ** MAR 10, 1999 ** |            |                |                   |
| OR1                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4                | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5                | 07:00      | 17:00          | 10 hrs            |
| ** MAR 11, 1999 ** |            |                |                   |
| OR1                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4                | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5                | 07:00      | 17:00          | 10 hrs            |
| ** MAR 12, 1999 ** |            |                |                   |
| OR1                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR2                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR3                | 07:00      | 15:30          | 8 hrs and 30 mins |
| OR4                | 07:00      | 13:30          | 6 hrs and 30 mins |
| OR5                | 07:00      | 17:00          | 10 hrs            |

## Purge Utilization Information [SR PURGE UTILIZATION]

The *Purge Utilization Information* option is used to purge utilization information for a selected date range. After selecting a starting date, the user can purge all utilization information for dates prior to, and including, that specified starting date.

### Example: Purge Utilization Information

```
Select Surgery Utilization Menu Option: P Purge Utilization Information
Purge Utilization Information

Starting with Date: 2/1 (FEB 28, 1999)

This option will purge all utilization information for the dates prior to (and
including) FEB 28, 1999.

Are you sure that you want to purge for this date range ? NO// Y

The option to purge utilization data has been queued.

Press RETURN to continue
```

## Person Field Restrictions Menu

### [SROKEY MENU]

The *Person Field Restrictions Menu* contains options used by the package coordinator to maintain restrictions applied to person-type fields (meaning a field that points to the NEW PERSON field) in files.

The options included in this menu are listed below. To the left of the option name is the shortcut synonym the user can enter to select the option. None of these options will display if the user does not have proper security clearance.

| Shortcut | Option Name                                   |
|----------|-----------------------------------------------|
| E        | <i>Enter Restrictions for 'Person' Fields</i> |
| R        | <i>Remove Restrictions on 'Person' Fields</i> |

## Enter Restrictions for 'Person' Fields [SROKEY ENTER]

The *Enter Restrictions for 'Person' Fields* option allows IRM personnel to assign a key to a specific person-type field (meaning any field that points to the NEW PERSON field) in a file or sub-file.

A key limits the acceptable responses to a field. The Surgery software can be tailored to limit acceptable responses in the field to only those people assigned one of the keys used to restrict the field. For example, a prompt asking for the name of the attending surgeon can be modified to accept only the names of surgeons. Additionally, a field can have more than one key assigned to it; thus, the ATTENDING SURGEON field can be modified to accept the names of surgeons and other surgical staff.

Example 1 below shows how to enter the surgeon key for the SURGEON field in the SURGERY file. Example 2 shows how to enter the surgeon, nurse, and anesthetist keys for a sub-field in the SURGERY file.

Keys can be removed using the *Remove Restrictions on 'Person' Fields* option.

The user can enter one or two question marks to access the on-line help if assistance is needed while interacting with the software. A question mark can also be entered at the "Select Additional Key:" prompt for a list of keys from which to select.

### Example 1: Enter Restrictions

```
Select Person Field Restrictions Menu Option: E Enter Restrictions for 'Person' Fields
Add 'PERSON' Field Restrictions:

Select File: SURGERY
 1 SURGERY
 2 SURGERY CANCELLATION REASON
 3 SURGERY DISPOSITION
 4 SURGERY EXTRACT
 5 SURGERY INTERFACE PARAMETER
Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 1 SURGERY
Select FIELD: SURGEON
 1 SURGEON
 2 SURGEON'S DICTATION (word-processing)
CHOOSE 1-2: 1 SURGEON

There are no keys restricting entries in this field.

Do you want to add a key ? YES// <Enter>

Select Additional Key: SR SURGEON
Select Additional Key: <Enter>

Entering Keys...
```

## Example 2: Enter Restrictions

Select Person Field Restrictions Menu Option: E Enter Restrictions for 'Person' Fields

Add 'PERSON' Field Restrictions:

Select File: **SURGERY**

- 1 SURGERY
- 2 SURGERY CANCELLATION REASON
- 3 SURGERY DISPOSITION
- 4 SURGERY EXTRACT
- 5 SURGERY INTERFACE PARAMETER

Press <RETURN> to see more, '^' to exit this list, OR

CHOOSE 1-5: **1** SURGERY

Select FIELD: **RESTR** & POSITION AIDS (multiple)

Select RESTR & POSITION AIDS SUB-FIELD: **APPLIED BY**

There are no keys restricting entries in this field.

Do you want to add a key ? YES// **<Enter>**

Select Additional Key: **SR NURSE**

Select Additional Key: **SR SURGEON**

Select Additional Key: **SR ANESTHETIST**

Select Additional Key: **<Enter>**

Entering Keys...



## Remove Restrictions on 'Person' Fields [SROKEY REMOVE]

The *Remove Restrictions on 'Person' Fields* option allows IRM personnel to remove a key to a specific person-type field in a specific file. A key limits the acceptable responses to a field; removing a key removes a restriction on the acceptable responses.

In the example below, the key that permits the name of an anesthetist is removed from the RESTRAINTS & POSITION AIDS field, leaving the nurse and surgeon keys intact. All of the keys can be removed at one time by entering **ALL** at the "Select Number or 'ALL':" prompt.

### Example: Remove Restrictions

```
Select Person Field Restrictions Menu Option: R Remove Restrictions on 'Person' Fields
Remove 'PERSON' field restrictions:
```

```
Select File: SURGERY
```

- 1 SURGERY
- 2 SURGERY CANCELLATION REASON
- 3 SURGERY DISPOSITION
- 4 SURGERY EXTRACT
- 5 SURGERY INTERFACE PARAMETER

```
Press <RETURN> to see more, '^' to exit this list, OR
```

```
CHOOSE 1-5: 1 SURGERY
```

```
Select FIELD: RESTR & POSITION AIDS (multiple)
```

```
Select RESTR & POSITION AIDS SUB-FIELD: APPLIED BY
```

```
Current Restrictions for this Field:
```

- 1. SR NURSE
- 2. SR SURGEON
- 3. SR ANESTHETIST

```
Do you want to remove one of these keys ? YES// <Enter>
```

```
Select Number or "ALL": 3
```

```
Select Person Field Restrictions Option:
```

## Update O.R. Schedule Devices

### [SR UPDATE SCHEDULE DEVICE]

The *Update O.R. Schedule Devices* option is used to update the list of devices that will print the Schedule of Operations when printing to all pre-defined printers.

#### Example: Add a New Schedule Device

```
Select Surgery Package Management Menu Option: SD Update O.R. Schedule Devices
```

```
Update O.R. Schedule Devices
```

```
Select OR SCHEDULE DEVICES: SPD PTR
```

```
ARE YOU ADDING 'SPD PTR ' AS A NEW OR SCHEDULE DEVICES (THE 1ST FOR THIS SURGERY
SITE PARAMETERS)? Y (YES)
```

```
Select OR SCHEDULE DEVICES:
```

## Update Staff Surgeon Information

[SROSTAFF]

The *Update Staff Surgeon Information* option allows the designation of a user as a staff surgeon by assigning a security key called SR STAFF SURGEON. The Annual Report of Surgical Procedures will count cases performed by holders of this security key as having been performed by "staff." All other cases will be counted as performed by "resident."

### Example 1: Designate a Staff Surgeon

```
Select Surgery Package Management Menu Option: U Update Staff Surgeon Information
Update Information for which Surgeon: SURSURGEON,ONE

Do you want to designate this person as a 'Staff Surgeon' ? YES// <Enter>

SURSURGEON,ONE is now designated as a staff surgeon.

Press RETURN to continue
```

### Example 2: Remove Staff Surgeon Designation

```
Select Surgery Package Management Menu Option: U Update Staff Surgeon Information
Update Information for which Surgeon: SURSURGEON,ONE

This person is already designated as a staff surgeon. Do you want to remove
that designation ? NO// Y

Removing key designating SURSURGEON,ONE as a staff surgeon...

Press RETURN to continue
```

## Flag Drugs for Use as Anesthesia Agents

[SROCODE]

Surgery Service managers use the *Flag Drugs for Use as Anesthesia Agents* option to mark drugs for use as anesthesia agents. If the drug is not flagged, the user will not be able to select it as an entry for the ANESTHESIA AGENT data field.

To flag a drug, it must already be listed in the Pharmacy DRUG file. To add a drug to this file, the user should contact the facility's Pharmacy Package Coordinator.

### Example: Flag Drugs Used as Anesthesia Agents

```
Select Surgery Package Management Menu Option: D Flag Drugs for use as Anesthesia Agents
```

```
Enter the name of the drug you wish to flag: HALOTHANE
```

```
Do you want to flag this drug for SURGERY (Y/N)? YES
```

```
Enter the name of the drug you wish to flag:
```

## Update Site Configurable Files

### [SR UPDATE FILES]

The *Update Site Configurable Files* option is designed for the package coordinator to add, edit, or inactivate file entries for the site-configurable files.

The software provides a numbered list of site-configurable files. The user should enter the number corresponding to the file that he or she wishes to update. The software will default to any previously entered information on the entry and provide a chance to edit it. The last prompt asks whether the user wants to inactivate the entry; answering **Yes** or **1** will inactivate the entry.

#### Example 1: Add a New Entry to a Site-Configurable File

```
Select Surgery Package Management Menu Option: F Update Site Configurable Files
=====
Update Site Configurable Surgery Files
=====
1. Surgery Transportation Devices
2. Prosthesis
3. Surgery Positions
4. Restraints and Positional Aids
5. Surgical Delay
6. Monitors
7. Irrigations
8. Surgery Replacement Fluids
9. Skin Prep Agents
10. Skin Integrity
11. Patient Mood
12. Patient Consciousness
13. Local Surgical Specialty
14. Electroground Positions
15. Special Equipment
16. Planned Implant
17. Pharmacy Items
18. Special Instruments
19. Special Supplies
=====
Update Information for which File ? 2
Update Information in the Prosthesis file.
=====

Select PROSTHESIS NAME: HUMERAL
ARE YOU ADDING 'HUMERAL' AS A NEW PROSTHESIS (THE 112TH)? Y (YES)
NAME: HUMERAL // HUMERAL COMPONENT
VENDOR: AMERICAN
MODEL: NEER II
STERILE RESP: MANUFACTURER
SIZE: STEM 150 MM, HEAD 22 MM
QUANTITY: <Enter>
LOT NUMBER: F19705-1087
SERIAL NUMBER: <Enter>
INACTIVE?: <Enter>

Select PROSTHESIS NAME:
```

## Example 2: Re-Activate an Entry

```
Select Surgery Package Management Menu Option: F Update Site Configurable Files
```

```
=====
Update Site Configurable Surgery Files
=====
```

1. Surgery Transportation Devices
2. Prosthesis
3. Surgery Positions
4. Restraints and Positional Aids
5. Surgical Delay
6. Monitors
7. Irrigations
8. Surgery Replacement Fluids
9. Skin Prep Agents
10. Skin Integrity
11. Patient Mood
12. Patient Consciousness
13. Local Surgical Specialty
14. Electroground Positions
15. Special Equipment
16. Planned Implant
17. Pharmacy Items
18. Special Instruments
19. Special Supplies

```
=====
Update Information for which File ? 6
Update Information in the Monitors file.
=====
```

```
Select MONITORS NAME: ECG ** INACTIVE **
NAME: ECG// <Enter>
INACTIVE?: YES// @
 SURE YOU WANT TO DELETE? Y (YES)
```

```
Select MONITORS NAME:
```

## Surgery Interface Management Menu

### [SRHL INTERFACE]

The *Surgery Interface Management Menu* contains options that allow the user to set up certain interface parameters that control the processing of Health Level 7 (HL7) messages. The interface adheres to the HL7 protocol and forms the basis for the exchange of health care information between the VistA Surgery package and any ancillary system.

Currently, there are four options on the *Surgery Interface Management Menu*.

| Shortcut | Option Name                             |
|----------|-----------------------------------------|
| I        | <i>Flag Interface Fields</i>            |
| F        | <i>File Download</i>                    |
| T        | <i>Table Download</i>                   |
| P        | <i>Update Interface Parameter Field</i> |

## Flag Interface Fields [SRHL INTERFACE FLDS]

The *Flag Interface Fields* option allows the package coordinator to set the INTERFACE field in the SURGERY INTERFACE file. The categories listed on the first screen correspond to entries in SURGERY INTERFACE file. These categories are listed in the Surgery HL7 Interface Specifications document as being the OBR (Observation Request) text identifiers. Each identifier corresponds to several fields in the VistA Surgery package. This allows the user to control the flow of data between the VistA Surgery package and the ancillary system on a field-by-field basis.

The option lists each identifier and its current setting. To receive the data coming from the ancillary system for a category, the flag the flag should be set to **R** for receive. To ignore the data, the flag should be set to **N** for not receive. To see a second underlying layer of OBX (Observation/Result) text identifiers (the SURGERY file fields) and their settings, the OBR (Observation Request) text identifier should be set to **R** for receive. The option will allow the user to toggle the settings for a range of items or for individual items.

### Example: Flagging Operation Information to be Received

```
Select Surgery Interface Management Menu Option: I Flag Interface Fields
 Surgery Interface Setup Menu

To change the setting in one of the following categories, enter the
corresponding number.
(R - Receive)
(S - Send)
(S/R - Send and Receive)
(I - Ignore)

1. OPERATION (S/R)
2. TOURNIQUET (I)
3. MONITOR (I)
4. MEDICATION (R)
5. ANESTHESIA (R)
6. PROCEDURE (I)
7. PROCEDURE OCCURRENCE (I)
8. INTRAOPERATIVE OCCURRENCE (I)
9. POSTOPERATIVE OCCURRENCE (I)
10. NONOPERATIVE OCCURRENCE (I)

Enter a number: ?

The categories above refer to VistA Surgery data fields. Below are examples:
OPERATION -> File 130 fields.
TOURNIQUET -> TIME TOURNIQUET APPLIED (#.48) and File 130.02 fields.
MONITOR -> MONITORS (#.293) and File 130.41 fields.
MEDICATION -> MEDICATIONS (#.375) and File 130.33 fields.
ANESTHESIA -> ANESTHESIA TECHNIQUE (#.37) and File 130.06 fields.
Enter the corresponding number of the category you wish to edit. To edit
underlying fields, set the category to R for receive or S to send.

Enter a number: 1

Do you wish to change the current setting of OPERATION: IGNORE// RECEIVE

OPERATION DATA

Toggle the current setting to (R)eceive, (S)end, or (I)gnore.
```



- |                                     |                               |
|-------------------------------------|-------------------------------|
| 1. TIME OPERATION BEGAN (S)         | 18. ANESTHESIA TEMP (I)       |
| 2. TIME OPERATION ENDS (S)          | 19. HR (I)                    |
| 3. NURSE PRESENT TIME (I)           | 20. RR (I)                    |
| 4. TIME PATIENT IN HOLDING AREA (I) | 21. BP (I)                    |
| 5. ANESTHESIA AVAILABLE TIME (I)    | 22. ASA CLASS (I)             |
| 6. TIME PATIENT IN OR (S)           | 23. CASE SCHEDULE TYPE (I)    |
| 7. SURGEON PRESENT TIME (I)         | 24. ATTENDING CODE (I)        |
| 8. ANESTHESIA CARE START TIME (I)   | 25. REPLACEMENT FLUID (R)     |
| 9. ANESTHESIA CARE END TIME (I)     | 26. INDUCTION COMPLETE (I)    |
| 10. TIME PATIENT OUT OR (I)         | 27. ANES. SUPERVISE CODE (I)  |
| 11. PRIN. ANES. (I)                 | 28. SURGEON PGY (I)           |
| 12. RELIEF ANESTHETIST (I)          | 29. SURGEON (I)               |
| 13. ASSISTANT ANESTHETIST (I)       | 30. ATT. SURGEON (I)          |
| 14. ANES. SUPER. (I)                | 31. OR LOCATION (I)           |
| 15. BLOOD LOSS (I)                  | 32. PAC(U) ADMIT TIME (I)     |
| 16. TOTAL URINE OUTPUT (I)          | 33. PAC(U) DISCHARGE TIME (I) |
| 17. OR SETUP TIME (I)               |                               |

Enter a number: ?

The items above refer to VistA Surgery package fields. Below are examples:

HR -> End Pulse (#.84)

## File Download [SRHL DOWNLOAD INTERFACE FILES]

The *File Download* option is used to download Surgery interface files to the Automated Anesthesia Information System (AAIS). The process is currently being done by a screen capture to a file. In the future, this will be changed to a background task that can be queued to send HL7 master file updates.

### Example: Downloading Interface Files

```
Select Surgery Interface Management Menu Option: F File Download
Surgery Interface File Download Option

1. CPT4
2. ICD
3. MEDICATION
4. MONITOR
5. PERSONNEL
6. REPLACEMENT FLUID
7. ANES SUPERVISE CODE
8. LOCATION

Enter file to Capture: (1-8): 4
Update the MONITOR file? YES// <Enter>
Queuing message
```

## Table Download [SRHL DOWNLOAD SET OF CODES]

The *Table Download* option downloads the SURGERY file set of codes to the AAIS. This process is currently being done by a screen capture to a file. In the future, this will be changed to a background task that can be queued to send HL7 master file updates.

### Example: Downloading Surgery Set of Codes

```
Select Surgery Interface Management Menu Option: T Table Download
 Surgery Interface Table Setup Menu

This option allows the users to populate table files on the Automated
Anesthesia Information System.

1. CASE SCHEDULE TYPE 10. EXTUBATED IN
2. SITE TOURNIQUET APPLIED 11. BARICITY
3. MEDICATION ROUTE 12. EPIDURAL METHOD
4. PRINCIPAL ANES TECHNIQUE (Y/N) 13. ADMINISTRATION METHOD
5. PATIENT STATUS 14. PROCEDURE OCCURRENCE OUTCOME
6. ANESTHESIA ROUTE 15. INTRAOP OCCURRENCE OUTCOME
7. ANESTHESIA APPROACH 16. POSTOP OCCURRENCE OUTCOME
8. LARYNGOSCOPE TYPE 17. NONOP OCCURRENCE OUTCOME
9. TUBE TYPE

Enter a list or range of numbers (1-17): 2
Update the SITE TOURNIQUET APPLIED table? YES//
<Enter> MAD Sending HL7 Master File addition
```

## Update Interface Parameter Field [SRHL DOWNLOAD SET OF CODES]

The *Update Interface Parameter Field* option may be used to edit the parameter that determines which Surgery HL7 interface will be used, the interface compatible with HL7 V. 1.6 or the older one compatible with HL7 V. 1.5.

If applications communicating with the Surgery HL7 interface must use the interface designed for use with HL7 V. 1.5, **YES** should be entered. Otherwise, **NO** should be entered or this field should be left blank.

### Example: Updating Interface Parameter Field

Select Surgery Interface Management Menu Option: **P** Update Interface Parameter Field

This option may be used to edit the parameter that determines which Surgery HL7 interface will be used, the interface compatible with HL7 v1.6 or the older one compatible with HL7 v1.5.

If applications communicating with the Surgery HL7 interface must use the interface designed for HL7 v1.5, enter YES. Otherwise, enter NO or leave this field blank.

Use Surgery Interface Compatible with VistA HL7 v1.5 (Y/N) : **NO**

## Make Reports Viewable in CPRS

### [SR VIEW HISTORICAL REPORTS]

This option allows Operation Reports, Nurse Intraoperative Reports, Anesthesia Reports, and Procedure Reports (Non-O.R.) for historical cases to be moved into TIU as "electronically unsigned" to make them viewable on the CPRS Surgery tab. This option lets the user move reports by division, if necessary.

```
Select Surgery Package Management Menu Option: v Make Reports Viewable in CPRS
```

```
Make Reports Viewable in CPRS
```

```
This option allows Operation Reports, Nurse Intraoperative Reports,
Anesthesia Reports and Procedure Reports (Non-O.R.) for historical
cases to be moved into TIU as "electronically unsigned" to make
them viewable within the CPRS Surgery tab. Historical cases are
cases performed before the Surgery Electronic Signature for
Operative Reports feature was implemented.
```

```
These "electronically unsigned" reports will contain a disclaimer
stating: "This information is provided from historical files and
cannot be verified that the author has authenticated/approved this
information. The authenticated source document in the patient's
medical record should be reviewed to ensure that all information
concerning this event has been reviewed or noted."
```

```
CAUTION!! This is a system intensive process that creates new
documents in TIU. Please ensure adequate disk space availability
before running this process. Also, late activity messages may be
suppressed by disabling the mail group defined as the "Late
Activity Mail Group" while this process runs. Upon completion,
this mail group must be reestablished.
```

```
Enter starting date for reports to be moved: T-180 (MAR 19, 2003)
```

```
Move reports for all divisions? YES// NO
```

1. ALBANY
2. PHILADELPHIA, PA
3. SAN JUAN, PR

```
Select Number: (1-3): 1
```

```
Do you want to move the Operation Reports (Y/N)? NO// YES
```

```
Do you want to move the Nurse Intraoperative Reports (Y/N)? NO// YES
```

```
Do you want to move the Anesthesia Reports (if used) (Y/N)? NO// YES
```

```
Do you want to move the Procedure Reports (Non-O.R.) (Y/N)? NO// YES
```

```
The following reports for cases performed MAR 19, 2003 to the present
for ALBANY will be moved.
```

```
Operation Report
Nurse Intraoperative Report
Anesthesia Report
Procedure Report (Non-O.R.)
```

```
Is this correct (Y/N)? NO// YES
```

```
Requested Start Time: NOW// <Enter> (SEP 15, 2003@13:13:21)
```

```
Queued as task #158943
```

# Chapter Seven: Assessing Surgical Risk

---

## Introduction

Unadjusted surgical mortality and morbidity rates can vary dramatically from hospital to hospital in the VA hospital system, as well as in the private sector. This can be the result of differences in patient mix, as well as differences in quality of care. Studies are being conducted to develop surgical risk assessment models for many of the major surgical procedures done in the VA system. It is hoped that these models will correct differences in patient mix between the hospitals so that remaining differences in adjusted mortality and morbidity might be an indicator of differences in quality of care. The objective of this module is to facilitate data entry and transmission to the national centers in Denver, Colorado, where the data is analyzed. The Veterans Affairs Surgery Quality Improvement Program (VASQIP) Executive Committee oversees the overall direction of the Surgery Risk Assessment program.

This Risk Assessment part of the Surgery software provides medical centers a mechanism to track information related to surgical risk and operative mortality. It gives surgeons an on-line method of evaluating and tracking patient probability of operative mortality. For example, a patient with a history of chronic illness may be more "at risk" than a patient with no prior illness.

## Exiting an Option or the System

To get out of an option, the user should enter an up-arrow (^). The up-arrow can be entered at almost any prompt to terminate the line of questioning and return to the previous level in the routine. To completely exit the system, the user continues entering up-arrows.

## Surgery Risk Assessment Menu

### [SROA RISK ASSESSMENT]

The *Surgery Risk Assessment Menu* option provides the designated Surgical Clinical Nurse Reviewer with on-line access to medical information. The menu options provide the opportunity to edit, list, print, and update an existing assessment for a patient or to enter information concerning a new risk assessment.



This option is locked with the SR RISK ASSESSMENT key.

This chapter follows the main menu of the Risk Assessment module and contains descriptions of the options and sub-options needed to maintain a Risk Assessment, transmit data, and create reports. The options are organized to follow a logical workflow sequence. Each option description is divided into two main parts: an overview and a detailed example.

The top-level options included in this menu are listed in the following table. To the left is the shortcut synonym that the user can enter to select the option.

| Shortcut | Option Name                                                 |
|----------|-------------------------------------------------------------|
| N        | <i>Non-Cardiac Assessment Information (Enter/Edit) ...</i>  |
| C        | <i>Cardiac Risk Assessment Information (Enter/Edit) ...</i> |
| P        | <i>Print a Surgery Risk Assessment</i>                      |
| U        | <i>Update Assessment Completed/Transmitted in Error</i>     |
| L        | <i>List of Surgery Risk Assessments</i>                     |
| F        | <i>Print 30 Day Follow-up Letters</i>                       |
| R        | <i>Exclusion Criteria (Enter/Edit)</i>                      |
| M        | <i>Monthly Surgical Case Workload Report</i>                |
| V        | <i>M&amp;M Verification Report</i>                          |
| O        | <i>Update 1-Liner Case</i>                                  |
| T        | <i>Queue Assessment Transmissions</i>                       |
| CODE     | <i>Alert Coder Regarding Coding Issues</i>                  |
| ERM      | <i>Risk Model Lab Test (Enter/Edit)</i>                     |

## Non-Cardiac Risk Assessment Information (Enter/Edit)

### [SROA ENTER/EDIT]

The nurse reviewer uses the *Non-Cardiac Risk Assessment Information (Enter/Edit)* option to enter a new risk assessment for a non-cardiac patient. This option is also used to make changes to an assessment that has already been entered. Cardiac cases are evaluated differently from non-cardiac cases and are entered into the software from different options. See the section, "Cardiac Risk Assessment Information (Enter/Edit)" for more information about risk assessments for cardiac cases.

The following options are available from this option, and let the user add in-depth data for a case. To the left is the shortcut synonym that the user can enter to select the option.

| Shortcut | Option Name                                    |
|----------|------------------------------------------------|
| PRE      | <i>Preoperative Information (Enter/Edit)</i>   |
| LAB      | <i>Laboratory Test Results (Enter/Edit)</i>    |
| O        | <i>Operation Information (Enter/Edit)</i>      |
| D        | <i>Patient Demographics (Enter/Edit)</i>       |
| IO       | <i>Intraoperative Occurrences (Enter/Edit)</i> |
| PO       | <i>Postoperative Occurrences (Enter/Edit)</i>  |
| RET      | <i>Update Status of Returns Within 30 Days</i> |
| U        | <i>Update Assessment Status to 'COMPLETE'</i>  |
| CODE     | <i>Alert Coder Regarding Coding Issues</i>     |

The following example demonstrates how to create a new risk assessment for non-cardiac patients and how to get to the sub-option menu below.

### Creating a New Risk Assessment

1. The user is prompted to select either a patient name or a case. Selecting by case lets the user enter a specific surgery case number. Selecting by patient will display any previously entered assessments for a patient. An asterisk (\*) indicates cardiac cases. The user can then choose to create a new assessment or edit one of the previously entered assessments.
2. After choosing an operation on which to report, the user should respond **YES** to the prompt, "Are you sure that you want to create a Risk Assessment for this surgical case ? " The user must answer **YES** (or press the **<Enter>** key to accept the **YES** default) to get to any of the sub-options. If the answer is **NO**, the case created in step 1 will not be considered an assessment, although it can appear on some lists, and the software will return the user to the "Select Patient:" prompt.
3. Preoperative, operative, postoperative, and lab information is entered and edited using the sub- option(s).



If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to access the on-line help.

## Example: Creating a New Risk Assessment (Non-Cardiac)

```
Select Surgery Risk Assessment Menu Option: N Non-Cardiac Assessment Information (Enter/Edit)

Select Patient: ?

 To lookup by patient, enter patient name or patient ID. To lookup by
 surgical case/assessment number, enter the number preceded by "#",
 e.g., for case 12345 enter "#12345" (no spaces).

Select Patient: SURPATIENT,THREE 01-01-45 000212453 NSC VETERAN
SURPATIENT,THREE 000-21-2453

1. 02-01-95 INTRAOCULAR LENS (INCOMPLETE)
2. 02-01-95 HIP REPLACEMENT (INCOMPLETE)
3. 09-18-91 FEMORAL POPLITEAL BYPASS GRAFT (INCOMPLETE)
4. ---- CREATE NEW ASSESSMENT

Select Surgical Case: 4
SURPATIENT,THREE 000-21-2453

1. 10-03-91 ABDOMINAL AORTIC ANEURYSM RESECTION (NOT COMPLETE)

Select Operation: 1
```

---

When selecting a case to be assessed, if coding is completed for the case, and only excluded CPT codes are assigned, the software warns the Nurse Reviewer with the message:

“Based on the CPT Codes assigned for this case, this case should be excluded.” This is only a warning. The Nurse Reviewer may still create the assessment.



When selecting a case to be assessed, if no CPT codes have been assigned to the case, the software warns the Nurse Reviewer with the message:

“No CPT Codes have been assigned for this case.”

This is only a warning. The Nurse Reviewer may still create the assessment.

---

```
Are you sure that you want to create a Risk Assessment for this surgical
case ? YES// <Enter>
```

To enter information for the risk assessment, use the sub-options from this menu option. These options are described in the following sections. For example, to enter operation information, select the *Operation Information Enter/Edit* option.

## Editing an Incomplete Risk Assessment

To edit an incomplete risk assessment, the user can either select the assessment by patient or by surgery case number.

### Example: Using the Select by Case Number Function to Edit an Incomplete Assessment

```
Select Surgery Risk Assessment Menu Option: N Non-Cardiac Assessment Information (Enter/Edit)
Select Patient: #210
SURPATIENT,TEN 000-12-3456
03-22-02 HIP REPLACEMENT (INCOMPLETE)
1. Enter Risk Assessment Information
2. Delete Risk Assessment Entry
3. Update Assessment Status to 'COMPLETE'
Select Number: 1// <Enter>
Division: ALBANY (500)
SURPATIENT,TEN 000-12-3456 Case #210 - MAR 22,2002
PRE Preoperative Information (Enter/Edit)
LAB Laboratory Test Results (Enter/Edit)
O Operation Information (Enter/Edit)
D Patient Demographics (Enter/Edit)
IO Intraoperative Occurrences (Enter/Edit)
PO Postoperative Occurrences (Enter/Edit)
RET Update Status of Returns Within 30 Days
CODE Alert Coder Regarding Coding Issues
U Update Assessment Status to 'COMPLETE'
Select Non-Cardiac Assessment Information (Enter/Edit) Option:
```

These options are described in the following sections.

## Preoperative Information (Enter/Edit)

### [SROA PREOP DATA]

The *Preoperative Information (Enter/Edit)* option is used to enter or edit preoperative assessment information. The software will present two pages. At the bottom of each page is a prompt to select one or more preoperative items to edit. If the user does not want to edit any items on the page, pressing the **<Enter>** key will advance to the next page or, if the user is already on page two, will exit the option.

### **About the "Select Preoperative Information to Edit:" Prompt**

At this prompt the user enters the item number he or she wishes to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items. Number-letter combinations can also be used, such as **2C**, to update a field within a group, such as CURRENT PNEUMONIA.

Each prompt at the category level allows for an entry of **YES** or **NO**. If **NO** is entered, each item under that category will automatically be answered **NO**. On the other hand, responding **YES** at the category level allows the user to respond individually to each item under the main category.

For instance, if number **2** is chosen, and the "PULMONARY:" prompt is answered **YES**, the user will be asked if the patient is ventilator dependent, has a history of COPD, and has pneumonia. If the "PULMONARY:" prompt is answered **NO**, the software will place a **NO** response in all the fields of the Pulmonary group. The majority of the prompts in this option are designed to accept the letters **Y**, **N**, or **NS** for **YES**, **NO**, and **NO STUDY**.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

This functionality allows the nurse reviewer to duplicate preoperative information from an earlier operation within 60 days of the date of operation on the same patient.

### **Example 1: Enter/Edit Preoperative Information**

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: PRE Preoperative Information
(Enter/Edit)
This patient had a previous non-cardiac operation on APR 28,1998@09:00

Case #63592 CHOLEDOCHOTOMY

Do you want to duplicate the preoperative information from the earlier assessment in this
assessment? YES// NO
```

- 
- |                                          |                                |
|------------------------------------------|--------------------------------|
| 1. GENERAL:                              | C. Current Pneumonia:          |
| A. Height: 58 INCHES                     | 3. HEPATOBILIARY:              |
| B. Weight:                               | A. Ascites:                    |
| C. Diabetes - Long Term:                 |                                |
| D. Diabetes - 2 Wks Preop:               | 4. GASTROINTESTINAL:           |
| E. Tobacco Use:                          | A. Esophageal Varices:         |
| F. Tobacco Use Timeframe: NOT APPLICABLE |                                |
| G. ETOH > 2 Drinks/Day:                  | 5. CARDIAC:                    |
| H. Positive Drug Screening:              | A. Congestive Heart Failure: 1 |
| I. Dyspnea:                              | B. Prior MI:                   |
| J. Preop Sleep Apnea: LEVEL 3            | C. PCI:                        |
| K. Sleep Apnea-Compliance: > OR EQUAL    | D. Prior Heart Surgery:        |
| L. DNR Status:                           | E. Angina Severity:            |
| M. Functional Status: PARTIAL DEPENDENT  | F. Angina Timeframe:           |
| N. Current Residence: LONG TERM CARE     | G. Hypertension:               |
| O. Ambulation Device: AMB W/CANE         |                                |
| 2. PULMONARY:                            | 6. VASCULAR:                   |
| A. Ventilator Dependent:                 | A. PAD:                        |
| B. History of Severe COPD:               | B. Rest Pain/Gangrene:         |
- 

Select Preoperative Information to Edit: **A**

---

GENERAL: **YES**  
Patient's Height 65 INCHES//: **62**  
Patient's Weight 140 POUNDS//: **175**  
Diabetes Mellitus: Chronic, Long-Term Management: **I** INSULIN  
Diabetes Mellitus: Management Prior to Surgery: **I** INSULIN  
Tobacco Use: **2** NO USE IN LAST 12 MOS  
Tobacco Use Timeframe: NOT APPLICABLE// **<enter>**  
ETOH >2 Drinks Per Day in the Two Weeks Prior to Admission: **N** NO  
Positive Drug Screening:  
Dyspnea: **N**  
1 NO  
2 NO STUDY  
Choose 1-2: 1 **NO**  
Preoperative Sleep Apnea: LEVEL 1// 3 SLEEP APNEA CONFIRMED - LEVEL 3  
Sleep Apnea-Compliance: ?  
Enter the level of the patient's reported compliance with sleep apnea Treatment.  
Choose from:  
1 NIGHTLY  
2 > OR EQUAL 4 TIMES A WEEK  
3 < 4 TIMES A WEEK  
4 NOT DOCUMENTED  
Sleep Apnea-Compliance: **4** NOT DOCUMENTED  
DNR Status (Y/N): **N** NO  
  
Functional Status at Evaluation for Surgery: **1** INDEPENDENT  
Current Residence (w/in 30 days prior to surgery): LONG TERM CARE// **<Enter>**  
Ambulation Device: AMBULATES W/OUT ASSISTIVE DEVICE// **<Enter>**  
  
PULMONARY: **NO**  
  
HEPATOBILIARY: **NO**  
  
GASTROINTESTINAL: **NO**  
  
CARDIAC: **NO**  
  
VASCULAR: **NO**

- 
- |                                          |                                 |
|------------------------------------------|---------------------------------|
| 1. GENERAL:                              | C. Current Pneumonia:           |
| A. Height: 58 INCHES                     | 3. HEPATOBILIARY:               |
| B. Weight:                               | A. Ascites:                     |
| C. Diabetes - Long Term:                 |                                 |
| D. Diabetes - 2 Wks Preop:               | 4. GASTROINTESTINAL:            |
| E. Tobacco Use:                          | A. Esophageal Varices:          |
| F. Tobacco Use Timeframe:NOT APPLICABLE  |                                 |
| G. ETOH > 2 Drinks/Day:                  | 5. CARDIAC:                     |
| H. Positive Drug Screening:              | A. Congestive Heart Failure: 1  |
| I. Dyspnea:                              | B. Prior MI:                    |
| J. Preop Sleep Apnea: LEVEL 3            | C. PCI:                         |
| K. Sleep Apnea-Compliance: > OR EQUAL    | D. Previous Heart Surgeries:    |
| L. DNR Status:                           | E. Angina Severity:             |
| M. Functional Status:PARTIAL INDEPENDENT | F. Angina Timeframe:            |
| N. Current Residence: LONG TERM CARE     | G. Hypertension:                |
| O. Ambulation Device:                    |                                 |
| 2. PULMONARY:                            | 6. VASCULAR:                    |
| A. Ventilator Dependent:                 | A. Peripheral Arterial Disease: |
| B. History of Severe COPD:               | B. Rest Pain/Gangrene:          |
- 

Select Preoperative Information to Edit: <Enter>

- 
- |                                |                                    |
|--------------------------------|------------------------------------|
| 1. RENAL:                      | 3. NUTRITIONAL/IMMUNE/OTHER:       |
| A. Acute Renal Failure:        | A. Disseminated Cancer:            |
| B. Currently on Dialysis:      | B. Open Wound:                     |
|                                | C. Steroid Use for Chronic Cond.:  |
| 2. CENTRAL NERVOUS SYSTEM:     | D. Weight Loss > 10%:              |
| A. Impaired Sensorium:         | E. Bleeding Disorders: YES         |
| B. Coma:                       | F. Bleeding Risk Due to Medication |
| C. Hemiplegia:                 | G. Transfusion >4 RBC Units:       |
| D. CVD Repair/Obstruct:        | H. Chemo for Malig Last 90 Days:   |
| E. History of CVD:             | I. Radiotherapy W/I 90 Days:       |
| F. Tumor Involving CNS:        | J. Preoperative Sepsis:            |
| G. Impaired Cognitive Function | K. Pregnancy                       |
|                                | L. History of Cancer:              |
|                                | M. History of Radiation Therapy:   |
|                                | N. Num of Prior Surg in Same Op:   |
- 

Select Preoperative Information to Edit: 3E

-----

Bleeding (Coagulation) Disorders (Y/N): **Y** YES

## Laboratory Test Results (Enter/Edit)

### [SROA LAB]

Use the *Laboratory Test Results (Enter/Edit)* option to enter or edit preoperative and postoperative lab information for an individual risk assessment. The option is divided into the three features listed below. The first two features allow the user to merge (also called "capture" or "load") lab information into the risk assessment from the VistA software. The third feature provides a two-page summary of the lab profile and allows direct editing of the information.

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

To "capture" preoperative lab data, the user must provide both the date and time the operation began. Likewise, to capture postoperative lab data, the user must provide both the date and time the operation was completed. If this information has already been entered, the system will not prompt for it again.

If assistance is needed while interacting with the software, entering one or two question marks (??) will access the on-line help.

### Example 1: Capture Preoperative Laboratory Information

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: LAB Laboratory Test Results
(Enter/Edit)
SURPATIENT,FORTY (000-77-7777) Case #68112
SEP 19, 2003 CHOLEDOCHOTOMY

Enter/Edit Laboratory Test Results

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

Select Number: 1

This selection loads the most recent lab data for tests performed within 90 days before the
operation unless otherwise specified.
Do you want to automatically load preoperative lab data ? YES// <Enter>

The 'Time Operation Began' must be entered before continuing.
Do you want to enter 'Time Operation Began' at this time ? YES// <Enter>

Time the Operation Began: 8:00 (SEP 25, 2003@08:00)

..Searching lab record for latest preoperative test data...

..Moving preoperative lab test data to Surgery Risk Assessment file...

Press <RET> to continue <Enter>
```

## Example 2: Capture Postoperative Laboratory Information

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: LAB Laboratory Test Results
(Enter/Edit)
1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

Select Number: 2

This selection loads highest or lowest lab data for tests performed within 30 days after the
operation.
Do you want to automatically load postoperative lab data ? YES// <Enter>

'Time the Operation Ends' must be entered before continuing.

Do you want to enter the time that the operation was completed at
this time ? YES// <Enter>

Time the Operation Ends: 12:00 (SEP 25, 2003@12:00)

..Searching lab record for postoperative lab test data...

..Moving postoperative lab data to Surgery Risk Assessment file...

Press <RET> to continue
```

## Example 3: Enter, Edit, or Review Laboratory Test Results

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: LAB Laboratory Test Results
(Enter/Edit)
Enter/Edit Laboratory Test Results

1. Capture Preoperative Laboratory Information
2. Capture Postoperative Laboratory Information
3. Enter, Edit, or Review Laboratory Test Results

Select Number: 3
```

```
SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 1 OF 2
LATEST PREOP LAB RESULTS IN 90 DAYS PRIOR TO SURGERY UNLESS OTHERWISE SPECIFIED
SEP 19,2003 CHOLEDOCHOTOMY
```

---

|                                 |      |               |
|---------------------------------|------|---------------|
| 1. Anion Gap (in 48 hrs.):      | 12   | (SEP 18,2003) |
| 2. Serum Sodium:                | 139  | (SEP 18,2003) |
| 3. BUN:                         | 13   | (SEP 18,2003) |
| 4. Serum Creatinine:            | 1    | (SEP 18,2003) |
| 5. Serum Albumin:               | 4    | (SEP 18,2003) |
| 6. Total Bilirubin:             | .8   | (SEP 18,2003) |
| 7. SGOT:                        | 29   | (SEP 18,2003) |
| 8. Alkaline Phosphatase:        | 120  | (SEP 18,2003) |
| 9. WBC:                         | 12.8 | (SEP 18,2003) |
| 10. Hematocrit:                 | 45.7 | (SEP 18,2003) |
| 11. Platelet Count:             | NS   |               |
| 12. PTT:                        | NS   |               |
| 13. PT:                         | NS   |               |
| 14. INR:                        | NS   |               |
| 15. Hemoglobin Alc (1000 days): | NS   |               |

---

```
Select Preoperative Laboratory Information to Edit: 11:13
```



SURPATIENT,FORTY (000-77-7777) Case #68112  
SEP 19,2003 CHOLEDOCHOTOMY

Preoperative Platelet Count (X 1000/mm3): **289**  
Date Preoperative Platelet Count was Performed: **9/18/03** (SEP 18, 2003)  
Preoperative PTT (seconds): **33.7**  
Date Preoperative PTT was Performed: **9/18/03** (SEP 18, 2003)  
Preoperative PT (seconds): **11.8**  
Date Preoperative PT was Performed: **9/18/03** (SEP 18, 2003)

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 1 OF 2  
LATEST PREOP LAB RESULTS IN 90 DAYS PRIOR TO SURGERY UNLESS OTHERWISE SPECIFIED  
SEP 19,2003 CHOLEDOCHOTOMY

1. Anion Gap (in 48 hrs.): 12 (SEP 18,2003)  
2. Serum Sodium: 139 (SEP 18,2003)  
3. BUN: 13 (SEP 18,2003)  
4. Serum Creatinine: 1 (SEP 18,2003)  
5. Serum Albumin: 4 (SEP 18,2003)  
6. Total Bilirubin: .8 (SEP 18,2003)  
7. SGOT: 29 (SEP 18,2003)  
8. Alkaline Phosphatase: 120 (SEP 18,2003)  
9. WBC: 12.8 (SEP 18,2003)  
10. Hematocrit: 45.7 (SEP 18,2003)  
11. Platelet Count: 289 (SEP 18,2003)  
12. PTT: 33.7 (SEP 18,2003)  
13. PT: 11.8 (SEP 18,2003)  
14. INR: NS  
15. Hemoglobin Alc (1000 days): NS

Select Preoperative Laboratory Information to Edit: **<Enter>**

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 2 OF 2  
POSTOP LAB RESULTS WITHIN 30 DAYS AFTER SURGERY  
SEP 19,2003 CHOLEDOCHOTOMY

1. Highest Anion Gap: 12 (SEP 20,2003)  
2. Highest Serum Sodium: 139 (SEP 20,2003)  
3. Lowest Serum Sodium: 135 (SEP 20,2003)  
4. Highest Potassium: 4.4 (SEP 20,2003)  
5. Lowest Potassium: 3.4 (SEP 20,2003)  
6. Highest Serum Creatinine: 1.2 (SEP 20,2003)  
7. Highest CPK: NS  
8. Highest CPK-MB Band: NS  
9. Highest Total Bilirubin: NS  
10. Highest WBC: 11.8 (SEP 20,2003)  
11. Lowest Hematocrit: 40.3 (SEP 20,2003)  
12. Highest Troponin I: 10.18 (SEP 24,2003)  
13. Highest Troponin T: 12.13 (SEP 24,2003)

Select Postoperative Laboratory Information to Edit: **2**

SURPATIENT,FORTY (000-77-7777) Case #68112  
SEP 19,1998 CHOLEDOCHOTOMY

---

Highest Postoperative Serum Sodium: 139// **144**  
Date Highest Serum Sodium was Recorded: **9/21/03** (SEP 21, 2003)

SURPATIENT,FORTY (000-77-7777) Case #68112 PAGE: 2 OF 2  
POSTOP LAB RESULTS WITHIN 30 DAYS AFTER SURGERY  
SEP 19,2003 CHOLEDOCHOTOMY

---

|                              |       |               |
|------------------------------|-------|---------------|
| 1. Highest Anion Gap:        | 12    | (SEP 20,2003) |
| 2. Highest Serum Sodium:     | 144   | (SEP 21,2003) |
| 3. Lowest Serum Sodium:      | 135   | (SEP 20,2003) |
| 4. Highest Potassium:        | 4.4   | (SEP 20,2003) |
| 5. Lowest Potassium:         | 3.4   | (SEP 20,2003) |
| 6. Highest Serum Creatinine: | 1.2   | (SEP 20,2003) |
| 7. Highest CPK:              | NS    |               |
| 8. Highest CPK-MB Band:      | NS    |               |
| 9. Highest Total Bilirubin:  | NS    |               |
| 10. Highest WBC:             | 11.8  | (SEP 20,2003) |
| 11. Lowest Hematocrit:       | 40.3  | (SEP 20,2003) |
| 12. Highest Troponin I:      | 10.18 | (SEP 24,2003) |
| 13. Highest Troponin T:      | 12.13 | (SEP 24,2003) |

---

Select Postoperative Laboratory Information to Edit:

## Operation Information (Enter/Edit)

### [SROA OPERATION DATA]

The *Operation Information (Enter/Edit)* option is used to enter or edit information related to the operation. At the bottom of each page is a prompt to select one or more operative items to edit. If the user does not want to edit any items on the page, pressing the **<Enter>** key will exit the option. If they are not already there, it is important that the operation's beginning and ending times be entered so that the user can later enter postoperative information.

### **About the "Select Operative Information to Edit:" Prompt**

The user should first enter the item number to edit at the "Select Operative Information to Edit:" prompt. To respond to every item on the page, the user should enter **A** for **ALL** or enter a range of numbers separated by a colon (:) to respond to a range of items.

After the information has been entered or edited, the display will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data. If information has been entered for the OTHER PROCEDURES field or the CONCURRENT PROCEDURES field, the summary will display **\*\*\*INFORMATION ENTERED\*\*\*** to the right of the items.

If assistance is needed while interacting with the software, the user should enter one or two question marks (??) to receive on-line help.

### **Example: Enter/Edit Operation Information**

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: Operation
Information (Enter/Edit)
```

```
SURPATIENT,EIGHT (XXX-XX-XXXX) Case #264 PAGE: 1 OF 2
Primary Surgeon: SURSURGEON,ONE >> Coding Complete <<
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

Postop Diagnosis Code (ICD9): NOT ENTERED

1. Surgical Specialty: ORTHOPEDICS
2. Principal Operation: ARTHROSCOPY, LEFT KNEE
3. Robotic Assistance (Y/N): NO
4. CPT Codes (view only): 29873-LT
5. Other Procedures:
6. Concurrent Procedure:
7. PGY of Primary Surgeon:
8. Surgical Priority: ELECTIVE
9. Wound Classification: CLEAN
10. ASA Classification: 1-NO DISTURB.
11. Princ. Anesthesia Technique: GENERAL
12. RBC Units Transfused:
13. Intraop Disseminated Cancer: NO
14. Intraoperative Ascites NO

Select Operative Information to Edit: 9:10
```

```
SURPATIENT,EIGHT (XXX-XX-XXXX) Case #264
```

Primary Surgeon: SURSURGEON,ONE  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Wound Classification: CLEAN// **CL**

1 CLEAN

2 CLEAN/CONTAMINATED

Choose 1-2: **2** CLEAN/CONTAMINATED

ASA Class: 1-NO DISTURB.// **2** 2 2-MILD DISTURB.

SURPATIENT,EIGHT (XXX-XX-XXXX) Case #264

PAGE: 1 OF 2

Primary Surgeon: SURSURGEON,ONE

>> Coding Complete <<

JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Postop Diagnosis Code (ICD9): NOT ENTERED

1. Surgical Specialty: ORTHOPEDICS
  2. Principal Operation: ARTHROSCOPY, LEFT KNEE
  3. Robotic Assistance (Y/N): NO
  4. CPT Codes (view only): 29873-IT
  5. Other Procedures:
  6. Concurrent Procedure:
  7. PGY of Primary Surgeon:
  8. Surgical Priority: ELECTIVE
  9. Wound Classification: CLEAN/CONTAMINATED
  - 10.ASA Classification: 2-MILD DISTURB.
  11. Princ. Anesthesia Technique: GENERAL
  12. RBC Units Transfused:
  13. Intraop Disseminated Cancer: NO
  14. Intraoperative Ascites NO
- 

Select Operative Information to Edit: **<Enter>**

SURPATIENT,EIGHT (XXX-XX-XXXX) Case #264

PAGE: 2 OF 2

Primary Surgeon: SURSURGEON,ONE

JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

1. Patient in Room (PIR): JUN 07, 2005 07:00
  2. Procedure/Surgery Start Time (PST): JUN 07, 2005 07:10
  3. Procedure/Surgery Finish (PF): JUN 07, 2005 08:15
  4. Patient Out of Room (POR): JUN 07, 2005 08:40
  5. Anesthesia Start (AS): JUN 07, 2005 06:30
  6. Anesthesia Finish (AF): JUN 07, 2005 09:00
  7. Discharge from PACU (DPACU):
- 

Select Operative Information to Edit:

## Patient Demographics (Enter/Edit)

### [SROA DEMOGRAPHICS]

The surgical clinical nurse reviewer uses the *Patient Demographics (Enter/Edit)* option to capture patient demographic information from the Patient Information Management System (PIMS) record. The nurse reviewer can also enter, edit, and review this information. The demographic fields captured from PIMS are Race, Ethnicity, Hospital Admission Date, Hospital Discharge Date, Admission/Transfer Date, Discharge/Transfer Date, Observation Admission Date, Observation Discharge Date, and Observation Treating Specialty. With this option, the nurse reviewer can also edit the length of postoperative hospital stay, hospital admission status, and transfer status.



---

The Race and Ethnicity information is displayed, but cannot be updated within this or any other Surgery package option.

---

### Example: Entering Patient Demographics

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: D Patient Demographics
(Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

```

Enter/Edit Patient Demographic Information
```

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

```
Select Number: (1-2): 1
```

```
Are you sure you want to retrieve information from PIMS records ? YES// <Enter>
```

```
...EXCUSE ME, JUST A MOMENT PLEASE...
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

```

Enter/Edit Patient Demographic Information
```

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

```
Select Number: (1-2): 2
```

SURPATIENT,EIGHT (000-37-0555)  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

Case #264

---

|                                        |                                         |
|----------------------------------------|-----------------------------------------|
| 1. Transfer Status:                    | NOT TRANSFERRED                         |
| 2. Observation Admission Date/Time:    | NA                                      |
| 3. Observation Discharge Date/Time:    | NA                                      |
| 4. Observation Treating Specialty:     | NA                                      |
| 5. Hospital Admission Date/Time:       | JUN 06, 2005@14:15                      |
| 6. Hospital Discharge Date/Time:       | JUN 21, 2005@11:32                      |
| 7. Admit/Transfer to Surgical Svc.:    | JUN 06, 2005@08:30                      |
| 8. Discharge/Transfer to Chronic Care: | JUN 21, 2005@11:32                      |
| 9. DC/REL Destination:                 |                                         |
| 10. Length of Postop Hospital Stay:    | 15 Days                                 |
| 11. Hospital Admission Status::        | ADMISSION                               |
| 12. Patient's Ethnicity:               | NOT HISPANIC OR LATINO                  |
| 13. Patient's Race:                    | AMERICAN INDIAN OR ALASKA NATIVE, ASIAN |
| 14. Date of Death:                     | NA                                      |
| 15. 30-Day Death:                      | NO                                      |

---

Select number of item to edit:

## Intraoperative Occurrences (Enter/Edit)

### [SRO INTRAOP COMP]

The nurse reviewer uses the *Intraoperative Occurrences (Enter/Edit)* option to enter or change information related to intraoperative occurrences (called complications in earlier versions). Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, enter a question mark (?) at the "Enter a New Intraoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

#### Example: Enter an Intraoperative Occurrence

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: IO Intraoperative Occurrences
(Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

```

There are no Intraoperative Occurrences entered for this case.

Enter a New Intraoperative Occurrence: **CARDIAC ARREST REQUIRING CPR**  
Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.

If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:  
- intraoperatively: occurring while patient was in the operating room  
- postoperatively: occurring after patient left the operating room.

Press RETURN to continue: **<Enter>**

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

```

```
1. Occurrence: CARDIAC ARREST REQUIRING CPR
2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
3. ICD Diagnosis Code (ICD9):
4. Treatment Instituted:
5. Outcome to Date:
6. Occurrence Comments:

```

Select Occurrence Information: **4:5**

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

```

```
Type of Treatment Instituted: CPR
Outcome to Date: I IMPROVED
```

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

1. Occurrence: CARDIAC ARREST REQUIRING CPR
  2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
  3. ICD Diagnosis Code:
  4. Treatment Instituted: CPR
  5. Outcome to Date: IMPROVED
  6. Occurrence Comments:
- 

Select Occurrence Information: <Enter>

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR  
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:



## Postoperative Occurrences (Enter/Edit)

### [SRO POSTOP COMP]

The nurse reviewer uses the *Postoperative Occurrences (Enter/Edit)* option to enter or change information related to postoperative occurrences (called complications in earlier versions). Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user should enter a question mark (?) at the "Enter a New Postoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

#### Example: Enter a Postoperative Occurrence

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: PO Postoperative Occurrences
(Enter/Edit)
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

```

There are no Postoperative Occurrences entered for this case.
```

```
Enter a New Postoperative Occurrence: ACUTE RENAL FAILURE
```

```
VASQIP Definition (2011):
```

```
Indicate if the patient developed new renal failure requiring renal
replacement therapy or experienced an exacerbation of preoperative
renal failure requiring initiation of renal replacement therapy (not on
renal replacement therapy preoperatively) within 30 days
postoperatively. Renal replacement therapy is defined as venous to
venous hemodialysis [CVVHD], continuous venous to arterial hemodialysis
[CVAHD], peritoneal dialysis, hemofiltration, hemodiafiltration or
ultrafiltration.
```

```
TIP: If the patient refuses dialysis report as an occurrence because
he/she did require dialysis.
```

```
Press RETURN to continue: <Enter>
```

```
SURPATIENT,EIGHT (000-37-0555) Case #264
JUN 7,2005 ARTHROSCOPY, LEFT KNEE
```

```

1. Occurrence: ACUTE RENAL FAILURE
2. Occurrence Category: ACUTE RENAL FAILURE
3. ICD Diagnosis Code (ICD9):
4. Treatment Instituted:
5. Outcome to Date:
6. Date Noted:
7. Occurrence Comments:

```

```
Select Occurrence Information: 4
```

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Treatment Instituted: **DIALYSIS**

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

1. Occurrence: ACUTE RENAL FAILURE
  2. Occurrence Category: ACUTE RENAL FAILURE
  3. ICD Diagnosis Code (ICD9):
  4. Treatment Instituted: DIALYSIS
  5. Outcome to Date:
  6. Date Noted:
  7. Occurrence Comments:
- 

Select Occurrence Information: **<Enter>**

SURPATIENT,EIGHT (000-37-0555) Case #264  
JUN 7,2005 ARTHROSCOPY, LEFT KNEE

---

Enter/Edit Postoperative Occurrences

1. ACUTE RENAL FAILURE  
Category: ACUTE RENAL FAILURE

Select a number (1), or type 'NEW' to enter another occurrence:

## Update Status of Returns Within 30 Days

### [SRO UPDATE RETURNS]

The *Update Status of Returns Within 30 Days* option is used to update the status of Returns to Surgery within 30 days of a surgical case.

#### Example: Update Status of Returns

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: RET Update Status of Returns Within 30 Days
SURPATIENT,SIXTY 000-56-7821
```

1. 07-06-05 REPAIR INGUINAL HERNIA (COMPLETED)
2. 06-25-05 CHOLECYSTECTOMY, APPENDECTOMY (COMPLETED)
3. 06-23-05 CHOLEDOCHOTOMY (COMPLETED)
4. 04-10-04 CRANIOTOMY (COMPLETED)

Select Operation: **3**

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY
JUN 23,2005 CHOLEDOCHOTOMY
```

---

1. 07/06/05 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/05 CHOLECYSTECTOMY - UNRELATED
- 

Select Number: **2**

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY
JUN 23,2005 CHOLEDOCHOTOMY
```

---

2. 06/25/05 CHOLECYSTECTOMY - UNRELATED
- 

This return to surgery is currently defined as UNRELATED to the case selected.  
Do you want to change this status ? NO// **Y**

```
SURPATIENT,SIXTY (000-56-7821) Case #62192 RETURNS TO SURGERY
JUN 23,2005 CHOLEDOCHOTOMY
```

---

1. 07/06/05 REPAIR INGUINAL HERNIA - UNRELATED
  2. 06/25/05 CHOLECYSTECTOMY - RELATED
- 

Select Number:

## Update Assessment Status to 'Complete'

### [SROA COMPLETE ASSESSMENT]

Use the *Update Assessment Status to 'Complete'* option to upgrade the status of an assessment to Complete. A complete assessment has enough information for it to be transmitted to the centers where data are analyzed. Only complete assessments are transmitted. This option also notifies the user if procedure (CPT) and diagnosis (ICD) coding has not been completed.

After updating the status, the user can print the patient's entire Surgery Risk Assessment Report. This report can be copied to a screen or to a printer.

#### Example : Update Assessment Status to COMPLETE

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: U Update Assessment
Status to 'COMPLETE'
This assessment is missing the following items:

 1. Rest Pain/Gangrene (Y/N)

Do you want to enter the missing items at this time? NO// YES
FOREIGN BODY REMOVAL (Y/N): N NO

Are you sure you want to complete this assessment ? NO// YES

Updating the current status to 'COMPLETE'...

Do you want to print the completed assessment ? YES// NO
```

## Alert Coder Regarding Coding Issues

### [SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre- defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

#### Example: Alert Coder Regarding Coding Issues

```
Select Non-Cardiac Assessment Information (Enter/Edit) Option: CODE Alert Coder
Regarding Coding Issues
```

```
Select Patient: SURPATIENT, TWO 4-3-23 000451982 YES
SC VETERAN
```

```
SURPATIENT, THREE 000-45-1982
```

```
1. 05-10-05 CHOLECYSTECTOMY (COMPLETED)
```

```
2. 01-27-06 BRONCHOSCOPY (COMPLETED)
```

```
Select Operation: 1
```

```
SURPATIENT, TWO (000-45-1982) Case #10102
MAY 10, 2005 CHOLECYSTECTOMY
```

```

The following "final" codes have been entered for the case.
```

```
Principal CPT Code: 47563 LAPARO CHOLECYSTECTOMY/GRAPH
Other CPT Codes: NOT ENTERED
Postop Diagnosis Code (ICD9): 540.9 ACUTE APPENDICITIS NOS
```

```
If you believe that the information coded is not correct and would like to
alert the coders of the potential issue, enter a brief description of your
concern below.
```

```
Do you want to alert the coders (Y/N)? YES// <Enter>
```

```
==[WRAP]==[INSERT]=====< Coding Discrepancy Comments >====[<PF1>H=Help]====
I have reviewed this case for VASQIP. The final Principal CPT Code entered
is 47563. I would like to talk to you regarding the code. I think the code
should be 47562. Please call me at X2545.
```

```
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```

1. Transmit Message
2. Edit Text

```
Select Number: 1// <Enter>
```

```
Transmitting message...
```

## Cardiac Risk Assessment Information (Enter/Edit)

### [SROA CARDIAC ENTER/EDIT]

The Surgical Clinical Nurse Reviewer uses the options within the *Cardiac Risk Assessment Information (Enter/Edit)* menu to create a new risk assessment for a cardiac patient. Cardiac cases are evaluated differently from non-cardiac cases, and the prompts are different. This option is also used to make changes to an assessment that has already been entered.

The example below demonstrates how to create a new risk assessment for cardiac patients and get to the sub-option menu as follows.

| Shortcut | Option Name                                                  |
|----------|--------------------------------------------------------------|
| CLIN     | <i>Clinical Information (Enter/Edit)</i>                     |
| LAB      | <i>Laboratory Test Results (Enter/Edit)</i>                  |
| CATH     | <i>Enter Cardiac Catheterization &amp; Angiographic Data</i> |
| OP       | <i>Operative Risk Summary Data (Enter/Edit)</i>              |
| CARD     | <i>Cardiac Procedures Operative Data (Enter/Edit)</i>        |
| IO       | <i>Intraoperative Occurrences (Enter/Edit)</i>               |
| PO       | <i>Postoperative Occurrences (Enter/Edit)</i>                |
| R        | <i>Resource Data</i>                                         |
| U        | <i>Update Assessment Status to 'COMPLETE'</i>                |
| CODE     | <i>Alert Coder Regarding Coding Issues</i>                   |

These sub-options are used for entering more in-depth data for a case and are described in this chapter.

## Creating a New Risk Assessment

1. Enter either the patient's name/patient ID (for example, SURPATIENT,NINETEEN) or the surgical case assessment number preceded by # (for example, #47063). If the patient has any previous assessments, they will be displayed. An asterisk (\*) indicates a cardiac case. The user can now choose to create a new assessment or edit one of the previously entered assessments.
2. After choosing an operation on which to report, the user should respond **YES** to the prompt "Are you sure that you want to create a Risk Assessment for this surgical case ?" The user must answer **YES** (or press the **<Enter>** key to accept the **YES** default) to get to any of the sub-options. If the answer given is **NO**, the case created in step 1 will not be considered an assessment, although it can appear on some lists, and the software will return the user to the "Select Patient:" prompt.
3. The screen will clear and present the sub-options menu. The user can select a sub-option now to enter more in-depth information for the case, or press the **<Enter>** key to return to the main menu.

## Example: Creating A New Risk Assessment (Cardiac)

Select Surgery Risk Assessment Menu Option: **C** Cardiac Risk Assessment Information (Enter/Edit)  
Select Patient: **SURPATIENT,FORTY** 03-03-45 000777777 NSC VETERAN

SURPATIENT,FORTY 000-77-7777

1. ---- CREATE NEW ASSESSMENT

Select Surgical Case: **1**

SURPATIENT,FORTY 000-77-7777

1. 01-18-95 CORONARY ARTERY BYPASS (COMPLETED)

2. 06-18-93 INGUINAL HERNIA (COMPLETED)

Select Operation: **1**

Are you sure that you want to create a Risk Assessment for this surgical  
case ? YES// **<Enter>**

## Clinical Information (Enter/Edit)

### [SROA CLINICAL INFORMATION]

The *Clinical Information (Enter/Edit)* option is used to enter the clinical information required for a cardiac risk assessment. The software will present one page; at the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the **<Enter>** key will advance the user to another option.

### **About the "Select Clinical Information to Edit:" Prompt**

At the "Select Clinical Information to Edit:" prompt, the user should enter the item number to edit. The user can then enter an **A** for **ALL** to respond to every item on the page, or enter a range of numbers separated by a colon (:) to respond to a range of items.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data. If assistance is needed while interacting with the software, the user can enter one or two question marks (??) to receive on-line help.

### **Example: Enter Clinical Information**

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CLIN Clinical
Information (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1
JUN 18,2005 CORONARY ARTERY BYPASS
```

```

1. Height: 70 in 17. PAD: NO
2. Weight: 185 lb 18. CVD Repair/Obstruct: NO CVD
3. Diabetes - Long Term: NO 19. History of CVD: NO CVD
4. Diabetes - 2 Wks Preop: NO 20. Angina Severity: NONE
5. COPD: NO 21. Angina Timeframe:W/N 14 DAY OF SU
6. FEV1: 9.3 liters 22. Congestive Heart Failure: 0
7. Cardiomegaly (X-ray): YES 23. Current Diuretic Use: NO
8. Tobacco Use: NEVER USED TOBACCO 24. IV NTG within 48 Hours: NO
9. Tobacco Use Timeframe: NOT APPLICABLE 25. Preop Circulatory Device: NONE
10. Positive Drug Screening: NOT DONE 26. Hypertension: NO
11. Active Endocarditis: NO 27. Preop Atrial Fibrillation: NO
12. Functional Status: INDEPENDENT 28. Preop Sleep Apnea: LEVEL 1
13. PCI: NONE 29. Sleep Apnea-Compliance:
14. Prior MI: UNKNOWN 30. Impaired Cognitive Func: 1
15. Num Prior Heart Surgeries:NONE
16. Prior Heart Surgery: NONE

```

```
Select Clinical Information to Edit: A
```



SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS

Patient's Height: 63 INCHES// 76  
Patient's Weight: 170 LBS// 210  
Diabetes Mellitus: Chronic, Long-Term Management: I INSULIN  
Diabetes Mellitus: Management Prior to Surgery: I INSULIN  
History of Severe COPD (Y/N): Y YES  
FEV1 : NS  
Cardiomegaly on Chest X-Ray (Y/N): Y YES  
Tobacco Use: 3 CIGARETTES ONLY  
Tobacco Use Timeframe: 1 WITHIN 2 WEEKS  
Positive Drug Screening:  
Active Endocarditis (Y/N): N NO  
Functional Status: I INDEPENDENT  
PCI: NONE  
Prior MI: 1 YES, < OR EQUAL TO 7 DAYS PREOP  
Number of Prior Heart Surgeries: 1 1

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS

Prior heart surgeries:

- |               |               |
|---------------|---------------|
| 0. NONE       | 4. OTHER      |
| 1. CABG-ONLY  | 5. CABG/OTHER |
| 2. VALVE-ONLY | 6. UNKNOWN    |
| 3. CABG/VALVE |               |

Enter your choice(s) separated by commas (0-6): // 2  
2 - VALVE-ONLY  
Peripheral Arterial Disease : 2 YES-W/O ANGI,REVASC,or AMPUT  
Prior Surgical Repair/Carotid Artery Obstruction: 0 NO CVD  
History of CVD Events: 0 NO CVD  
Angina Severity: IV CLASS IV  
Angina Timeframe: 1 NO ANGINA  
Preop Congestive Heart Failure: N CARD DX, CHF, OR SX

Current Diuretic Use (Y/N): Y YES  
IV NTG within 48 Hours Preceding Surgery (Y/N): Y YES  
Preop use of circulatory Device: N NONE  
Hypertension: 2 YES WITHOUT MED  
Preoperative Atrial Fibrillation: N NO  
Preoperative Sleep Apnea: 1 NONE - LEVEL 1  
Sleep Apnea-Compliance:  
Impaired Cognitive Function in the 90 Days Preop: YES-DOCUMENTED HISTORY  
//

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS

|                                |                    |                                |                  |
|--------------------------------|--------------------|--------------------------------|------------------|
| 1. Height:                     | 70 in              | 17. PAD:                       | NO               |
| 2. Weight:                     | 185 lb             | 18. CVD Repair/Obstruct:       | NO CVD           |
| 3. Diabetes - Long Term:       | NO                 | 19. History of CVD:            | NO CVD           |
| 4. Diabetes - 2 Wks Preop:     | NO                 | 20. Angina Severity:           | NONE             |
| 5. COPD:                       | NO                 | 21. Angina Timeframe:          | W/N 14 DAY OF SU |
| 6. FEV1:                       | 9.3 liters         | 22. Congestive Heart Failure:  | 0                |
| 7. Cardiomegaly (X-ray):       | YES                | 23. Current Diuretic Use:      | NO               |
| 8. Tobacco Use:                | NEVER USED TOBACCO | 24. IV NTG within 48 Hours:    | NO               |
| 9. Tobacco Use Timeframe:      | NOT APPLICABLE     | 25. Preop Circulatory Device:  | NONE             |
| 10. Positive Drug Screening:   | NOT DONE           | 26. Hypertension:              | NO               |
| 11. Active Endocarditis:       | NO                 | 27. Preop Atrial Fibrillation: | NO               |
| 12. Functional Status:         | INDEPENDENT        | 28. Preop Sleep Apnea:         | LEVEL 3          |
| 13. PCI:                       | NONE               | 29. Sleep Apnea-Compliance:    | > OR EQUAL       |
| 14. Prior MI:                  | UNKNOWN            | 30. Impaired Cognitive Func:   | 1                |
| 15. Num Prior Heart Surgeries: | NONE               |                                |                  |
| 16. Prior Heart Surgeries:     | NONE               |                                |                  |

Select Clinical Information to Edit:

## Laboratory Test Results (Enter/Edit)

### [SROA LAB-CARDIAC]

The *Laboratory Test Results (Edit/Edit)* option is used to enter or edit preoperative laboratory test results for an individual cardiac risk assessment. The option is divided into the two features listed below. The first feature allows the user to merge (also called "capture" or "load") lab information into the risk assessment from the VistA software. The second feature provides a two-page summary of the lab profile and allows direct editing of the information.

#### Capture Laboratory Information

##### 1. Enter, Edit, or Review Laboratory Test Results

To "capture" preoperative lab data, the user must provide both the date and time the operation began. If this information has already been entered, the system will not prompt for it again.

If assistance is needed while interacting with the software, entering one or two question marks (??) allows the user to access the on-line help.

#### **About the "Select Laboratory Information to Edit:" Prompt**

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

## Example: Enter Laboratory Test Results

Select Cardiac Risk Assessment Information (Enter/Edit) Option: **LAB** Laboratory Test Results (Enter/Edit)

SURPATIENT,NINETEEN (000-28-7354)

Case #60183

PAGE: 1

JUN 18,2005 CORONARY ARTERY BYPASS

---

Enter/Edit Laboratory Test Results

1. Capture Laboratory Information
2. Enter, Edit, or Review Laboratory Test Results

Select Number: **1**

This selection loads the most recent cardiac lab data for tests performed preoperatively.

Do you want to automatically load cardiac lab data ? YES// **<Enter>**

..Searching lab record for latest test data....

Press <RET> to continue **<Enter>**

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
 JUN 18,2005 CORONARY ARTERY BYPASS

---

Enter/Edit Laboratory Test Results

1. Capture Laboratory Information
2. Enter, Edit, or Review Laboratory Test Results

Select Number: **2**

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
 PREOPERATIVE LABORATORY RESULTS  
 JUN 18,2005 CORONARY ARTERY BYPASS

---

|                        |     |            |
|------------------------|-----|------------|
| 1. HDL:                | NS  |            |
| 2. LDL:                | 168 | (JAN 2004) |
| 3. Total Cholesterol:  | 321 | (JAN 2004) |
| 4. Serum Triglyceride: | >70 | (JAN 2004) |
| 5. Serum Potassium:    | NS  |            |
| 6. Serum Bilirubin:    | NS  |            |
| 7. Serum Creatinine:   | NS  |            |
| 8. Serum Albumin:      | NS  |            |
| 9. Hemoglobin:         | NS  |            |
| 10. Hemoglobin Alc:    | NS  |            |
| 11. BNP:               | NS  |            |

---

Select Laboratory Information to Edit: **1**

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
 PREOPERATIVE LABORATORY RESULTS  
 JUN 18,2005 CORONARY ARTERY BYPASS

---

HDL (mg/dl): NS// **177**  
 HDL, Date: **JAN, 2005** (JAN 2005)

SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1  
 PREOPERATIVE LABORATORY RESULTS  
 JUN 18,2005 CORONARY ARTERY BYPASS

---

|                        |     |            |
|------------------------|-----|------------|
| 1. HDL:                | 177 | (JAN 2005) |
| 2. LDL:                | 168 | (JAN 2004) |
| 3. Total Cholesterol:  | 321 | (JAN 2004) |
| 4. Serum Triglyceride: | >70 | (JAN 2004) |
| 5. Serum Potassium:    | NS  |            |
| 6. Serum Bilirubin:    | NS  |            |
| 7. Serum Creatinine:   | NS  |            |
| 8. Serum Albumin:      | NS  |            |
| 9. Hemoglobin:         | NS  |            |
| 10. Hemoglobin Alc:    | NS  |            |
| 11. BNP:               | NS  |            |

---

Select Laboratory Information to Edit:

## Enter Cardiac Catheterization & Angiographic Data

### [SROA CATHETERIZATION]

The *Enter Cardiac Catheterization & Angiographic Data* option is used to enter or edit cardiac catheterization and angiographic information for a cardiac risk assessment. The software will present one page. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the **<Enter>** key will advance the user to another option.

### About the "Select Cardiac Catheterization and Angiographic Information to Edit:"

#### Prompt

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

After the information has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

### Example: Enter Cardiac Catheterization & Angiographic Data

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CATH Enter Cardiac
Catheterization & Angiographic Data
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1 OF 2
JUN 18,2005 CORONARY ARTERY BYPASS

1. Procedure:
2. LVEDP:
3. Aortic Systolic Pressure:

For patients having right heart cath
4. PA Systolic Pressure:
5. PAW Mean Pressure:

6. LV Contraction Grade (from contrast
 or radionuclide angiogram or 2D echo):

7. Mitral Regurgitation:
8. Aortic Stenosis:

Select Cardiac Catheterization and Angiographic Information to Edit: A
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1 OF 2
JUN 18,2005 CORONARY ARTERY BYPASS

Procedure Type: NS NO STUDY/UNKNOWN
Do you want to automatically enter 'NS' for NO STUDY for all other fields within
this option ? YES// <Enter>
```

1. Procedure: NS  
2. LVEDP: NS  
3. Aortic Systolic Pressure: NS

For patients having right heart cath

4. PA Systolic Pressure: NS  
5. PAW Mean Pressure: NS

6. LV Contraction Grade (from contrast  
or radionuclide angiogram or 2D echo): NO LV STUDY

7. Mitral Regurgitation: NS  
8. Aortic Stenosis: NS

Select Cardiac Catheterization and Angiographic Information to Edit: **A**

Procedure Type: NO STUDY/UNKNOWN// **CATH CATH**

You have changed the answer from "NS".

Do you want to clear 'NS' from all other fields within this option ? NO// **N** NO

Left Ventricular End-Diastolic Pressure: NS// **56**

Aortic Systolic Pressure: NS// **120**

PA Systolic Pressure: NS//**30**

PAW Mean Pressure: NS//**15**

LV Contraction Grade: NS//?

Enter the grade that best describes left ventricular function.

Screen prevents selection of code III.

Choose from:

I > EQUAL 0.55 NORMAL  
II 0.45-0.54 MILD DYSFUNC.  
IIIa 0.40-0.44 MOD. DYSFUNC. A  
IIIb 0.35-0.39 MOD. DYSFUNC. B  
IV 0.25-0.34 SEVERE DYSFUNC.  
V <0.25 VERY SEVERE DYSFUNC.  
NS NO STUDY

LV Contraction Grade: NO STUDY//**IIIa** 0.40-0.44 MOD. DYSFUNC. A

Mitral Regurgitation: NO STUDY//?

Enter the code describing presence/severity of mitral regurgitation.

Choose from:

0 NONE  
1 MILD  
2 MODERATE  
3 SEVERE  
NS NO STUDY

Mitral Regurgitation: NO STUDY//**2** MODERATE

Aortic Stenosis: NO STUDY//**1** MILD

- 
1. Procedure: Cath
  2. LVEDP: 56 mm Hg
  3. Aortic Systolic Pressure: 120 mm Hg

For patients having right heart cath

4. PA Systolic Pressure: 30 mm Hg
5. PAW Mean Pressure: 15 mm Hg

6. LV Contraction Grade (from contrast or radionuclide angiogram or 2D echo): IIIa 0.40-0.44 MODERATE DYSFUNCTION A

7. Mitral Regurgitation: MODERATE
  8. Aortic Stenosis: MILD
- 

Select Cardiac Catheterization and Angiographic Information to Edit: <Enter>

---

----- Native Coronaries -----

1. Left main stenosis: NS
  2. LAD Stenosis: NS
  3. Right coronary stenosis: NS
  4. Circumflex Stenosis: NS
- 

Select Cardiac Catheterization and Angiographic Information to Edit: 3

Right Coronary Artery Stenosis: NS// ?  
Enter the percent (0-100) stenosis.  
Right Coronary Artery Stenosis: NS// 30

---

----- Native Coronaries -----

1. Left main stenosis: NS
  2. LAD Stenosis: NS
  3. Right coronary stenosis: 30
  4. Circumflex Stenosis: NS
- 

Select Cardiac Catheterization and Angiographic Information to Edit:

## Operative Risk Summary Data (Enter/Edit)

### [SROA CARDIAC OPERATIVE RISK]

The *Operative Risk Summary Data (Enter/Edit)* option is used to enter or edit operative risk summary data for the cardiac surgery risk assessments. This option records the physician's subjective estimate of operative mortality. To avoid bias, this should be completed preoperatively. The software will present one page. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any of the items, the **<Enter>** key can be pressed to proceed to another option.

### About the "Select Operative Risk Summary Information to Edit:" prompt

At this prompt the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items.

#### Example: Operative Risk Summary Data

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: OP Operative Risk Summary Data (Enter/Edit)
```

```
SURPATIENT,NINETEEN (XXX-XX-XXXX) Case #60183 PAGE: 1
JUN 18,2005 CORONARY ARTERY BYPASS
>> Coding Complete <<
```

```

1. ASA Classification: 1-NO DISTURB.
2. Surgical Priority:
3. CPT Codes (view only): 33510
4. Wound Classification: CLEAN
5. Robotic Assistance (Y/N): NO
```

This information cannot be edited.

```

Select Operative Risk Summary Information to Edit: 1:3
```

```
SURPATIENT,NINETEEN (XXX-XX-XXXX) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

```

```
ASA Class: 1-NO DISTURB.// 3 3 3-SEVERE DISTURB.
```

```
Cardiac Surgical Priority: ?
```

Enter the surgical priority that most accurately reflects the acuity of patient's cardiovascular condition at the time of transport to the operating room.

Choose from:

- 1 ELECTIVE
- 2 URGENT
- 3 EMERGENT (ONGOING ISCHEMIA)
- 4 EMERGENT (HEMODYNAMIC COMPROMISE)
- 5 EMERGENT (ARREST WITH CPR)

```
Cardiac Surgical Priority: 3 EMERGENT (ONGOING ISCHEMIA)
```

```
Date/Time of Cardiac Surgical Priority: JUN 18,2005@13:29 (JUN 18, 2005@13:29)
```



SURPATIENT,NINETEEN (XXX-XX-XXXX) Case #60183 PAGE: 1  
JUN 18,2005 CORONARY ARTERY BYPASS  
>> Coding Complete <<

---

1. ASA Classification: 3-SEVERE DISTURB.  
2. Surgical Priority: EMERGENT (ONGOING ISCHEMIA)  
A. Date/Time Collected: JUN 18,2005@18:15  
3. CPT Codes (view only): 33736  
4. Wound Classification: CLEAN  
5. Robotic Assistance (Y/N): NO

\*\*\* NOTE: D/Time of Surgical Priority should be < the D/Time Patient in OR.\*\*\*

---

Select Operative Risk Summary Information to Edit:

---

The Surgery software performs data checks on the following fields:

The Date/Time Collected field for Physician's Preoperative Estimate of Operative Mortality should be earlier than the Time Pat In OR field. This field is no longer auto-populated.



The Date/Time Collected field for Surgical Priority should be earlier than the Time Pat In OR field. This field is no longer auto-populated.

If the date entered does not conform to the specifications, then the Surgery software displays a warning at the bottom of the screen.

---

## Cardiac Procedures Operative Data (Enter/Edit)

### [SROA CARDIAC PROCEDURES]

The *Cardiac Procedures Operative Data (Enter/Edit)* option is used to enter or edit information related to cardiac procedures requiring cardiopulmonary bypass (CPB). The software will present two pages. At the bottom of the page is a prompt to select one or more items to edit. If the user does not want to edit any items on the page, pressing the **<Enter>** key will advance the user to another option.

### **About the "Select Operative Information to Edit:" prompt**

At this prompt, the user enters the item number to edit. Entering **A** for **ALL** allows the user to respond to every item on the page, or a range of numbers separated by a colon (:) can be entered to respond to a range of items. You can also use number-letter combinations, such as **11B**, to update a field within a group, such as VSD Repair.

Each prompt at the category level allows for an entry of **YES** or **NO**. If **NO** is entered, each item under that category will automatically be answered **NO**. On the other hand, responding **YES** at the category level allows the user to respond individually to each item under the main category.

After the information has been entered or edited, the terminal display screen will clear and present a summary. The summary organizes the information entered and provides another chance to enter or edit data.

### **Example: Enter Cardiac Procedures Operative Data**

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CARD Cardiac Procedures
Operative Data (Enter/Edit)
SURPATIENT,NINETEEN (000-28-7354) Case #60183 PAGE: 1
JUN 18,2005 CORONARY ARTERY BYPASS
```

```

Operative Data details:

```

1. Bridge to Transplant:
2. Total CPB Time:
3. Total Ischemic Time:
4. Incision Type:
5. Convert Off Pump to CPB: N/A (began on-pump/ stayed on-pump)

```

Select Operative Information to Edit:
```

## Intraoperative Occurrences (Enter/Edit)

### [SRO INTRAOP COMP]

The nurse reviewer uses the *Intraoperative Occurrences (Enter/Edit)* option to enter or change information related to intraoperative occurrences. Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user can enter a question mark (?) at the "Enter a New Intraoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another opportunity to enter or edit data.

### Example: Enter an Intraoperative Occurrence

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: IO Intraoperative Occurrences (Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183
```

```
JUN 18,2005 CORONARY ARTERY BYPASS
```

```

There are no Intraoperative Occurrences entered for this case.
```

```
Enter a New Intraoperative Occurrence: CARDIAC ARREST REQUIRING CPR
```

```
Definition Revised (2011): Indicate if there was any cardiac arrest requiring external or open cardiopulmonary resuscitation (CPR) occurring in the operating room, ICU, ward, or out-of-hospital after the chest had been completely closed and within 30 days of surgery. Patients with AICDs that fire but the patient does not lose consciousness should be excluded.
```

```
If patient had cardiac arrest requiring CPR, indicate whether the arrest occurred intraoperatively or postoperatively. Indicate the one appropriate response:
```

- intraoperatively: occurring while patient was in the operating room
- postoperatively: occurring after patient left the operating room

```
Press RETURN to continue: <Enter>
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS
```

- ```
-----  
1. Occurrence: CARDIAC ARREST REQUIRING CPR  
2. Occurrence Category: CARDIAC ARREST REQUIRING CPR  
3. ICD Diagnosis Code (ICD9):  
4. Treatment Instituted:  
5. Outcome to Date:  
6. Occurrence Comments:  
-----
```

```
Select Occurrence Information: 2:5
```

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

Occurrence Category: CARDIAC ARREST REQUIRING CPR
// <Enter>

ICD Diagnosis Code (ICD9): 102.8

One match found

102.8 LATENT YAWS

OK? YES// <Enter> YES 102.8 LATENT YAWS 102.8 ICD-9 LATENT YAWS

Type of Treatment Instituted: CPR

Outcome to Date: I IMPROVED

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

1. Occurrence: CARDIAC ARREST REQUIRING CPR
2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
3. ICD Diagnosis Code (ICD9) :102.8 LATENT YAWS
4. Treatment Instituted: CPR
5. Outcome to Date: IMPROVED
6. Occurrence Comments:

Select Occurrence Information: <Enter>

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:

Postoperative Occurrences (Enter/Edit)

[SRO POSTOP COMP]

The nurse reviewer uses the *Postoperative Occurrences (Enter/Edit)* option to enter or change information related to postoperative occurrences. Every occurrence entered must have a corresponding occurrence category. For a list of occurrence categories, the user can enter a question mark (?) at the "Enter a New Postoperative Occurrence:" prompt.

After an occurrence category has been entered or edited, the screen will clear and present a summary. The summary organizes the information entered and provides another opportunity to enter or edit data.

Example: Enter a Postoperative Occurrence

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: PO Postoperative Occurrences  
(Enter/Edit)
```

```
SURPATIENT,NINETEEN (000-28-7354)          Case #60183  
JUN 18,2005   CORONARY ARTERY BYPASS
```

```
-----  
There are no Postoperative Occurrences entered for this case.
```

```
Enter a New Postoperative Occurrence: CARDIAC ARREST REQUIRING CPR
```

```
Definition Revised (2011): Indicate if there was any cardiac arrest  
requiring external or open cardiopulmonary resuscitation (CPR)  
occurring in the operating room, ICU, ward, or out-of-hospital after  
the chest had been completely closed and within 30 days of surgery.  
Patients with AICDs that fire but the patient does not lose  
consciousness should be excluded.
```

```
If patient had cardiac arrest requiring CPR, indicate whether the  
arrest occurred intraoperatively or postoperatively. Indicate the  
one appropriate response:
```

- intraoperatively: occurring while patient was in the operating room
- postoperatively: occurring after patient left the operating room

```
Press RETURN to continue: <Enter>
```

```
SURPATIENT,NINETEEN (000-28-7354)          Case #60183  
JUN 18,2005   CORONARY ARTERY BYPASS
```

```
-----  
1. Occurrence:                CARDIAC ARREST REQUIRING CPR  
2. Occurrence Category:       CARDIAC ARREST REQUIRING CPR  
3. ICD Diagnosis Code (ICD9):  
4. Treatment Instituted:  
5. Outcome to Date:  
6. Date Noted:  
7. Occurrence Comments:
```

```
-----  
Select Occurrence Information: 4:6
```

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

Treatment Instituted: **CPR**
Outcome to Date: **I** IMPROVED
Date/Time the Occurrence was Noted: **6/19/05** (JUN 19, 2005)

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

1. Occurrence: CARDIAC ARREST REQUIRING CPR
 2. Occurrence Category: CARDIAC ARREST REQUIRING CPR
 3. ICD Diagnosis Code (ICD9):
 4. Treatment Instituted: CPR
 5. Outcome to Date: IMPROVED
 6. Date Noted: 06/19/05
 7. Occurrence Comments:
-

Select Occurrence Information: **<Enter>**

SURPATIENT,NINETEEN (000-28-7354) Case #60183
JUN 18,2005 CORONARY ARTERY BYPASS

Enter/Edit Intraoperative Occurrences

1. CARDIAC ARREST REQUIRING CPR
Category: CARDIAC ARREST REQUIRING CPR

Select a number (1), or type 'NEW' to enter another occurrence:

Resource Data (Enter/Edit)

[SROA CARDIAC RESOURCE]

The nurse reviewer uses the *Resource Data (Enter/Edit)* option to enter, edit, or review risk assessment and cardiac patient demographic information such as hospital admission, discharge dates, and other information related to the surgical episode.

Example: Resource Data (Enter/Edit)

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: R Resource Data
SURPATIENT,TEN (000-12-3456) Case #49413
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD
```

Enter/Edit Patient Resource Data

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

Select Number: (1-2): 1

Are you sure you want to retrieve information from PIMS records ? YES// <Enter>

...HMMM, I'M WORKING AS FAST AS I CAN...

```
SURPATIENT,TEN (000-12-3456) Case #49413
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD
```

Enter/Edit Patient Resource Data

1. Capture Information from PIMS Records
2. Enter, Edit, or Review Information

Select Number: (1-2): 2

```
SURPATIENT,TEN (000-12-3456) Case #49413 PAGE: 1 OF 2
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD
```

1. Transfer Status:	NON-VAMC ACUTE CARE HOSPITAL
2. Hospital Admission Date:	
3. Hospital Discharge Date:	
4. DC/REL Destination:	ACUTE CARE FACIL TRANSFER VA/NON-VA
5. Cardiac Catheterization Date:	MAY 14, 2015@12:07
6. Time Patient In OR:	OCT 03, 2007@08:00
7. Date/Time Operation Began:	OCT 03, 2007@09:00
8. Date/Time Operation Ended:	OCT 03, 2007@10:00
9. Time Patient Out OR:	OCT 03, 2007@12:30
10. Date/Time Patient Extubated:	OCT 03, 2007@14:35
Postop Intubation Hrs:	+2.1
11. Date/Time Discharged from ICU:	
12. Homeless:	NO
13. Employment Status Preoperatively:	NOT EMPLOYED
14. Date of Death:	NA
15. 30-Day Death:	NO

```
SURPATIENT,TEN (000-12-3456) Case #49413 PAGE: 2 OF 2
OCT 18,2007 CABG X3 USING LSVG TO OMB,LV EXT. OF RCA,LIMA TO LAD
```

1. Current Residence:	ACUTE CARE FACILITY
2. Ambulation Device:	AMBULATES W/OUT ASSISTIVE DEVICE
3. History of Cancer:	NO
4. History of Radiation Therapy:	YES
5. Num of Prior Surg in Same OP:	>5 PREVIOUS SURGERIES

The Surgery software performs data checks on the following fields:

The Date/Time Patient Extubated field should be later than the Time Patient Out OR field, and earlier than the Date/Time Discharged from ICU field.



The Date/Time Discharged from ICU field should be later than the Date/Time Patient Extubated field, and equal to or earlier than the Hospital Discharge Date field.

If the date entered does not conform to the specifications, then the Surgery software displays a warning at the bottom of the screen.

Update Assessment Status to 'COMPLETE'

[SROA COMPLETE ASSESSMENT]

The *Update Assessment Status to 'COMPLETE'* option is used to upgrade the status of an assessment to "Complete." A complete assessment has enough information for it to be transmitted to the centers where data are analyzed. Only complete assessments are transmitted. This option also notifies the user if procedure (CPT) and diagnosis (ICD) coding has not been completed.

After updating the status, the user can print the patient's entire Surgery Risk Assessment Report. This report can be copied to a screen or to a printer.

Example: Update Assessment Status to COMPLETE

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: U Update Assessment Status to 'COMPLETE'
This assessment is missing the following items:

    1. Foreign Body Removal (Y/N)

Do you want to enter the missing items at this time? NO// YES
FOREIGN BODY REMOVAL (Y/N): N NO

Are you sure you want to complete this assessment ? NO// YES

Updating the current status to 'COMPLETE'...

Do you want to print the completed assessment ? YES// NO
```

Alert Coder Regarding Coding Issues

[SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre- defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

Example : Alert Coder Regarding Coding Issues

```
Select Cardiac Risk Assessment Information (Enter/Edit) Option: CODE Alert Coder  
Regarding Coding Issues
```

```
Select Patient: SURPATIENT,NINETEEN 000287354 YES  
SC VETERAN
```

```
SURPATIENT,NINETEEN 000-28-7354
```

```
1. 05-10-05 CHOLECYSTECOMY (COMPLETED)
```

```
2. 06-18-05 * CORONARY ARTERY BYPASS (COMPLETED)
```

```
Select Operation: 2
```

```
SURPATIENT,NINETEEN (000-28-7354) Case #60183  
JUN 18,2005 CORONARY ARTERY BYPASS
```

```
-----  
The following "final" codes have been entered for the case.
```

```
Principal CPT Code: 33510
```

```
Other CPT Codes: NOT ENTERED
```

```
Postop Diagnosis Code (ICD 9): 402.10 HYP HEART DIS BENING W/O FAIL
```

```
If you believe that the information coded is not correct and would like to  
alert the coders of the potential issue, enter a brief description of your  
concern below.
```

```
Do you want to alert the coders (Y/N)? YES// <Enter>
```

```
==[ WRAP ]==[ INSERT ]====< Coding Discrepancy Comments >==[ <PF1>H=Help ]====
```

```
I have reviewed this case for VASQIP. The final Principal CPT Code entered  
is 33510. I would like to talk to you regarding the code. I think the code  
should be 33502. Please call me at X2545.
```

```
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```

```
1. Transmit Message
```

```
2. Edit Text
```

```
Select Number: 1// <Enter>
```

Print a Surgery Risk Assessment

[SROA PRINT ASSESSMENT]

The *Print a Surgery Risk Assessment* option prints an entire Surgery Risk Assessment Report for an individual patient. This report can be displayed temporarily on a screen. As the report fills the screen, the user will be prompted to press the **<Enter>** key to go to the next page. A permanent record can be made by copying the report to a printer. When using a printer, the report is formatted slightly differently from the way it displays on the terminal.

Example 1: Print Surgery Risk Assessment for a Non-Cardiac Case

```
Select Surgery Risk Assessment Menu Option: P Print a Surgery Risk Assessment
Do you want to batch print assessments for a specific date range ? NO// <Enter>

Select Patient: SURPATIENT,FORTY          05-07-23      000777777      NO      NSC VET
ERAN
SURPATIENT,FORTY  000-77-7777

1. 02-10-04   * CABG (INCOMPLETE)
2. 01-09-06   APPENDECTOMY (COMPLETED)

Select Surgical Case: 2

Print the Completed Assessment on which Device: [Select Print Device]
```

.....*printout follows*.....

Medical Center: ALBANY
 Age: 81 Operation Date: JAN 09, 2006
 Sex: MALE Ethnicity: NOT HISPANIC OR LATINO Race:
 AMERICAN INDIAN OR ALASKA
 NATIVE, NATIVE HAWAIIAN OR OTHER
 PACIFIC ISLANDER, WHITE
 Transfer Status: NOT ENTERED
 Observation Admission Date: NA
 Observation Discharge Date: NA
 Observation Treating Specialty: NA
 Hospital Admission Date: NOV 27, 2007 13:11
 Hospital Discharge Date:
 Admitted/Transferred to Surgical Service:
 Discharged/Transferred to Chronic Care:
 DC/REL Destination: NOT ENTERED
 Hospital Admission Status:
 Assessment Completed by: SURNURSE, SEVEN

PREOPERATIVE INFORMATION

GENERAL:	YES	HEPATOBIILIARY:	YES
Height:		Ascites:	YES
Weight:			
Diabetes - Long Term:		GASTROINTESTINAL:	
Diabetes - 2 Wks Preop:		Esophageal Varices:	NO
Tobacco Use:			
Tobacco Use Timeframe: NOT APPLICABLE			
ETOH > 2 Drinks/Day:	NO	CARDIAC:	
Positive Drug Screening:		Congestive Heart Failure:	N CARD DX, CHF
Dyspnea:	NO	Prior MI:	
Preop Sleep Apnea:	LEVEL 3	PCI:	
Sleep Apnea-Compliance:	> OR EQUA		
DNR Status:		Prior Heart Surgery:	
Functional Status:		Angina Severity:	
Current Residence: ACUTE CARE FACILITY		Angina Timeframe:	
Ambulation Device:		Hypertension:	

PULMONARY:		VASCULAR:	
Ventilator Dependent:		PAD:	
History of Severe COPD:		Rest Pain/Gangrene:	
Current Pneumonia:			

PREOPERATIVE INFORMATION

RENAL:		NUTRITIONAL/IMMUNE/OTHER:	
Acute Renal Failure:		Disseminated Cancer:	
Currently on Dialysis:		Open Wound:	
		Steroid Use for Chronic Cond.:	
CENTRAL NERVOUS SYSTEM:		Weight Loss > 10%:	
Impaired Sensorium:		Bleeding Disorders:	
		Bleeding Due To Med:	
Coma:		Transfusion > 4 RBC Units:	
Hemiplegia:		Chemo for Malig Last 90 Days:	
CVD Repair/Obstruct:		Radiotherapy W/I 90 Days:	
History of CVD:		Preoperative Sepsis:	
Tumor Involving CNS:		Pregnancy:	NOT APPLICABLE
Impaired Cognitive Function:		History of Cancer:	YES
		History of Radiation Therapy:	Y
		Prior Surg in Same Operative:	

OPERATION DATE/TIMES INFORMATION

Patient in Room (PIR): JUL 20, 2007 07:00
 Procedure/Surgery Start Time (PST): JUL 20, 2007 07:30
 Procedure/Surgery Finish (PF): JUL 20, 2007 08:30 Patient
 Out of Room (POR): JUL 20, 2007 08:40
 Anesthesia Start (AS):
 Anesthesia Finish (AF): Discharge
 from PACU (DFACU):

=====

OPERATIVE INFORMATION

Surgical Specialty: GENERAL(OR WHEN NOT DEFINED BELOW)

Principal Operation: APPENDECTOMY

Robotic Assistance (Y/N): NO

Procedure CPT Codes: 44950

Concurrent Procedure:
CPT Code: PGY of

Primary Surgeon: 0

Emergency Case (Y/N): NO

Wound Classification: CONTAMINATED

ASA Classification: 3-SEVERE DISTURB.

Principal Anesthesia Technique: GENERAL

RBC Units Transfused: 0

Intraop Disseminated Cancer: NO

Intraoperative Ascites: NO

PREOPERATIVE LABORATORY TEST RESULTS

Anion Gap (in 48 hrs.):	12	(JAN 7,2006)
Serum Sodium:	144.6	(JAN 7,2006)
Serum Creatinine:	.9	(JAN 7,2006)
BUN:	18	(JAN 7,2006)
Serum Albumin:	3.5	(JAN 7,2006)
Total Bilirubin:	.9	(JAN 7,2006)
SGOT:	46	(JAN 7,2006)
Alkaline Phosphatase:	34	(JAN 7,2006)
White Blood Count:	15.9	(JAN 7,2006)
Hematocrit:	43.4	(JAN 7,2006)
Platelet Count:	356	(JAN 7,2006)
PTT:	25.9	(JAN 7,2006)
PT:	12.1	(JAN 7,2006)
INR:	1.54	(JAN 7,2006)
Hemoglobin Alc:	NS	

POSTOPERATIVE LABORATORY RESULTS

* Highest Value

** Lowest Value

* Anion Gap:	11	(JAN 7,2006)
* Serum Sodium:	148	(JAN 12,2006)
** Serum Sodium:	144.2	(FEB 2,2006)
* Potassium:	4.5	(JAN 12,2006)
** Potassium:	4.5	(JAN 12,2006)
* Serum Creatinine:	1.4	(FEB 2,2006)
* CPK:	88	(JAN 12,2006)
* CPK-MB Band:	<1	(JAN 12,2006)
* Total Bilirubin:	1.3	(JAN 12,2006)
* White Blood Count:	12.2	(JAN 12,2006)
** Hematocrit:	42.9	(JAN 12,2006)
* Troponin I:	1.42	(JAN 12,2006)
* Troponin T:	NS	

=====

OUTCOME INFORMATION

Postoperative Diagnosis Code (ICD9): 540.1 ABSCESS OF APPENDIX
Length of Postoperative Hospital Stay: 3 DAYS
Date of Death:
Return to OR Within 30 Days: NO

PERIOPERATIVE OCCURRENCE INFORMATION

WOUND OCCURRENCES:	YES	CNS OCCURRENCES:	YES
Superficial Incisional SSI:	NO	Stroke/CVA:	NO
Deep Incisional SSI:	NO	Coma > 24 Hours:	NO
Wound Disruption:	01/10/06	Peripheral Nerve Injury:	01/10/06
* 427.31 ATRIAL FIBRILLATI	01/10/06		
URINARY TRACT OCCURRENCES:	YES	CARDIAC OCCURRENCES:	YES
Renal Insufficiency:	NO	Arrest Requiring CPR:	NO
Acute Renal Failure:	NO	Myocardial Infarction:	01/09/06
Symptomatic UTI:	01/11/06		
RESPIRATORY OCCURRENCES:	YES	OTHER OCCURRENCES:	YES
Pneumonia:	NO	Bleeding/Transfusions:	NO
Out of OR Unplanned Intub:	NO	Graft/Prosthesis/Flap Failure:	NO
Pulmonary Embolism:	NO	DVT/Thrombophlebitis:	NO
On Ventilator > 48 Hours:	NO	Systemic Sepsis: SEPTIC SHOCK	01/11/06
* 477.0 RHINITIS DUE TO P	01/12/06	Organ/Space SSI:	01/11/06
		C. difficile Colitis:	NO

* indicates Other (ICD)

Example 2: Print Surgery Risk Assessment for a Cardiac Case

Select Surgery Risk Assessment Menu Option: **P** Print a Surgery Risk Assessment

Do you want to batch print assessments for a specific date range ? NO// **<Enter>**

Select Patient: **R9922** SURPATIENT,NINE 12-19-51 000345555 NO SC
VETERAN

SURPATIENT,NINE 000-34-5555

1. 07-01-06 * CABG X3 (1A,2V), ARTERIAL GRAFTING (TRANSMITTED)
2. 03-27-05 INGUINAL HERNIA (TRANSMITTED)
3. 07-03-04 PULMONARY LOBECTOMY (TRANSMITTED)

Select Surgical Case: Select Surgical Case: **1**

Print the Completed Assessment on which Device: **[Select Print Device]**

.....*printout follows*.....

VA SURGICAL QUALITY IMPROVEMENT PROGRAM - CARDIAC SPECIALTY

I. IDENTIFYING DATA

Patient: SQWMNW,BILL 000-00-1941 Case #: 45730
 Surgery Date: 01/27/14 Address: Fac./Div. #: 442
 Phone: NS/Unknown Zip Code: NS/Unknown Date of Birth: 08/11/57

CLINICAL DATA

Gender: MALE Age: 67
 Height: 70 in Prior MI: UNKNOWN
 Weight: 185 lb Number of prior heart surgeries: NONE Diabetes -
 Long Term: NO Prior heart surgery: NONE
 Diabetes - 2 Wks Preop: NO PAD: NO
 COPD: NO CVD Repair/Obstruct: NO CVD
 FEV1: 9.3 liters History of CVD: NO CVD
 Cardiomegaly (X-ray): YES Angina Severity: NONE
 Tobacco Use: NEVER USED TOBACCO Angina Timeframe: W/N 14 DAY OF SURG
 Tobacco Use Timeframe: NOT APPLICABLE Congestive Heart Failure: 0-N CARD DX
 Positive Drug Screening: NOT DONE Current Diuretic Use: NO Active
 Endocarditis: NO IV NTG 48 Hours Preceding Surgery: NO Functional
 Status: INDEPENDENT Preop Circulatory Device: NONE PCI:
 NONE Hypertension: NO Preop
 Sleep Apnea: LEVEL 1 Preoperative Atrial Fibrillation: NO Sleep
 Apnea-Compliance: Impaired Cognitive Function: YES-DOCUMENT

II. DETAILED LABORATORY INFO - PREOPERATIVE VALUES

Creatinine: mg/dl (NS) T. Cholesterol: mg/dl (NS)
 Hemoglobin: mg/dl (NS) HDL: mg/dl (NS)
 Albumin: g/dl (NS) LDL: mg/dl (NS)
 Triglyceride: mg/dl (NS) Hemoglobin Alc: % (NS) Potassium:
 mg/L (NS) BNP: mg/dl (NS)
 T. Bilirubin: mg/dl (NS)

III. CARDIAC CATHETERIZATION AND ANGIOGRAPHIC DATA

Cardiac Catheterization Date:
 Procedure: Native Coronaries:
 LVEDP: mm Hg Left Main Stenosis:
 Aortic Systolic Pressure: mm Hg LAD Stenosis:
 Right Coronary Stenosis: For
 patients having right heart cath: Circumflex Stenosis:
 PA Systolic Pressure: mm Hg
 PAW Mean Pressure: mm Hg If a Re-do, indicate stenosis
 in graft to: LAD:
 Right coronary (include PDA):
 Circumflex:

 LV Contraction Grade (from contrast or radionuclide angiogram or 2D Echo):
 Grade Ejection Fraction Range Definition

Mitral Regurgitation:
 Aortic stenosis:

IV. OPERATIVE RISK SUMMARY DATA ASA

Classification:
 Surgical Priority:
 Principal CPT Code: CPT Code Missing
 Other Procedures CPT Codes:
 Wound Classification:
 Robotic Assistance (Y/N): NO

VI. OPERATIVE DATA

Bridge to Transplant:

Operative Data details

Total CPB Time: min Total Ischemic Time: min
 Incision Type:

Conversion Off Pump to CPB:

VII. OUTCOMES

Perioperative (30 day) Occurrences:

Mycardial Infarction:		YES	Tracheostomy:		NO
Endocarditis:	NO		Unplanned Intub W/In 30 Days:		NO
Superficial Incisional SSI:	NO		Stroke/CVA:		NO SYMPTOMS
Mediastinitis:	NO		Coma > or = 24 Hours:		NO
Cardiac Arrest Requiring CPR:	NO		New Mech Circulatory Support:		NO
Reoperation for Bleeding:	NO		Postop Atrial Fibrillation:		NO
On ventilator > or = 48 hr:	NO		Wound Disruption:		NO
Repeat cardiac Surg procedure:	NO		Renal Failure Requiring Dialysis:		NO

VIII. RESOURCE DATA

Transfer Status:

Hospital Admission Date:

DC/REL Destination:

Time Patient In OR:

Operation Began:

Operation Ended:

Time Patient Out OR:

Date and Time Patient Extubated:

Postop Intubation Hrs:

Date and Time Patient Discharged from ICU:

Patient is Homeless:

Date of Death:

30-Day Death:

Current Residence:

Ambulation Device:

History of Cancer:

History of Radiation Therapy:

Prior Surg in Same Operative:

=====
IX. SOCIOECONOMIC, ETHNICITY, AND RACE

Employment Status Preoperatively:

Ethnicity:

UNANSWERED

Race Category(ies):

UNANSWERED

X. DETAILED DISCHARGE INFORMATION

Discharge ICD-9 Codes:

Type of Disposition:

Place of Disposition:

Preferred VAMC identification code:

Primary care or referral VAMC identification code:

Follow-up VAMC identification code:

*** End of report for SQWMNW,BILL 000-00-1941 assessment #45730 ***

Enter RETURN to continue or '^' to exit:

Update Assessment Completed/Transmitted in Error

[SROA TRANSMITTED IN ERROR]

The *Update Assessment Completed/Transmitted in Error* option is used to change the status of a completed or transmitted assessment that contains errors or has been entered in error. The status will change from Completed or Transmitted to Incomplete so that the user can edit the assessment.

Transmitted assessments will be re-transmitted if they are re-completed within 14 days of the original transmission date.

Example: Update Assessment Completed/Transmitted in Error

```
Select Surgery Risk Assessment Menu Option: U Update Assessment Completed/Transmitted in Error
Select Patient: SURPATIENT,NINETEEN      03-03-30      000287354      SC VETERAN
SURPATIENT,NINETEEN 000-28-7354

1. 02-08-95  CORONARY ARTERY BYPASS (INCOMPLETE)
2. 01-25-95  PULMONARY LOBECTOMY (TRANSMITTED)

Select Surgical Case: 2
Are you sure that you want to change the status of this assessment
from 'TRANSMITTED' to 'INCOMPLETE' ? YES// <Enter>

The Assessment Status has been changed to 'INCOMPLETE'.

Press <Enter> to continue
```

List of Surgery Risk Assessments

[SROA ASSESSMENT LIST]

The *List of Surgery Risk Assessments* option is used to print lists of assessments within a date range. Lists of assessments in different phases of completion (for example, incomplete, completed, or transmitted) or a list of all surgical cases entered in the Surgery Risk Assessment software can be printed. The user can also request that the list be sorted by surgical service. The software will prompt for a beginning date and an ending date. The examples in this section illustrate printing assessments in the following formats.

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases
5. List of All Major Surgical Cases
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Example 1: List of Incomplete Assessments

```
Select Surgery Risk Assessment Menu Option: L List of Surgery Risk Assessments
```

```
List of Surgery Risk Assessments
```

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

```
Select the Number of the Report Desired: (1-11): 1
```

```
Start with Date: 1 1 06 (JAN 01, 2006)
```

```
End with Date: 6 30 06 (JUN 30, 2006)
```

```
Print by Surgical Specialty ? YES// <Enter>
```

```
Print report for ALL specialties ? YES// <Enter>
```

```
Do you want to print all divisions? YES// NO
```

```
1. MAYBERRY, NC
```

```
Select Number: (1-2): 1
```

```
This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.
```

```
Print the List of Assessments to which Device: [Select Print Device]
```

.....printout follows.....

INCOMPLETE RISK ASSESSMENTS
MAYBERRY, NC
SURGERY SERVICE
JAN 1, 2006 TO: JUN 30, 2006

PAGE 1

DATE REVIEWED: FROM:
REVIEWED BY:

ASSESSMENT # OPERATION DATE	PATIENT	SURGEON	OPERATION(S)	ANESTHESIA TECHNIQUE
--------------------------------	---------	---------	--------------	----------------------

=====
** SURGICAL SPECIALTY: CARDIAC SURGERY **

28519 2006	SURPATIENT,NINE	000-34-5555 SURSURGEON,ONE	* CABG X3 (2V,1A) CPT Codes: 33736	GENERAL JAN 05,
---------------	-----------------	-------------------------------	---	-----------------

** SURGICAL SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW) **

63063 JUN 09, 2006	SURPATIENT,ONE	000-44-7629 SURSURGEON,TWO	INGUINAL HERNIA CPT Codes: 49521	SPINAL
-----------------------	----------------	-------------------------------	---	--------

** SURGICAL SPECIALTY: NEUROSURGERY **

63154 JUN 24, 2006	SURPATIENT,EIGHT	000-37-0555 SURSURGEON,FOUR	CRANIOTOMY CPT Codes: NOT ENTERED	NOT ENTERED
-----------------------	------------------	--------------------------------	--	-------------

Example 2: List of Completed Assessments

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **2**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

This report is designed to print to your screen or a printer. When using a printer, a 132 column format is used.

Print the List of Assessments to which Device: **[Select Print Device]**

.....*printout follows*.....

COMPLETED RISK ASSESSMENTS
MAYBERRY, NC
SURGERY SERVICE
JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED: FROM:
REVIEWED BY:

ASSESSMENT # OPERATION DATE	PATIENT OPERATION(S)	DATE COMPLETED	ANESTHESIA TECHNIQUE
--------------------------------	-------------------------	----------------	----------------------

** SURGICAL SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW) **

92 FEB 23, 2006	SURPATIENT, SIXTY 000-56-7821 CHOLEDOCHOTOMY CPT Code: 47420	FEB 28, 2006	GENERAL
63045 MAR 01, 2006	SURPATIENT, FORTYONE 000-43-2109 INGUINAL HERNIA CPT Code: 49521	MAR 29, 2006	GENERAL

** SURGICAL SPECIALTY: OPHTHALMOLOGY **

1898 APR 28, 2006	SURPATIENT, FORTYONE 000-43-2109 INTRAOCULAR LENS	MAY 28, 2006 CPT Codes: NOT ENTERED	GENERAL
----------------------	--	--	---------

Example 3: List of Transmitted Assessments

```
Select Surgery Risk Assessment Menu Option: L List of Surgery Risk Assessments
List of Surgery Risk Assessments

  1. List of Incomplete Assessments
  2. List of Completed Assessments
  3. List of Transmitted Assessments
  4. List of Non-Assessed Major Surgical Cases (Deactivated)
  5. List of All Major Surgical Cases (Deactivated)
  6. List of All Surgical Cases
  7. List of Completed/Transmitted Assessments Missing Information
  8. List of 1-Liner Cases Missing Information
  9. List of Eligible Cases
 10. List of Cases With No CPT Codes
 11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): 3
Print by Date of Operation or by Date of Transmission ?

  1. Date of Operation
  2. Date of Transmission

Select Number: (1-2): 1// <Enter>

Start with Date: 1 1 06 (JAN 01, 2006)
End with Date: 6 30 06 (JUN 30, 2006)

Print which Transmitted Cases ?

  1. Assessed Cases Only
  2. Excluded Cases Only
  3. Both Assessed and Excluded

Select Number: (1-3): 1// <Enter>

Print by Surgical Specialty ? YES// <Enter>
Print report for ALL specialties ? YES// N

Print the Report for which Surgical Specialty: GENERAL SURGERY 50      GENERAL
SURGERY
  1 50 GENERAL SURGERY      50
  2 50 GASTROENTEROLOGY    50      GASTR
  3 50 TWO GENERAL         50      TG
CHOOSE 1-3: <Enter> SURGERY GENERAL SURGERY      50

Do you want to print all divisions? YES// NO

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): 1

This report is designed to print to your screen or a printer. When
using a printer, a 132 column format is used.

Print the List of Assessments to which Device: [Select Print Device]
```

printout follows

TRANSMITTED RISK ASSESSMENTS
MAYBERRY, NC
SURGERY SERVICE
DATES FROM: JAN 1,2006 TO: JUN 30,2006

DATE REVIEWED: OPERATION
REVIEWED BY:

ASSESSMENT # OPERATION DATE	PATIENT OPERATION(S)	TRANSMISSION DATE	ANESTHESIA TECHNIQUE

** SURGICAL SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW) **			
63076 JAN 08, 2006	SURPATIENT,FOURTEEN 000-45-7212 INGUINAL HERNIA CPT Codes: 49521	FEB 12, 2006	GENERAL
63077 FEB 08, 2006	SURPATIENT,FIVE 000-58-7963 INGUINAL HERNIA, OTHER PROC1 CPT Codes: NOT ENTERED	FEB 30, 2006	GENERAL
63103 MAR 27, 2006	SURPATIENT,NINE 000-34-5555 INGUINAL HERNIA CPT Codes: 49521	APR 09, 2006	GENERAL
63171 MAY 17, 2006	SURPATIENT,FIFTYTWO 000-99-8888 CHOLECYSTECTOMY CPT Codes: 47600	JUN 05, 2006	GENERAL

Example 4: List of Non-Assessed Major Surgical Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **4**

This display is no longer used. Please select a different list.

Press ENTER to continue

Example 5: List of All Major Surgical Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **5**

This display is no longer used. Please select a different list.

Press ENTER to continue

Example 6: List of All Surgical Cases

```
Select Surgery Risk Assessment Menu Option: L List of Surgery Risk Assessments
List of Surgery Risk Assessments

  1. List of Incomplete Assessments
  2. List of Completed Assessments
  3. List of Transmitted Assessments
  4. List of Non-Assessed Major Surgical Cases (Deactivated)
  5. List of All Major Surgical Cases (Deactivated)
  6. List of All Surgical Cases
  7. List of Completed/Transmitted Assessments Missing Information
  8. List of 1-Liner Cases Missing Information
  9. List of Eligible Cases
 10. List of Cases With No CPT Codes
 11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): 6

Start with Date: 1 1 06 (JAN 01, 2006)
End with Date: 6 30 06 (JUN 30, 2006)

Print by Surgical Specialty ? YES// <Enter>

Print report for ALL specialties ? YES// N

Print the Report for which Surgical Specialty: 50          GENERAL (OR WHEN NOT DEFINED BELOW)
GENERAL (OR WHEN NOT DEFINED BELOW)          50

Do you want to print all divisions? YES// NO

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): 1

This report is designed to print to your screen or a printer. When
using a printer, a 132 column format is used.

Print the List of Assessments to which Device: [Select Print Device]
```

printout follows

ALL SURGICAL CASES BY SURGICAL SPECIALTY
MAYBERRY, NC
SURGERY SERVICE
JAN 1,2006 TO: JUN 30,2006

PAGE 1

DATE REVIEWED: FROM:
REVIEWED BY:

CASE #	PATIENT	ASSESSMENT STATUS	ANESTHESIA TECHNIQUE
OPERATION DATE	PRINCIPAL OPERATIVE PROCEDURE	EXCLUSION CRITERIA	SURGEON
===== SURGICAL			
SPECIALTY: GENERAL (OR WHEN NOT DEFINED BELOW)			
63110 JAN 23, 2006	SURPATIENT,SIXTY 000-56-7821 CHOLEDOCHOTOMY CPT Code: 47420	COMPLETED 10% RULE	GENERAL SURSURGEON, TWO
63079 APR 02, 2006	SURPATIENT,FIFTYTWO 000-99-8888 INGUINAL HERNIA CPT Codes: NOT ENTERED	INCOMPLETE	GENERAL SURSURGEON, ONE
63131 APR 21, 2006	SURPATIENT,FIFTYTWO 000-99-8888 PERINEAL WOUND EXPLORATION CPT Codes: NOT ENTERED	NO ASSESSMENT	GENERAL SURSURGEON, NINE
63180 JUN 23, 2006	SURPATIENT,SIXTY 000-56-7821 CHOLECYSTECTOMY CPT Codes: 47600	NO ASSESSMENT	NOT ENTERED SURSURGEON, ONE
TOTAL GENERAL (OR WHEN NOT DEFINED BELOW) : 4			

Example 7: List of Completed/Transmitted Assessments Missing Information

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **7**

Start with Date: **1 1 06** (JAN 01, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

printout follows

MAYBERRY, NC

FROM: JAN 1,2006 TO: JUN 30,2006 DATE

PRINTED: JUL 13,2006

** GENERAL (OR WHEN NOT DEFINED BELOW)

ASSESSMENT #	PATIENT	TYPE	STATUS
OPERATION DATE	OPERATION(S)		
63172	SURPATIENT,FIFTYTWO	000-99-8888	NON-CARDIAC
MAY 17, 2006	REPAIR ARTERIAL BLEEDING		TRANSMITTED
	CPT Code: 33120		
	Missing information:		
	1. The final coding for Procedure and Diagnosis is not complete.		
	2. Anesthesia Technique		
63185	SURPATIENT,SIXTEEN	000-11-1111	NON-CARDIAC
APR 17, 2006	INGUINAL HERNIA, CHOLECYSTECTOMY		TRANSMITTED
	Missing information:		
	1. The final coding for Procedure and Diagnosis is not complete.		
	2. Concurrent Case		
	3. History of COPD (Y/N)		
	4. Ventilator Dependent Greater than 48 Hrs (Y/N)		
	5. Weight Loss > 10% of Usual Body Weight (Y/N)		
	6. Transfusion Greater than 4 RBC Units this Admission (Y/N)		
63080	SURPATIENT,THIRTY	000-82-9472	EXCLUDED
JAN 03, 2006	TURP		COMPLETE
	Missing information:		
	1. The final coding for Procedure and Diagnosis is not complete.		

TOTAL FOR GENERAL (OR WHEN NOT DEFINED BELOW): 3 TOTAL

FOR ALL SPECIALTIES: 3

Example 8: List of 1-Liner Cases Missing Information

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **8**

Start with Date: **2 27 06** (FEB 27, 2006)

End with Date: **6 30 06** (JUN 30, 2006)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

.....printout follows.....-

** UROLOGY

CASE # DATE	PATIENT OPERATION(S)	TYPE	STATUS OP
317 10, 2006	SURPATIENT,FOURTEEN 000-45-7212 Vasectomy CPT Codes: NOT ENTERED	CARDIAC	COMPLETE APR

Missing information:
1. The final coding for Procedure and Diagnosis is not complete.
2. Attending Code
3. Wound Classification
4. ASA Class

TOTAL FOR UROLOGY: 1

Example 9: List of Eligible Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **9**

Start with Date: **6 1 06** (JUN 01, 2006)

End with Date: **6 30 07** (JUN 30, 2007)

Print which Eligible Cases ?

1. Assessed Cases Only
2. Excluded Cases Only
3. Non-Assessed Cases only
4. All Cases

Select Number: (1-4): 1// **<Enter>**

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **NO** NO

Print the Report for which Surgical Specialty: **GENERAL** SURGERY 50 GENERAL SURGERY

Do you want to print all divisions? YES// **NO**

1. MAYBERRY, NC
2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: **[Select Print Device]**

.....*printout follows*.....

*' Denotes Eligible CPT Code

>>> CARDIAC SURGERY

CASE #	PATIENT	TYPE	STATUS
OP DATE	OPERATION(S)		
10095	SURPATIENT,SEVENTY 000-00-0125	CARDIAC	COMPLETE
JUN 04, 2006	CABG, REGRAFT		

>>> Final CPT Coding is not complete. CPT Codes: *33510, *33511

10084	SURPATIENT,NINE 000-34-5555	CARDIAC	COMPLETE
JUL 08, 2006	CABG		

CPT Codes: *33502, 11402

10380	SURPATIENT,THREE 000-21-2453	NOT LOGGED	COMPLETE
FEB 06, 2007	CORONARY ARTERY BYPASS		

CPT Codes: NOT ENTERED

10383	SURPATIENT,ONE 000-44-7629	NON-CARDIAC	COMPLETE
FEB 08, 2007	STENT		

CPT Codes: NOT ENTERED

TOTAL FOR CARDIAC SURGERY: 4

>>> GENERAL SURGERY

CASE #	PATIENT	TYPE	STATUS
OP DATE	OPERATION(S)		
10061	SURPATIENT,FIFTEEN 666-98-1288	NON-CARDIAC	COMPLETE
FEB 11, 2007	APPENDECTOMY, SPLENECTOMY		

>>> Final CPT Coding is not complete. CPT Codes: *44955, *38100

10079	SURPATIENT,SEVENTY 000-00-0125	EXCLUDED	COMPLETE
MAR 31, 2007	HERNIA		

>>> Final CPT Coding is not complete. CPT Codes: *49521, *49521

TOTAL FOR GENERAL SURGERY: 2

Example 10: List of Cases With No CPT Codes

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **10**

Start with Date: **1 1 07** (JAN 01, 2007)

End with Date: **T** (JAN 23, 2008)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **<Enter>**

Print the List of Assessments to which Device: HOME// **[Select Print Device]**

printout follows

CASES WITHOUT CPT CODES
1 ALBANY - ALL DIVISIONS
FROM: JAN 1, 2007 TO: JAN
23, 2008 DATE PRINTED: JAN
23, 2008

PAGE

>>> CARDIAC SURGERY

CASE # OP DATE	PATIENT OPERATION(S)	TYPE	STATUS
10429 FEB 12, 2007	SURPATIENT, TEN 666-12-3456 CABG	CARDIAC	COMPLETE
10420 FEB 12, 2007	SURPATIENT, F. 666-00-0804 CABG	CARDIAC	TRANSMITTED
10423 MAR 12, 2007	SURPATIENT, TWO 666-45-1982 cabg	CARDIAC	INCOMPLETE
10430 MAR 18, 2007	SURPATIENT, EIGHT 666-37-0555 CABG X3	CARDIAC	INCOMPLETE
10374 MAY 10, 2007	SURPATIENT, NINE 666-34-5555 CABG X 3	NOT LOGGED	NO ASSESSMENT

TOTAL FOR CARDIAC SURGERY: 5

TOTAL FOR ALL SPECIALTIES: 5

Example 11: Summary List of Assessed Cases

Select Surgery Risk Assessment Menu Option: **L** List of Surgery Risk Assessments

List of Surgery Risk Assessments

1. List of Incomplete Assessments
2. List of Completed Assessments
3. List of Transmitted Assessments
4. List of Non-Assessed Major Surgical Cases (Deactivated)
5. List of All Major Surgical Cases (Deactivated)
6. List of All Surgical Cases
7. List of Completed/Transmitted Assessments Missing Information
8. List of 1-Liner Cases Missing Information
9. List of Eligible Cases
10. List of Cases With No CPT Codes
11. Summary List of Assessed Cases

Select the Number of the Report Desired: (1-11): **11**

Start with Date: **01 01 08** (JAN 01, 2008)

End with Date: **01 30 08** (JAN 30, 2008)

Print by Surgical Specialty ? YES// **<Enter>**

Print report for ALL specialties ? YES// **<Enter>**

Do you want to print all divisions? YES// **NO**

1. ALBANY

2. PHILADELPHIA, PA

Select Number: (1-2): **1**

Print the List of Assessments to which Device: HOME// **[Select Print Device]**

SUMMARY LIST OF ASSESSED CASES
 ALBANY
 FROM: JAN 1,2001 TO: JAN 23,2008 DATE
 PRINTED: JAN 23,2008

SURGICAL SPECIALTY	INCOMPLETE	COMPLETE	TRANSMITTED	EXCLUDED
CARDIAC SURGERY	8	1	1	0
GENERAL SURGERY	17	1	1	6
NEUROSURGERY	1	0	1	0
OPHTHALMOLOGY	2	0	0	0
ORTHOPEDICS	2	0	0	0
OTORHINOLARYNGOLOGY (ENT)	1	0	0	0
PLASTIC SURGERY (INCLUDES HEAD	2	0	0	0
TWO GENERAL	1	0	0	0
UROLOGY	0	0	0	1
TOTAL FOR ALL SPECIALTIES:	34	2	3	7

Print 30 Day Follow-up Letters

[SROA REPRINT LETTERS]

The Surgical Clinical Nurse Reviewer uses the *Print 30 Day Follow-up Letters* option to automatically print a letter, or a batch of letters, addressed to a specific patient or patients.

About the "Do you want to print the letter for a specific assessment?" Prompt

The user responds **YES** to this prompt in order to print a follow-up letter for a single assessment. The software will ask the user to select the patient and case for which the letter will be printed. See Example 1 below.

The user responds **NO** to this prompt if he or she wants to print a batch of follow-up letters for surgical cases within a data range. The software will ask for the beginning and ending dates of the date range for which the letters will be printed. See Example 2 on the following pages.



If the patient has died, the software notifies the user of the death, and will not print the letter. Also, if a patient has not been discharged, the follow up letter will not print.

Example 1: Print a Single Follow-up Letter

```
Select Surgery Risk Assessment Menu Option: F Print 30 Day Follow-up Letters
Do you want to edit the text of the letter? NO// <Enter>
Do you want to print the letter for a specific assessment ? YES// <Enter>

Select Patient:      SURPATIENT,NINETEEN      03-03-30      000287354      SC VETERAN
SURPATIENT,NINETEEN 000-28-7354

1. 06-18-06  CORONARY ARTERY BYPASS (INCOMPLETE)
2. 01-25-06  PULMONARY LOBECTOMY (TRANSMITTED)

Select Surgical Case: 1
Print 30 Day Letters on which Device: [Select Print Device]
```

.....*printout follows*.....

NINETEEN SURPATIENT

JUL 18, 2006
Operation Date: 06/18/06
Specialty: GENERAL SURGERY

Dear Mr. Surpatient,

One month ago, you had an operation at the VA Medical Center. We are interested in how you feel. Have you had any health problems since your operation? We would like to hear from you. Please take a few minutes to answer these questions and return this letter in the self-addressed stamped envelope.

Have you been to a hospital or seen a doctor for any reason since your operation? Yes No

If you answered NO, you do not need to answer any more questions. Please return this sheet in the self-addressed stamped envelope.

If you have answered YES, please answer the following questions.

1) Have you been seen in an outpatient clinic or doctor's office?
 Yes No

Why did you go to the clinic or doctor's office? _____

Where? (name and location) _____ Date? _____

Who was your doctor? _____

2) Were you admitted to a hospital? Yes No

Why did you go to the hospital? _____

Where? (name and location) _____ Date? _____

Who was your doctor? _____

Please return this letter whether or not you have had any medical problems. Your health and opinion are important to us. Thank you.

Sincerely,

Surgical Clinical Nurse Reviewer

Example 2: Print Letters Within a Date Range

Select Surgery Risk Assessment Menu Option: **P** Print 30 Day Follow-up Letters

Do you want to print the letter for a specific assessment ? YES// **N**

This option will allow you to reprint the 30 day follow up letters for the date that they were originally printed. When printed automatically, the letters print 25 days after the date of operation.

Print letters for BEGINNING date: TODAY// **6/1/07** (JUN 01, 2007)

Print letters for ENDING date: TODAY// **<Enter>** (JUN 02, 2007)

Print 30 Day Letters on which Device: **[Select Print Device]**

printout follows

FORTYONE SURPATIENT
87 NORTH STREET
PHILADELPHIA, PA 91776

JUN 02, 2007
Operation Date: 05/08/07
Specialty: GENERAL SURGERY

Dear Mr. Surpatient,

One month ago, you had an operation at the VA Medical Center. We are interested in how you feel. Have you had any health problems since your operation? We would like to hear from you. Please take a few minutes to answer these questions and return this letter in the self-addressed stamped envelope.

Have you been to a hospital or seen a doctor for any reason since your operation? Yes No

If you answered NO, you do not need to answer any more questions. Please return this sheet in the self-addressed stamped envelope.

If you have answered YES, please answer the following questions.

1) Have you been seen in an outpatient clinic or doctor's office?
 Yes No

Why did you go to the clinic or doctor's office? _____

Where? (name and location) _____ Date? _____

Who was your doctor? _____

2) Were you admitted to a hospital? Yes No

Why did you go to the hospital? _____

Where? (name and location) _____ Date? _____

Who was your doctor? _____

Please return this letter whether or not you have had any medical problems. Your health and opinion are important to us. Thank You.

Sincerely,

Surgical Clinical Nurse Reviewer

Exclusion Criteria (Enter/Edit)

[SR NO ASSESSMENT REASON]

The *Exclusion Criteria (Enter/Edit)* option is used to flag major cases that will not have a surgery risk assessment due to certain exclusion criteria. At the prompt "Reason an Assessment was not Created:" enter a question mark (?) to see a list of reasons.

Example: Enter Reason for No Assessment

```
Select Surgery Risk Assessment Menu Option: R Exclusion Criteria (Enter/Edit)
Select Patient: R9922 SURPATIENT,NINE          03-03-34      000345555      NO      SC
VETERAN
SURPATIENT,NINE      XXX-XX-XXXX
1. 11-01-04      TURP (COMPLETED)
2. 08-01-03      CABG X3 (1A,2V), ARTERIAL GRAFTING (COMPLETED)
3. 07-03-01      PULMONARY LOBECTOMY, TURP (COMPLETED)

Select Operation: 1
Reason an Assessment was not Created: 6 10% RULE
```

```
SURPATIENT,NINE (XXX-XX-XXXX)          Case #63159
Transmission Status: QUEUED TO TRANSMIT
NOV 1,2004      TURP (CPT Code: 52601-59)
-----
1. Exclusion Criteria:          10% RULE
2. Surgical Priority:          ELECTIVE
3. Surgical Specialty:        UROLOGY
4. CPT Codes (view only):     NOT ENTERED
5. Principal Anesthesia Technique: GENERAL
6. Robotic Assistance (Y/N):  YES
-----
Select Excluded Case Information to Edit:
```

Monthly Surgical Case Workload Report

[SROA MONTHLY WORKLOAD REPORT]

The *Monthly Surgical Case Workload Report* option generates the Monthly Surgical Case Workload Report that may be printed and/or transmitted to the VASQIP national database. The report can be printed for a specific month, or for a range of months.

Example: Monthly Surgical Case Workload Report – Single Month

```
Select Surgery Risk Assessment Menu Option: M Monthly Surgical Case Workload Report  
Report of Monthly Case Workload Totals
```

```
Print which report?
```

1. Report for Single Month
2. Report for Range of Months

```
Select Number (1 or 2): 1// <Enter>
```

```
This option provides a report of the monthly risk assessment surgical case  
workload totals which include the following categories:
```

1. All cases performed
2. Eligible cases
3. Eligible cases meeting exclusion criteria
4. Assessed cases
5. Not logged eligible cases
6. Cardiac cases
7. Non-cardiac cases
8. Cases utilizing Robotic Assistance
9. Assessed cases per day (based on 20 days/month)

```
The second part of this report provides the total number of incomplete  
assessments remaining for the month selected and the prior 12 months.
```

```
Compile workload totals for which month and year? MAY 2007// <Enter>
```

```
Do you want to print all divisions? YES// <Enter>
```

```
This report may be printed and/or transmitted to the national database.
```

```
Do you want this report to be transmitted to the central database? NO// <Enter>
```

.....*printout follows*.....

MAYBERRY, NC
 REPORT OF MONTHLY SURGICAL CASE WORKLOAD FOR
 MAY 2007

TOTAL CASES PERFORMED	=	249
TOTAL ELIGIBLE CASES	=	227
CASES MEETING EXCLUSION CRITERIA	=	114
NON-SURGEON CASE	=	55
EXCEEDS MAX. ASSESSMENTS	=	0
EXCEEDS MAXIMUM TURPS	=	0
INCLUSION CRTA NOT MET	=	59
10% RULE	=	0
CONCURRENT CASE	=	0
EXCEEDS MAXIMUM HERNIAS	=	0
ABORTED	=	0
ASSESSED CASES	=	135
NOT LOGGED ELIGIBLE CASES	=	0
CARDIAC CASES	=	16
NON-CARDIAC CASES	=	119
CASES WITH ROBOTIC ASSISTANCE	=	0
ASSESSED CASES PER DAY	=	6.75

NUMBER OF INCOMPLETE ASSESSMENTS REMAINING FOR PAST YEAR

	CARDIAC	NON-CARDIAC	TOTAL
	-----	-----	-----
MAY 2006	0	0	0
JUN 2006	0	0	0
JUL 2006	0	0	0
AUG 2006	0	0	0
SEP 2006	0	0	0
OCT 2006	0	0	0
NOV 2006	0	0	0
DEC 2006	0	0	0
JAN 2007	0	0	0
FEB 2007	0	0	0
MAR 2007	0	0	0
APR 2007	0	0	0
MAY 2007	15	82	97
	-----	-----	-----
	15	82	97

Example: Monthly Surgical Case Workload Report – Range of Months

```
Select Surgery Risk Assessment Menu Option: M Monthly Surgical Case Workload Report  
Report of Monthly Case Workload Totals
```

```
Print which report?
```

1. Report for Single Month
2. Report for Range of Months

```
Select Number (1 or 2): 1// 2
```

```
Start with which month and year? OCT 2006// (OCT 2006) <Enter>
```

```
End with which month and year? MAY 2007// (MAY 2007) <Enter>
```

```
Do you want to print all divisions? YES// <Enter>
```

```
Print report on which Device: [Select Print Device]
```

printout follows

ALBANY - ALL DIVISIONS REPORT OF
SURGICAL CASE WORKLOAD
FOR OCT 2005 THROUGH MAY 2006

TOTAL CASES PERFORMED	=	30
TOTAL ELIGIBLE CASES	=	5
CASES MEETING EXCLUSION CRITERIA	=	1
NON-SURGEON CASE	=	0
ANESTHESIA TYPE	=	0
EXCEEDS MAX. ASSESSMENTS	=	0
EXCEEDS MAXIMUM TURPS	=	0
INCLUSION CRTA NOT MET	=	0
10% RULE	=	1
CONCURRENT CASE	=	0
EXCEEDS MAXIMUM HERNIAS	=	0
ABORTED	=	0
ASSESSED CASES	=	20
NOT LOGGED ELIGIBLE CASES	=	0
CARDIAC CASES	=	4
CASES WITH ROBOTIC ASSISTANCE	=	0
NON-CARDIAC CASES	=	16

M&M Verification Report

[SRO M&M VERIFICATION REPORT]

The *M&M Verification Report* option produces the M&M Verification Report, which may be useful for:

- reviewing occurrences and their assignment to operations
- reviewing death unrelated/related assignments to operations

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre- transmission report is similar but includes operations with completed risk assessments that have not yet transmitted to the national database.

Full Report

Information is printed by patient, listing all operations for the patient that occurred during the selected date range, plus any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that were performed prior to the selected date range and, if printed by specialty, may include operations performed by other specialties. For every operation listed, the intraoperative and postoperative occurrences are listed. The report indicates if the operation was flagged as unrelated or related to death and the risk assessment type and status. The report may be printed for a selected list of surgical specialties.

Pre-Transmission Report

Information is printed in a format similar to the full report. This report lists all completed risk assessed operations that have not yet transmitted to the national database and that have intraoperative occurrences, postoperative occurrences, or death within 90 days of surgery. The report includes any operations that may have occurred within 30 days prior to any postoperative occurrences or within 90 days prior to death. Therefore, this report may include some operations that may or may not be risk assessed, and, if risk assessed, may have a status other than 'complete'. However, every patient listed on this report will have at least one operation with a risk assessment status of 'complete'.

Example 1: Generate an M&M Verification Report (Full Report)

Select Surgery Risk Assessment Menu Option: ▼ M&M Verification Report

M&M Verification Report

The M&M Verification Report is a tool to assist in the review of occurrences and their assignment to operations and in the review of death unrelated or related assignments to operations.

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.

Print which report ?

1. Full report for selected date range.
2. Pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **<Enter>**

Start with Date: **03 01 07** (MAR 01, 2007)

End with Date: **03 30 07** (MAR 30, 2007)

Do you want to print all divisions? YES// **<Enter>**

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

.....*printout follows*.....

REVIEWED BY:
DATE REVIEWED:

OP DATE	CASE #	SURGICAL SPECIALTY PRINCIPAL PROCEDURE	ASSESSMENT TYPE	STATUS	DEATH RELATED
=====					
>>> SURPATIENT,FIVE (666-58-7963)					
03/01/07	10401	GENERAL SURGERY APPENDECTOMY CPT Codes: 44970 Occurrences: ACUTE RENAL FAILURE ** POSTOP ** (03/02/07)	NON-CARDIAC	TRANSMITTED	N/A

>>> SURPATIENT,ONE (666-44-7629)					
03/07/07	10421	GENERAL SURGERY APPENDECTOMY, CHOLECYSTECTOMY CPT Codes: 44950, 47610 Occurrences: URINARY TRACT INFECTION ** POSTOP ** (03/09/07) ACUTE RENAL FAILURE ** POSTOP ** (03/10/07) OTHER RESPIRATORY OCCURRENCE ** POSTOP ** (03/10/07) ICD: 478.25 EDEMA PHARYNX/NASOPHARYX	NON-CARDIAC	TRANSMITTED	N/A

>>> SURPATIENT,TWO (666-45-1982)					
03/07/07	10422	NEUROSURGERY LAMINECTOMY CPT Codes: 22630 Occurrences: OTHER OCCURRENCE (03/07/07) ICD: 415.19 OTH PULM EMB & INFARC	NON-CARDIAC	TRANSMITTED	N/A

>>> SURPATIENT,ELEVEN (666-00-0748) - DIED 03/10/07@14:50					
03/10/07	10100	GENERAL SURGERY REMOVAL OF GALLBLADDER CPT Codes: 47600 Occurrences: PULMONARY EMBOLISM ** POSTOP ** (03/10/07) >>> Comments: Patient complained of chest pain and shortness of breath. Heparin was administered immediately by IV. Date of Death: 03/10/07@14:50 Review of Death Comments: Patient expired from large pulmonary embolus before anticoagulant treatment could take effect. Patient's obesity and prolonged immobilization were likely contributing factors.	NON-CARDIAC	INCOMPLETE	NO

Example 2: Generate an M&M Verification Report (Pre-Transmission Report)

```
Select Surgery Risk Assessment Menu Option: V M&M Verification Report
M&M Verification Report
```

The M&M Verification Report is a tool to assist in the review of occurrences and their assignment to operations and in the review of death unrelated or related assignments to operations.

The full report includes all patients who had operations within the selected date range who experienced intraoperative occurrences, postoperative occurrences or death within 90 days of surgery. The pre-transmission report is similar but includes only operations with completed risk assessments that have not yet transmitted to the national database.
Print which variety of the report ?

1. Print full report for selected date range.
2. Print pre-transmission report for completed risk assessments.

Enter selection (1 or 2): 1// **2**

Do you want to print all divisions? YES// **<Enter>**

Do you want to print this report for all Surgical Specialties ? YES// **<Enter>**

This report is designed to use a 132 column format.

Print report on which Device: **[Select Print Device]**

printout follows

ALBANY - ALL DIVISIONS
M&M Verification Report
PRE-TRANSMISSION REPORT FOR COMPLETED ASSESSMENTS
Report Generated: OCT 23,2007

REVIEWED BY:
DATE REVIEWED:

OP DATE	CASE # PROCEDURE	SURGICAL SPECIALTY	ASSESSMENT TYPE	STATUS	DEATH RELATED PRINCIPAL
=====					
>>> SURPATIENT,TWELVE (666-00-0762)					
09/21/07	45466 RHINOPLASTY CPT Codes: 30410 Occurrences: DEEP INCISIONAL SSI ** POSTOP ** (09/23/07)	PLASTIC SURGERY	NON-CARDIAC	COMPLETE	N/A

>>> SURPATIENT,FIFTEEN (666-00-0194)					
09/16/07	LARYNGECTOMY (TOTAL) CPT Codes: 31360 Occurrences: BLEEDING/TRANSFUSIONS ** POSTOP ** (09/17/07) >>> Comments: Esophageal varices were the source of bleeding.	EAR, NOSE, THROAT (ENT)	NON-CARDIAC	COMPLETE	N/A

>>> SURPATIENT,FORTY (666-00-4174)					
09/19/07	HERNIA CPT Codes: 49505 Occurrences: URINARY TRACT INFECTION ** POSTOP ** (09/21/07)	GENERAL SURGERY	NON-CARDIAC	COMPLETE	N/A INGUINAL

Update 1-Liner Case

[SROA ONE-LINER UPDATE]

The *Update 1-Liner* option may be used to enter missing data for the 1-liner cases (major cases marked for exclusion from assessment, minor cases, and cardiac-assessed cases that transmit to the VASQIP database as a single line or two of data). Cases edited with this option will be queued for transmission to the VASQIP database at Chicago.

Example: Update 1-Liner Case

```
Select Surgery Risk Assessment Menu Option:  Update 1-Liner Case

Select Patient: SURPATIENT, TWELVE          02-12-28      XXXXXXXXXX      YES
                SC VETERAN
SURPATIENT, TWELVE          XXX-XX-XXXX

1. 08-07-04  REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-18-99  TRACHEOSTOMY, BRONCHOSCOPY, ESOPHAGOSCOPY (COMPLETED)
3. 09-04-97  CHOLECYSTECTOMY (COMPLETED)

Select Case: 1
```

```
SURPATIENT, TWELVE          (XXX-XX-XXXX)          Case #142
Transmission Status: QUEUED TO TRANSMIT          >> Coding Complete <<
AUG 7, 2004  REPAIR DIAPHRAGMATIC HERNIA (CPT Code: 39540)
-----
1. Hospital Admission Status:          SAME DAY
2. Surgical Specialty:          GENERAL (OR WHEN NOT DEFINED BELOW)
3. Surgical Priority:          STANDBY
4. Attending/Res Sup Code:          LEVEL A. ATTENDING DOING THE OPERATION
5. ASA Class:          2-MILD DISTURB.
6. Wound Classification:
7. Anesthesia Technique:          GENERAL
8. CPT Codes (view only):          39540
9. Other Procedures:          ***NONE ENTERED***
10. Robotic Assistance (Y/N):          NO
-----
Select number of item to edit: 6

Wound Classification: C CLEAN
```

```
SURPATIENT, TWELVE          (XXX-XX-XXXX)          Case #142
Transmission Status: QUEUED TO TRANSMIT          >> Coding Complete <<
AUG 7, 2004  REPAIR DIAPHRAGMATIC HERNIA (CPT Code: 39540)
-----
1. Hospital Admission Status:          SAME DAY
2. Surgical Specialty:          GENERAL (OR WHEN NOT DEFINED BELOW)
3. Surgical Priority:          STANDBY
4. Attending/Res Sup Code:          LEVEL A. ATTENDING DOING THE OPERATION
5. ASA Class:          2-MILD DISTURB.
6. Wound Classification:          CLEAN
7. Anesthesia Technique:          GENERAL
8. CPT Codes (view only):          39540
9. Other Procedures:          ***NONE ENTERED***
10. Robotic Assistance (Y/N):          NO
-----
Select number of item to edit:
```

Queue Assessment Transmissions

[SROA TRANSMIT ASSESSMENTS]

The *Queue Assessment Transmissions* option may be used to manually queue the VASQIP transmission process to run at a selected time. The VASQIP transmission process is a part of the nightly maintenance and cleanup process.

Example: Queue Assessment Transmissions

```
Select Surgery Risk Assessment Menu Option: T Queue Assessment Transmissions
Transmit Surgery Risk Assessments
Requested Start Time: NOW// <Enter>
Queued as task #2651700
Press RETURN to continue
```

Alert Coder Regarding Coding Issues

[SROA CODE ISSUE]

This option allows the nurse reviewer to send an alert to the coder when there may be an issue with the CPT codes or the Postoperative Diagnosis codes for a Surgery case. When this option is selected, the nurse reviewer can enter a free-text message that will be sent to the coder on record, as well as to a pre- defined mail group identified in the Surgery Site Parameter titled CODE ISSUE MAIL GROUP. The message will not be sent if there is no coder, or if the mail group is not defined.

Example : Alert Coder Regarding Coding Issues

```
Select Surgery Risk Assessment Menu Option: CODE Alert Coder Regarding Coding
Issues
Select Patient: SURPATIENT, TWELVE 02-12-28 000418719 YES
SC VETERAN
SURPATIENT, TWELVE 000-41-8719

1. 08-07-04 REPAIR DIAPHRAGMATIC HERNIA (COMPLETED)
2. 02-18-99 TRACHEOSTOMY, BRONCHOSCOPY, ESOPHAGOSCOPY (COMPLETED)
3. 09-04-97 CHOLECYSTECTOMY (COMPLETED)

Select Operation: 1
SURPATIENT, TWELVE (000-41-8719) Case #142
AUG 7, 2004 REPAIR DIAPHRAGMATIC HERNIA
-----

The following "final" codes have been entered for the case.

Principal CPT Code: 39540 REPAIR DIAPHRAGMATIC HERNIA
Other CPT Codes: NOT ENTERED
Postop Diagnosis Code (ICD-10): 551.3 DIAPHRAGM HERNIA W GANGR (w C/C)

If you believe that the information coded is not correct and would like to
alert the coders of the potential issue, enter a brief description of your
concern below.

Do you want to alert the coders (Y/N)? YES// <Enter>
==[ WRAP ]==[ INSERT ]====< Coding Discrepancy Comments >====[ <PF1>H=Help ]====
I have reviewed this case for VASQIP. The final Principal CPT Code entered
is 39540. I would like to talk to you regarding the code. I think the code
should be 39541. Please call me at X2545.
<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====

1. Transmit Message
2. Edit Text

Select Number: 1// <Enter>

Transmitting message...
```


Risk Model Lab Test

[SROA LAB TEST EDIT]

In order to assist the nurse reviewer, in the *Surgery Risk Assessment Menu* is the *Risk Model Lab Test (Enter/Edit)* option, which allows the nurse to map VASQIP data in the RISK MODEL LAB TEST file (#139.2). The option synonym is ERM.

```
Risk Model Lab Test (Enter/Edit)
Select Surgery Risk Assessment Menu Option: Risk Model Lab Test (Enter/Edit)
```

```
Risk Model Lab Test (Enter/Edit)
```

```
Select item to edit from list below:
```

1. ALBUMIN	14. INR
2. ALKALINE PHOSPHATASE	15. LDL
3. ANION GAP	16. PLATELET COUNT
4. B-TYPE NATRIURETIC PEPTIDE	17. POTASSIUM
5. BUN	18. PT
6. CHOLESTEROL	19. PTT
7. CPK	20. SGOT
8. CPK-MB	21. SODIUM
9. CREATININE	22. TOTAL BILIRUBIN
10. HDL	23. TRIGLYCERIDE
11. HEMATOCRIT	24. TROPONIN I
12. HEMOGLOBIN	25. TROPONIN T
13. HEMOGLOBIN A1C	26. WHITE BLOOD COUNT

```
Enter number (1-25): 6
```

```
Risk Model Lab Test (Enter/Edit)
```

```
Test Name: CHOLESTEROL
```

```
Laboratory Data Name(s): NONE ENTERED
```

```
Specimen: SERUM
```

```
Do you want to edit this test ? NO// YES
```

```
Select LABORATORY DATA NAME: CHOLESTEROL
```

```
1 CHOLESTEROL
2 CHOLESTEROL CRYSTALS
```

```
CHOOSE 1-2: 1 CHOLESTEROL
```

```
Select LABORATORY DATA NAME: <Enter>
```

```
Specimen: SERUM// <Enter>
```

```
Risk Model Lab Test (Enter/Edit)
```

```
Select item to edit from list below:
```

1. ALBUMIN	14. INR
2. ALKALINE PHOSPHATASE	15. LDL
3. ANION GAP	16. PLATELET COUNT
4. B-TYPE NATRIURETIC PEPTIDE	17. POTASSIUM
5. BUN	18. PT
6. CHOLESTEROL	19. PTT
7. CPK	20. SGOT
8. CPK-MB	21. SODIUM
9. CREATININE	22. TOTAL BILIRUBIN
10. HDL	23. TRIGLYCERIDE
11. HEMATOCRIT	24. TROPONIN I
12. HEMOGLOBIN	25. TROPONIN T
13. HEMOGLOBIN A1C	26. WHITE BLOOD COUNT

```
Enter number (1-26):
```

Chapter Eight: Code Set Versioning

The Code Set Versioning enhancement to the Surgery package ensures that only CPT codes, CPT modifiers, and ICD codes that are active for the operation or procedure date will be available for selection by the user, regardless of when the CPT entry or edit is made. Also, when a future operation or procedure date is entered, only active codes will be available.

It is possible that a new code set will be loaded between the time that an operation or procedure is scheduled and the time the operation or procedure occurs. Re-validation of the codes and modifiers occurs when the date and time that a patient enters the operating room is entered in the Surgery package. If the code (CPT or ICD) or CPT modifier is invalid — inactive for the date of operation or procedure — the inactive codes or modifiers will be deleted. Then, these two actions transpire:

1. A warning message displays on the screen, corresponding to the specific code or modifier that is inactive.
2. A MailMan message is sent to the surgeon (or provider), attending surgeon of record, and to the user who edited the record. The MailMan message contains the patient's name, date of operation, case number, free-text operation or procedure name, CPT or ICD codes, CPT modifiers deleted (if any), and the reason for deletion.

The first sample warning message shows an inactive CPT code, its modifiers, and ICD-10 codes, and the second warning message is for a Non-O.R. procedure.

Example: Warning Message to Surgeon

```
The following codes are no longer active and will be deleted for case # 45715.  
  
PRIN DIAGNOSIS CODE (ICD10): H54.0  
  
New active codes must be re-entered. A MailMan message will be sent to the surgeon and attending  
surgeon of record and to the user who edited the record with case details for follow-up.
```

Example: Warning Message to Provider

```
The following codes are no longer active and will be deleted for case #:242  
  
PRINCIPAL CPT CODE:          00869  
CPT MODIFIER:                23 UNUSUAL ANESTHESIA  
  
New active codes must be re-entered. A MailMan message will be sent to  
the provider and attending provider of record and to the user who edited  
the record with case details for follow-up.
```

The following sample MailMan message is sent to the surgeon, attending surgeon of record, and to the user who edited the record. The sample shows ICD codes, CPT codes, and CPT modifiers that are inactive.

Example: MailMan Message to Surgeon ICD-9 Code

Subj: ICD-9 OR CPT CODE DELETION [#208145] 05/06/14@09:56 11 lines
From: SURGERY PACKAGE In 'IN' basket. Page 1 *New*

Patient: SRPATIENTA,ONE Case #: 45804
Operation Date: MAY 06, 2014@11:11 OBS
The following codes are no longer active and were deleted for this case when the Time Patient in OR was entered.

PRIN DIAGNOSIS CODE (ICD9): 600.01

New active codes must be re-entered.

Example: MailMan Message to Surgeon ICD-10 Code

Subj: ICD OR CPT CODE DELETION [#207963] 04/18/14@16:21 11 lines
From: SURGERY PACKAGE In 'IN' basket. Page 1

Patient: SRPATIENTB,TWO Case #: 45715
Operation Date: JAN 01, 2012@13:33 KIDNEY PROBLEMS

The following codes are no longer active and were deleted for this case when the Time Patient in OR was entered.

PRIN DIAGNOSIS CODE (ICD10): H54.0

New active codes must be re-entered.

Enter message action (in IN basket): Ignore//



For Non-O.R. procedures, the MailMan message is sent to the provider and attending provider.

Example: MailMan Message to Provider

Subj: ICD OR CPT CODE DELETION [#88073] 06/26/03@12:32 12 lines
From: SURGERY PACKAGE In 'IN' basket. Page 1 *New*

Patient: SURPATIENT,ONE CASE #: 242
OPERATION DATE: JUN 26, 2003 STELLATE NERVE BLOCK

The following codes are no longer active and were deleted for this case when the Time Procedure Began was entered.

PRINCIPAL CPT CODE: 00869
CPT MODIFIER: 23 UNUSUAL ANESTHESIA

New active codes must be re-entered.

Enter message action (in IN basket): Ignore//

The following options allow for re-validation of the ICD and CPT codes and modifiers when the TIME PAT IN OR field or TIME PROCEDURE BEGAN field is entered.

- *Operation*
- *Operation (Short Screen)*
- *Edit Non-O.R. Procedure*
- *Operation Information (Enter/Edit)*
- *Resource Data*

Chapter Nine: Glossary

The following table contains terms that are used throughout the *Surgery V.3.0 User Manual*, and will aid the user in understanding the use of the Surgery package.

Term	Definition
Aborted	Case status indicating the case was cancelled after the patient entered the operating room. The Cases shall be considered "ABORTED" if the TIME PAT OUT OR field (#.205) and/or TIME PAT IN OR field (#.232) and CANCEL DATE field (#17), and the CASE ABORTED field entered with "YES".
ASA Class	This is the American Society of Anesthesiologists classification relating to the patient's physiologic status. Numbers followed by an 'E' indicate an emergency.
Attending Code	Code that corresponds to the highest level of supervision provided by the attending staff surgeon during the procedure.
Blockout Graph	Graph showing the availability of operating rooms.
Cancelled Case	Case status indicating that an entry has been made in the CANCEL DATE field, CANCELLATION TIMEFRAME and/or the PRIMARY CANCEL REASON field without the patient entering the operating room.
CCSHS	VA Center for Cooperative Studies in Health Services located at Hines, Illinois.
CICSP	Continuous Improvement in Cardiac Surgery Program.
Completed Case	Case status indicating that an entry has been made in the TIME PAT OUT OR field.
Concurrent Case	A patient undergoing two operations by different surgical specialties at the same time, or back to back, in the same operating room.
CPT Code	Also called Operation Code. CPT stands for Current Procedural Terminology.
CRT	Cathode ray tube display. A display device that uses a cathode ray tube.
Intraoperative Occurrence	Perioperative occurrence during the procedure.
Major	Any operation performed under general, spinal, or epidural anesthesia plus all inguinal herniorrhaphies and carotid endarterectomies regardless of anesthesia administered.
Minor	All operations not designated as Major.
New Surgical Case	A surgical case that has not been previously requested or scheduled such as an emergency case. A surgical case entered in the records without being booked through scheduling will not appear on the Schedule of Operations or as an operative request.
Non-Operative Occurrence	Occurrence that develops before a surgical procedure is performed.
Not Complete	Case status indicating one of the following two situations with no entry in the TIME PAT OUT OR field (#.232). 1) Case has entry in TIME PAT IN OR field (#.205). 2) Case has not been requested or scheduled.
NSQIP	National Surgical Quality Improvement Program.

Operation Code	Identifying code for reporting medical services and procedures performed by physicians. See CPT Code.
PACU	Post Anesthesia Care Unit.
Postoperative Occurrence	Perioperative occurrence following the procedure.
Procedure Occurrence	Occurrence related to a non-O.R. procedure.
Requested	Operation has been slotted for a particular day but the time and operating room are not yet firm.
Risk Assessment	Part of the Surgery software that provides medical centers a mechanism to track information related to surgical risk and operative mortality. Completed assessments are transmitted to the VASQIP national database for statistical analysis.
Scheduled	Operation has both an operating room and a scheduled starting time, but the operation has not yet begun.
Screen Server	A format for displaying data on a cathode ray tube display. Screen Server is designed specifically for the Surgery Package.
Screen Server Function	The Screen Server prompt for data entry.
Service Blockouts	The reservation of an operating room for a particular service on a recurring basis. The reservation is charted on a blockout graph.
Transplant Assessments	Part of the Surgery software that provides medical centers a mechanism to track information related to transplant risk and operative mortality. Completed assessments are transmitted to the VASQIP national database for statistical analysis. The <i>Transplant Assessment Menu</i> has been removed with patch SR*3*184.
VASQIP	Veterans Affairs Surgery Quality Improvement Program.

Index

- Admissions within 14 days of outpatient surgery **403**
- Automated Anesthesia Information System (AAIS) **448, 449**
- Anesthesia
 - Anesthesia agents **136, 175, 181, 442**
 - Anesthesia techniques **181**
- Anesthesia data entry menu **175**
- Anesthesia for an operation menu **136**
- Anesthesia personnel **175, 187, 325**
- Anesthesia provider report **329**
- Anesthesia report **139, 186, 324**
- Anesthetic procedures **325**
- Annual report of surgical procedures **342, 441**
- Attending surgeon reports **312**

- Bar code reader **173**
- Blockout
 - Blockout graph **29, 63, 78, 94**
 - Blockout an operating room **92**
- Blood bank **173**
- Blood product verification **173, 399**
- Book concurrent operation **47**
- Book an operation **62**

- Cancel scheduled operation **87**
- Cancellation date
 - Updating the cancellation date **412**
- Cancellation rates
 - Report of cancellation rates **376**
- Cancellation reason **87**
 - Updating the cancellation reason **89**
- Cancellations
 - Report of cancellations **374**
- Cardiac catheterization & angiographic data **482**
- Cardiac procedures requiring CPB **487**
- Cardiac risk assessment **475**

- Cases without specimens **387**
- Chief of Surgery **347**
- Circulating nurse staffing report **322**
- Clinical information **477**
- Code set versioning **544**
- Comments option **225**
- Comparison of preop and postop diagnosis **364**
- Completed cases **261, 280, 385, 387**
 - Completed cases missing CPT codes **259**
- Concurrent cases
 - Book concurrent case **47**
 - Schedule unrequested concurrent cases **72**
- CPT code
 - Completed cases missing CPT codes **259**
 - CPT code reports **331**
 - Cumulative report of CPT codes **332**
 - CPT modifiers **544**
 - Report of CPT coding accuracy **336**
- Create service blackout **92**
- Cultures **168, 215**
- Cumulative report of CPT codes **332**
- Cutoff time **44**

- Daily operating room activity **385**
- Death
 - Operations unrelated/related **359, 413, 534**
 - Within 30 days of surgery **197, 405**
 - Within 90 days of surgery **413, 534**
- Delay and cancellation reports **366**
 - Report of delay reasons **369**
 - Report of delay time **371**
 - Report of delayed operations **367**
- Delete
 - Delete a patient from the waiting list **27**

- Delete or update operation requests **38**
- Delete or update request for concurrent cases **41**
- Delete service blackout **94**
- Devices
 - Updating list of devices **440**
- Diagnosis **133, 228, 364**
- Display availability **29, 63**
- Dosage **172, 185**
- Download **448, 449**
- Edit
 - Edit a patient on the waiting list **26**
 - Edit non-OR procedure **208**
- Electronically signing
 - Electronically signing an anesthesia report **142**
 - Electronically signing a nurse intraoperative report **163**
- Enter
 - Enter a patient on the waiting list **25**
 - Enter cardiac catheterization & angiographic data **482**
 - Enter irrigations and restraints **170**
 - Enter PAC(U) information **127**
 - Enter referring physician information **169**
 - Enter restrictions for 'Person' fields **437**
- Exclusion criteria **529**
- File download **448**
- Flag drugs for use as anesthesia agents **442**
- Glossary **546**
- HL7 **445**
- ICD-10 codes **232, 235, 418, 544**
- Interim reports **344**
- Intraoperative occurrence **359, 468, 488, 534**
- Irrigation solutions **170**
- KERNEL audit log **399**
- Laboratory information **460, 480**
- Laboratory interim report **344**
- Laboratory package **344**
- Laboratory test results **460, 480**
- List of completed cases missing CPT codes **259**
- List of anesthetic procedures **325**
- List of operation requests **56**
- List of operations **261**
 - By postoperative disposition **287**
 - By surgical priority **295**
 - By surgical specialty **263**
 - By wound classification **395**
- List of requested cases **60**
- List of scheduled operations **97**
- List of surgery risk assessments **505**
- List of undictated operations **226, 280**
- List of unverified surgery cases **382**
- Maintain surgery waiting list menu **20**
- Make a request for concurrent cases **47**
- Make a request from the waiting list **44**
- Make operations requests **31**
- Make reports viewable in CPRS **451**
- Management reports **280**
- Medical administration **99, 101**
- Medications **172, 185**
- Monthly surgical case workload report **530**
- Mortality and morbidity **197, 259, 534**
 - M&M verification report **359, 534**
 - Morbidity and mortality reports **197, 350**
- Multiple fields **13**
- New surgical case **108**
- Non-cardiac risk assessment **454**
- Non-count encounters **306**

- Non-operative occurrence **194**
- Non-OR procedure **207**
 - Report of non-OR procedures **217**
- Normal daily hours **428**
- Normal operating room hours **432**
- NSQIP **546**
- Nurse intraoperative report **153, 260**
- Nurse staffing information **311**
 - Circulating nurse staffing report **322**
 - Scrub nurse staffing report **320**
 - Surgical nurse staffing report **318**
- Nursing care **153**
- Occurrence
 - Intraoperative occurrence **359, 468, 488, 534**
 - Non-operative occurrence **194**
 - Perioperative occurrence **189**
 - Postoperative occurrence **192**
- Operating room
 - Availability **29, 63**
 - Daily activity **385**
 - Determining use of **430**
 - Percent utilization **430**
 - Rescheduling **78**
 - Reserving on a recurring basis **92**
 - Utilization **426**
 - Utilization report **430**
 - Viewing availability of **29, 63**
- Operating room information (enter/edit) **424**
- Operating room schedule **95**
- Operation
 - Book concurrent **47**
 - Booking **62**
 - Cancelling scheduled **87**
 - Close of **124**
 - Delayed **367**
 - Information **111, 464**
 - Outstanding requests **31**
 - Requests for a day **56**
 - Requesting **31**
 - Rescheduling **78**
 - Schedule an operation **62**
 - Scheduled **97**
 - Scheduled by surgical specialty **97**
 - Scheduling requested **64**
 - Scheduling unrequested **67**
 - Short screen **132**
 - Starting time **119**
 - Startup **116**
- Operation information **111**
 - Enter/edit **464**
- Operation menu **101**
- Operation report **137**
- Operation/procedure report **240**
- Operation request
 - Deleting **38**
 - Making an operation request **31**
 - Requests for a day **56**
 - Printing a list **56, 60**
- Operative risk summary data **485**
- Outpatient encounters not transmitted to NPCD **306**
- Outstanding requests **31**
- Post Anesthesia Care Unit (PACU) **127**
- Patient demographics **466**
- PCE filing status report **267**
- Percent utilization **430**
- Perioperative occurrences menu **189**
- Person field restrictions menu **436**
- Person-type field
 - Assigning a key **437**
 - Removing a key **439**
- Pharmacy package coordinator **442**
- Positioning devices **170**
- Post operation **124**
- Postoperative occurrences **192**
- Preoperative assessment **457**
- Preoperative information **457**
- Principal diagnosis **111**
- Print
 - 30 day follow-up letters **525**
 - Blood product verification audit log **399**

Schedule of operations **95**
 Surgery risk assessment **496**
 Surgery waiting list **21**

Procedure
 Editing data for non-OR procedure **208**
 Entering data for non-OR procedure **207**
 Filed as encounters **306**

Procedure report (non-OR) **212**
 Purge utilization information **435**

Queue assessment transmissions **540**
 Quick reference on a case **111**

Referring physician information **169**
 Re-filing cases in PCE **310**
 Remove restrictions on 'Person' fields **439**

Report
 Admissions within 14 days of outpatient surgery report **403**
 Anesthesia provider report **329**
 Anesthesia report **139, 186, 324**
 Attending surgeon report **312**
 Cancellation rates report **376**
 Cancellations report **374**
 Cases without specimens report **387**
 Circulating nurse staffing report **322**
 Clean wound infection summary report **397**
 Completed cases missing CPT codes report **259**
 CPT coding accuracy report **336**
 Cumulative report of CPT codes **332**
 Daily operating room activity report **385**
 Deaths within 30 days of surgery report **405**
 Delay reasons report **369**
 Delay time report **371**
 Delayed operations report **367**
 Laboratory interim report **344**
 Management reports **280**
 M&M verification report **359, 534**
 Monthly surgical case workload report **530**
 Mortality report **197, 350**
 Non-OR procedures report **217**
 Normal operating room hours report **432**
 Nurse intraoperative report **149, 244**
 Operating room utilization report **430**
 Operation report **137**
 Operation/procedure report **240**
 Operation requests report **60**
 Operation requests for a day **56**
 Outpatient surgery encounters not transmitted to NPCD **306**
 PCE filing status report **267**
 Perioperative occurrences report **348, 350**
 Procedure report (non-OR) **212**
 Returns to surgery report **383**
 Scrub nurse staffing report **320**
 Surgeon staffing report **316**
 Surgical nurse staffing report **318**
 Surgical priorities report **297**
 Tissue examination report **168, 215**
 Unscheduled admissions to ICU report **389**
 Wound classification report **393**

Request for concurrent cases **47**
 Request operations menu **28**
 Requests by ward **58**
 Reschedule or update scheduled operation **78**
 Resource data **492**
 Restraint **170**
 Returns to surgery
 Report of returns to surgery **383**
 Update status of returns within 30 days **411**

Review request information **55**
 Risk assessment

Cardiac risk assessment **475**
Non-cardiac risk assessment **454**
Risk model lab test **542**

Schedule

Schedule anesthesia personnel **187**
Schedule concurrent cases **64**
Schedule of operations **95**
Schedule requested operation **64**
Schedule unrequested concurrent cases **72**
Schedule unrequested operations **67**

Screen server **8**

Service blackout

Creating service blackout **92**
Removing service blackout **94**

Short form list of scheduled cases **97**

Site-configurable files **443**

Specimens

Cases without specimens **387**
Tissue examination report **168, 215**

Staff surgeon **441**

Staffing reports

Circulating nurse staffing report **322**
Scrub nurse staffing report **320**
Surgeon staffing report **316**
Surgical nurse staffing report **318**

Surgeon key **437**

Surgeon's verification of diagnosis & procedures **133**

Surgery interface management menu **445**

Surgery package coordinator **419**

Surgery package management menu **420**

Surgery reports **279**

Surgery risk assessment menu **453**

Surgery site parameters (enter/edit) **421**

Surgery staffing reports **316**

Surgery utilization menu **425**

Surgery waiting list **20**

Surgical nurse staff

Surgical nurse staffing report **318**

Surgical priorities **297**

Surgical service chief **346**

Surgical service managers **421**

Surgical staff **112**

Table download **449**

Time given **172, 185**

Tissue examination report **168, 215**

Tracking cancellations **374**

Tracking delays **366**

Transfusion error risk management **173**

Unlock a case for editing **410**

Unrequested concurrent cases **72**

Unscheduled admissions to ICU **389**

Update

Update 1-liner case **539**

Update assessment completed/transmitted in error **504**

Update assessment status to 'complete' **473, 494**

Update cancellation reason **89**

Update cancelled cases **412**

Update interface parameter field **450**

Update OR schedule devices **440**

Update operations as Unrelated/related to death **413**

Update site configurable files **443**

Update staff surgeon information **441**

Update status of returns within 30 days **411**

Update/verify procedure/diagnosis codes **228**

Utilization information **430**

Waiting list **20**

Wound classification report **393**

View reports in CPRS **451**